



STATE OF MICHIGAN  
DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS  
LANSING

GRETCHEN WHITMER  
GOVERNOR

ORLENE HAWKS  
DIRECTOR

June 9, 2021

Stacey Wright  
2750 Carson Hwy  
Adrian, MI 49221

RE: License #: DF460095978  
**Stacey Wright**  
**2750 Carson Hwy**  
**Adrian, MI 49221**

Dear Ms. Wright:

Attached is your renewal inspection report. You can find a copy of this renewal inspection report and any associated corrective action plans on our [website](#) under [Statewide Search for Licensed Child Care Centers and Homes](#). A description of when renewal inspection reports are completed can be found under [Overview of Licensing Reports](#).

During the renewal inspection on 6/9/2021, I found 2 violation(s) listed below and explained in the attached report:

R400/1906(1)c(i) Records of licensee; child care staff member; child care Assistant.

R400.1934(4) Heating; ventilation; lighting; radon.

You gave us an acceptable written corrective action plan. We will send you a regular license in the mail.

<b>During calendar year 2020:</b>	<b>Total</b>
Number of serious injuries that occurred in facility.	<b>0</b>
Number of deaths that occurred in the facility.	<b>0</b>
Number of substantiated cases of abuse and/or neglect of a child that occurred at the facility.	<b>0</b>

Please contact me with any questions. In the event that I am not available and you need to speak to someone immediately, please contact the local office at (517) 262-9838.

Per MCL 722.113g, this report and any related corrective action plans must be filed in your Licensing Notebook.

Sincerely,

A handwritten signature in black ink, appearing to read "Timothy A. Swope". The signature is written in a cursive style with a large initial 'T' and 'S'.

Timothy A Swope, Licensing Consultant  
Bureau of Community and Health Systems  
301 E. Louis Glick Hwy  
Jackson, MI 49201  
(517) 262-9838

enclosure

**MICHIGAN DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS  
BUREAU OF COMMUNITY AND HEALTH SYSTEMS  
RENEWAL INSPECTION REPORT**

**I. IDENTIFYING INFORMATION**

<b>License #:</b>	DF460095978
<b>Licensee Name:</b>	Stacey Wright
<b>Licensee Address:</b>	2750 Carson Hwy Adrian, MI 49221
<b>Licensee Telephone #:</b>	(517) 264-5977
<b>Licensee:</b>	Stacey Wright
<b>Name of Facility:</b>	Stacey Wright
<b>Facility Address:</b>	2750 Carson Hwy Adrian, MI 49221
<b>Facility Telephone #:</b>	(517) 264-5977
<b>Original Issuance Date:</b>	03/16/2001
<b>Capacity:</b>	6
<b>Age Range:</b>	Ages Birth Thru 17 years

## II. METHODS OF INSPECTION

Date of On-site Inspection(s): 06/09/2021

		No. of Records Reviewed
No. of children enrolled in care	6	6
No. of assistant caregivers employed	0	0
No. of child care children present at time of inspection	6	
No. of other children present at time of inspection	0	
No. of assistant caregivers present at time of inspection	0	
Licensee present at time of inspection?	Yes	
Persons Interviewed:	Licensee	<input checked="" type="checkbox"/>
	Assistant Caregivers	<input type="checkbox"/>

Approved child use space:

Ms. Stacey Wright resides in a one-story house with a basement located in a residential area of Adrian. The rooms on the lower level (basement) approved for childcare meet the 35 sq. ft. requirement for each child. The lower level consists of a large open play area that entails a kitchenette/dining area, living room, playroom, and a separate bedroom that is exclusively used for sleeping purposes only. The lower level will also be used for conducting tornado drills or during actual tornado emergencies.

During my onsite inspection on 6/9/21, I observed the children during freedom of choice activities. All of the rooms were equipped with an adequate amount of age-appropriate play and learning equipment. Ms. Wright provides the children with various daily learning activities that include mane and number recognition, reading and writing activities, and arts and craft activities. Staff member interaction with the childcare children was positive and nurturing.

Exiting information (including second floor and basement): The main level of the home has two remote door exits located in the front and rear of the home. The lower level (basement) of the home also utilizes two remote exits that include a stairway leading to the main level of the home and the other a remote egress window. The windows unobstructed opening meets the 5 sq. ft. requirement and is easily accessible, clearly identified, and can be readily opened by caregiving staff and children.

Approved variances -  No  Yes Description:

Key Indicator Inspection: No.

**Additional information:**

- Pets? No  Yes  If yes, describe.  
Pets in the home include one dog that is friendly had does not have contact with the child care children.
- Hot tubs or spa pool? No  Yes  If yes, are there appropriate barriers?
- Swimming pool? No  Yes  If yes, describe pool and barriers.
- Other water hazards? No  Yes  If yes, describe.  
There is a small shallow garden pond located in the front yard of the home. The children's outdoor play area is located in a separate area of the home that contains a four-foot fenced barrier to prevent children from gaining access to the garden pond.
- Fireplace or wood burning stove? No  Yes  If yes, describe.
- Fireplace/wood burner in use during child care hours? No  Yes  If yes, describe barriers to protect children from burns.

### III. DESCRIPTION OF FINDINGS & CONCLUSIONS

This renewal inspection involved a review of all applicable child care home administrative rules and statutes. Verification of compliance included direct observations of the physical environment and the program, discussions with staff, and a review of the home's records, including staff records and children's records. Staff records include background checks, medical clearance information, and training information. Children's records include child information cards and child in care statements/receipts.

During the inspection, the child care home was found to be in compliance with all applicable rules and statutes except for the following violations:

#### **R 400.1906**

**Records of a licensee; child care staff member; child care assistant.**

**(1) A licensee shall maintain a file for each child care staff member and each child care assistant that includes all of the following:**

**(c) A statement signed by a licensed physician or his or her designee that attests to the individual's mental and physical health., and which must be updated as follows:**

**(i) For an applicant or licensee, within 1 year before issuance of the initial license and at the time of subsequent renewals.**

At the time of renewal, Ms. Wright did not have a statement signed by a licensed physician or his or her designee that attests to her mental and physical health. Ms. Wright has an appointment scheduled for 9/2/21.

**R 400.1934 Heating; ventilation; lighting; radon.**

**(4) A licensee shall test the child care home for the concentration of radon gas before the initial license is issued and every 4 years thereafter at the time of license renewal.**

Ms. Wright did not have an updated radon test completed (every four years at the time of renewal) showing the concentration of radon gas does not exceed 4.0 picocuries per liter of air. Ms. Wright last radon test was completed on 6/1/2010. Ms. Wright currently has a radon mitigation system installed in her home and attempted a new radon test on 5/21/21 with an invalid test result due to the transporting of the test kit taking too long. Ms. Wright is currently completing another radon test and will forward the results to the department upon completion.

#### IV. RECOMMENDATION

I recommend issuance of a regular license to this child care family home (capacity 1-6).



06/09/2021

---

Timothy A Swope  
Licensing Consultant

Date