



STATE OF MICHIGAN
 DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS
 LANSING

GRETCHEN WHITMER
 GOVERNOR

MARLON I. BROWN, DPA
 ACTING DIRECTOR

August 22, 2023

Tracee Azelton
 5396 Goedert Dr
 Tecumseh, MI 49286

RE: License #: DF460097333
Tracee Azelton
5396 Goedert Drive
Tecumseh, MI 49286

Dear Ms Azelton:

Attached is your renewal inspection report. You can find a copy of this renewal inspection report and any associated corrective action plans on our [website](#) under [Statewide Search for Licensed Child Care Centers and Homes](#). A description of when renewal inspection reports are completed can be found under [Overview of Licensing Reports](#).

As a result of the renewal inspection on 08/21/2023, I did not find any rule or law violations. You will receive your regular license in the mail.

During calendar year 2022:	Total
Number of serious injuries that occurred in facility.	0
Number of deaths that occurred in the facility.	0
Number of substantiated cases of abuse and/or neglect of a child that occurred at the facility.	0

Please contact me with any questions. In the event that I am not available and you need to speak to someone immediately, please contact the local office at (517) 262-9838.

Per MCL 722.113g, this report and any related corrective action plans must be filed in your Licensing Notebook.

Sincerely,

A handwritten signature in black ink, appearing to read "Timothy A. Swope". The signature is written in a cursive style with a large initial 'T' and a long horizontal stroke at the end.

Timothy A Swope, Licensing Consultant
Bureau of Community and Health Systems
611 W. Ottawa Street
P.O. Box 30664
Lansing, MI 48909
(517) 262-9838

enclosure

**MICHIGAN DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS
CHILD CARE LICENSING BUREAU
RENEWAL INSPECTION REPORT**

I. IDENTIFYING INFORMATION

License #:	DF460097333
Licensee Name:	Tracee Azelton
Licensee Address:	5396 Goedert Dr Tecumseh, MI 49286
Licensee Telephone #:	(517) 424-7571
Licensee:	Tracee Azelton
Name of Facility:	Tracee Azelton
Facility Address:	5396 Goedert Drive Tecumseh, MI 49286
Facility Telephone #:	(517) 673-0552
Original Issuance Date:	08/03/2001
Capacity:	7
Age Range:	Ages Birth Thru 17 years

II. METHODS OF INSPECTION

Date of On-site Inspection(s): 08/21/2023

		No. of Records Reviewed	
No. of children enrolled in care		5	5
No. of assistant caregivers employed		0	0
No. of child care children present at time of inspection		0	
No. of other children present at time of inspection		0	
No. of assistant caregivers present at time of inspection		0	
Licensee present at time of inspection?		Yes	
Persons Interviewed:	Licensee	<input checked="" type="checkbox"/>	
	Assistant Caregivers	<input type="checkbox"/>	

Approved child use space:

Ms. Tracee Azelton resides in a one-story house with a basement located in a residential area of Tecumseh. The rooms on the main, and lower levels approved for childcare meet the 35 sq. ft. requirement for each child. The main level kitchen/dining room, living room, and three bedrooms that are specifically used for sleeping purposes only are approved for child use. In addition, the lower level (basement) has an open playroom that IS also approved for childcare use. The lower level (basement) is also used for conducting tornado drills or during actual tornado emergencies.

During my onsite inspection on 8/21/2023, there were no children present due to Ms. Azelton being closed for the day. I will observe interaction with the caregivers and children at a later date when the family home resumes programming. All of the rooms were equipped with an adequate amount of age-appropriate play and learning equipment. Ms. Azelton provides the children with both structured and freedom of choice learning activities that include arts and craft activities.

Exiting information (including second floor and basement): The home has adequate fire exits on the main and lower level of the home. The main level utilizes two remote doorway exits located in the front and rear of the home. The lower level also utilizes two exits including the steps that lead to the main floor and the other being a window with a permanently secured platform.

Approved variances - No Yes Description: Ms. Azelton applied to have her capacity increased from 6 to 7 children. In addition, a variance was granted to licesning rule R400.1910(1) ratio of personnel to children. The ratio of personnel to children present in the home at any time will be 1 personnel to 7 children. For each member of the personnel, not more than 4 children under

the age of 30 months, with not more than 2 of the 4 children under the age of 18 months, still applies and is not impacted by this variance.

Key Indicator Inspection: No.

Additional information:

- Pets? No Yes If yes, describe.
Pets in the home include one medium-sized dog that is friendly and has regular contact with the child care children.
- Hot tubs or spa pool? No Yes If yes, are there appropriate barriers?
- Swimming pool? No Yes If yes, describe pool and barriers.
- Other water hazards? No Yes If yes, describe.
- Fireplace or wood burning stove? No Yes If yes, describe.
- Fireplace/wood burner in use during child care hours? No Yes If yes, describe barriers to protect children from burns.

III. DESCRIPTION OF FINDINGS & CONCLUSIONS

This renewal inspection involved a review of all applicable child care home administrative rules and statutes. Verification of compliance included direct observations of the physical environment and the program, discussions with staff, and a review of the home's records, including staff records and children's records. Staff records include background checks, medical clearance information, and training information. Children's records include child information cards and child in care statements/receipts.

The facility is in compliance with all applicable rules and statutes

IV. RECOMMENDATION

I recommend issuance of a regular license to this child care family home (capacity 1-6).



08/22/2023

Timothy A Swope
Licensing Consultant

Date