



GRETCHEN WHITMER  
GOVERNOR

STATE OF MICHIGAN  
DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS  
LANSING

ORLENE HAWKS  
DIRECTOR

November 16, 2022

Cynthia Hughes  
215 N. Pearl St.  
Tecumseh, MI 49286

RE: License #: DF460298975  
**Hughes, Cynthia**  
**215 N. Pearl St.**  
**Tecumseh, MI 49286**

Dear Ms. Hughes:

Attached is your renewal inspection report. You can find a copy of this renewal inspection report and any associated corrective action plans on our [website](#) under [Statewide Search for Licensed Child Care Centers and Homes](#). A description of when renewal inspection reports are completed can be found under [Overview of Licensing Reports](#).

As a result of the renewal inspection on 11/14/2022, I did not find any rule or law violations. You will receive your regular license in the mail.

<b>During calendar year 2021:</b>	<b>Total</b>
Number of serious injuries that occurred in facility.	<b>0</b>
Number of deaths that occurred in the facility.	<b>0</b>
Number of substantiated cases of abuse and/or neglect of a child that occurred at the facility.	<b>0</b>

Please contact me with any questions. In the event that I am not available and you need to speak to someone immediately, please contact the local office at 517-262-9717.

Per MCL 722.113g, this report and any related corrective action plans must be filed in your Licensing Notebook.

Sincerely,

A handwritten signature in black ink that reads "Jenny Camburn Brundage". The signature is written in a cursive, flowing style.

Jenny L. Camburn Brundage, Licensing Consultant  
Bureau of Community and Health Systems  
611 W. Ottawa Street  
P.O. Box 30664  
Lansing, MI 48909  
(517) 262-9717

enclosure

**MICHIGAN DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS  
CHILD CARE LICENSING BUREAU  
RENEWAL INSPECTION REPORT**

**I. IDENTIFYING INFORMATION**

<b>License #:</b>	DF460298975
<b>Licensee Name:</b>	Cynthia Hughes
<b>Licensee Address:</b>	215 N. Pearl St. Tecumseh, MI 49286
<b>Licensee Telephone #:</b>	(517) 423-6854
<b>Licensee:</b>	N/A
<b>Name of Facility:</b>	Hughes, Cynthia
<b>Facility Address:</b>	215 N. Pearl St. Tecumseh, MI 49286
<b>Facility Telephone #:</b>	(517) 423-6854
<b>Original Issuance Date:</b>	11/18/2008
<b>Capacity:</b>	7
<b>Age Range:</b>	Ages Birth Thru 12 years

## II. METHODS OF INSPECTION

Date of On-site Inspection(s): 11/17/2022

	No. of Records Reviewed
No. of children enrolled in care	7 7
No. of assistant caregivers employed	0 0
No. of child care children present at time of inspection	5
No. of other children present at time of inspection	0
No. of assistant caregivers present at time of inspection	0
Licensee present at time of inspection?	Yes
Persons Interviewed:	
Licensee	<input checked="" type="checkbox"/>
Assistant Caregivers	<input type="checkbox"/>

Approved child use space: Ms. Hughes resides in a two story house with a basement. The main level kitchen, dining room, living room, and playroom are approved for child use. The upper level bedrooms are approved for child use. The basement is not approved for child use but can be used for conducting tornado drills or during an actual tornado emergency. The outdoor play area is fenced and is located at the back of the house.

Exiting information (including second floor and basement): The main level uses two remote doors for exits. The upper level uses the stairs to the main level and a separate door that exits to a deck as a second exit.

Approved variances -  No  Yes Description: Date: 7/15/22. Rule R400.1910(1). The ratio of personnel to children present in the home at any time will now be 1 personnel to 7 children.

Key Indicator Inspection: No

### Additional information:

- Pets? No  Yes  If yes, describe.  
The home contains 1 small and two medium sized dogs.
- Hot tubs or spa pool? No  Yes  If yes, are there appropriate barriers?  
The home contains an outdoor hot tub with a locking cover.
- Swimming pool? No  Yes  If yes, describe pool and barriers.
- Other water hazards? No  Yes  If yes, describe.
- Fireplace or wood burning stove? No  Yes  If yes, describe.

- Fireplace/wood burner in use during child care hours? No  Yes  If yes, describe barriers to protect children from burns.

### III. DESCRIPTION OF FINDINGS & CONCLUSIONS


This renewal inspection involved a review of all applicable child care home administrative rules and statutes. Verification of compliance included direct observations of the physical environment and the program, discussions with staff, and a review of the home's records, including staff records and children's records. Staff records include background checks, medical clearance information, and training information. Children's records include child information cards and child in care statements/receipts.

The facility is in compliance with all applicable rules and statutes.

During the on- site inspection, I observed the children during quiet time and active freedom of choice learning. I provided a rule review regarding infant safe sleep rules, the new child information cards, and her written emergency plans. Ms. Hughes does not currently use the upstairs bedrooms, but she wishes to keep the rooms listed as approved use space.

### IV. RECOMMENDATION

I recommend renewal of this child care family home.



11/16/2022

---

Jenny L. Camburn Brundage  
Licensing Consultant

Date