



GRETCHEN WHITMER
GOVERNOR

STATE OF MICHIGAN
DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS
LANSING

ORLENE HAWKS
DIRECTOR

July 28, 2022

Kimberly Kendall
2592 Carson Highway
Adrian, MI 49221

RE: Application #: DF460412501
Kimberly Sue Kendall
2375 Airport Road
Adrian, MI 49221

Dear Mrs. Kendall:

Attached is the Original Licensing Study Report for the above referenced facility. The study has determined substantial compliance with applicable licensing statutes and rules. Therefore, an original license with a capacity of 6 is issued.

Please review the attached documentation for accuracy and contact me with any questions. In the event that I am not available and you need to speak to someone immediately, please contact the local office at (517) 284-9730.

Per MCL 722.113g, this report must be filed in your Licensing Notebook.

Sincerely,

A handwritten signature in black ink, appearing to read "Timothy A Swope".

Timothy A Swope, Licensing Consultant
Child Care Licensing Bureau
611 W. Ottawa Street
P.O. Box 30664
Lansing, MI 48909
(517) 262-9838

enclosure

**MICHIGAN DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS
CHILD CARE LICENSING BUREAU
LICENSING STUDY REPORT**

I. IDENTIFYING INFORMATION

License #:	DF460412501
Applicant Name:	Kimberly Kendall
Applicant Address:	2592 Carson Highway Adrian, MI 49221
Applicant Telephone #:	(517) 605-7033
Licensee:	Kimberly Sue Kendall
Name of Facility:	Kimberly Sue Kendall
Facility Address:	2375 Airport Road Adrian, MI 49221
Facility Telephone #:	(517) 605-7033
Application Date:	03/29/2022
Capacity:	6
Program Type:	CHILD CARE FAMILY HOME (CAPACITY 1-6)

II. METHODOLOGY

11/19/2020	Orientation Scheduled For-
11/19/2020	Orientation Attended
03/29/2022	Enrollment Online enrollment
04/27/2022	Inspection Completed-Heating Approved
04/27/2022	Inspection Completed-Water Heater
04/28/2022	Contact - Document Sent Rule & Act booklets; CC Comprehensive Background Cks; Reimburse ltr & form
04/28/2022	Application Incomplete Letter Sent App - Correct; 001; DI, med cl, TB, CPR, 1st Aid, Infant Safe Sleep, Courses 1 & 2 for Kimberly; furnace; HW; radon results
05/10/2022	Contact - Document Received Radon results 3.3 pCi/L
05/10/2022	Contact - Document Received 001, DL & TB for Kim
05/10/2022	Contact - Document Received Verification of CPR, 1st Aid & Infant Safe Sleep for Kim
05/12/2022	Contact - Document Received TB for Nancy
05/12/2022	Contact - Document Received Verification of Courses 1 & 2 for Kimberly
05/27/2022	Contact - Document Received Med cl for Kimberly
06/01/2022	Application Complete/Orientation Needed
07/08/2022	Inspection Completed On-site
07/21/2022	Inspection Completed-BCAL Full Compliance

III. DESCRIPTION OF FINDINGS & CONCLUSIONS

A. Description of Facility

Rooms and levels approved for child care use: Ms. Kimberly Kendall resides in a one-story house with a basement located in a residential area in Adrian. The rooms on the main level approved for childcare meet the 35 sq. ft. requirement for each child. The main floor living room, dining/kitchen room, and playroom are approved for childcare use.

Areas not approved: The main level bedrooms and entire lower level (basement) are not approved for childcare use. The lower level (basement) will only be used for conducting tornado drills or during actual tornado emergencies.

Ages of children served: Ms. Kendall will accept children of all ages birth to 17 years old.

Equipment: Ms. Kendall has an adequate amount of age-appropriate play and learning equipment to support her licensed capacity of 6 children.

Proposed days and hours of operation: The family childcare home will operate Monday through Friday from 6:00 a.m. until 5:30 p.m., year- round.

Previous or concurrent licenses, including children's foster care: Ms. Kendall has been previously licensed to provide childcare (DF460312643 and DF460405179). She is not a licensed foster parent.

Exiting information (including second floor and basement): There are two doors on the main level that will be used for exiting; one is located in the front of the home and the other at the rear of the home. Both doors exit directly to grade.

Outdoor play area description:

Additional information:

- Pets? No Yes If yes, describe.
- Hot tubs or spa pool? No Yes If yes, are there appropriate barriers?
- Swimming pool? No Yes If yes, describe pool and barriers.
- Other water hazards? No Yes If yes, describe.
- Fireplace or wood burning stove? No Yes If yes, describe.
- Fireplace/wood burner in use during child care hours? No Yes If yes, describe barriers to protect children from burns:

Explanation of variances, if any: There were no variances requested.

B. Rule/Statutory Violations

Ms. Kendall is in compliance with the applicable administrative rules and licensing statutes.

IV. RECOMMENDATION

I recommend issuance of a original license to this child care family home (capacity 1-6).




07/28/2022

Timothy A Swope
Licensing Consultant

Date

Approved By:



08/01/2022

Darlese McConnell
Area Manager

Date