



STATE OF MICHIGAN
 DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS
 LANSING

GRETCHEN WHITMER
 GOVERNOR

ORLENE HAWKS
 DIRECTOR

January 24, 2023

Kimberly Kendall
 2592 Carson Highway
 Adrian, MI 49221

RE: License #: DF460412501
Kimberly Sue Kendall
2375 Airport Road
Adrian, MI 49221

Dear Mrs. Kendall:

Attached is your renewal inspection report. You can find a copy of this renewal inspection report and any associated corrective action plans on our [website](#) under [Statewide Search for Licensed Child Care Centers and Homes](#). A description of when renewal inspection reports are completed can be found under [Overview of Licensing Reports](#).

During the renewal inspection on 01/24/2023, I found 1 violation(s) listed below and explained in the attached report:

R400.1905(7) Training.

You gave us an acceptable written corrective action plan. We will send you a regular license in the mail.

During calendar year 2022:	Total
Number of serious injuries that occurred in facility.	0
Number of deaths that occurred in the facility.	0
Number of substantiated cases of abuse and/or neglect of a child that occurred at the facility.	0

Please contact me with any questions. In the event that I am not available and you need to speak to someone immediately, please contact the local office at (517) 262-9838.

Per MCL 722.113g, this report and any related corrective action plans must be filed in your Licensing Notebook.

Sincerely,

A handwritten signature in black ink, appearing to read "Timothy A. Swope". The signature is written in a cursive style with a large initial 'T' and 'S'.

Timothy A Swope, Licensing Consultant
Bureau of Community and Health Systems
611 W. Ottawa Street
P.O. Box 30664
Lansing, MI 48909
(517) 262-9838

enclosure

**MICHIGAN DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS
CHILD CARE LICENSING BUREAU
RENEWAL INSPECTION REPORT**

I. IDENTIFYING INFORMATION

License #:	DF460412501
Licensee Name:	Kimberly Kendall
Licensee Address:	2592 Carson Highway Adrian, MI 49221
Licensee Telephone #:	(517) 605-7033
Licensee:	Kimberly Sue Kendall
Name of Facility:	Kimberly Sue Kendall
Facility Address:	2375 Airport Road Adrian, MI 49221
Facility Telephone #:	(517) 605-7033
Original Issuance Date:	08/01/2022
Capacity:	6
Age Range:	Ages Birth Thru 17 years

II. METHODS OF INSPECTION

Date of On-site Inspection(s): 01/24/2023

	No. of Records Reviewed	
No. of children enrolled in care	7	7
No. of assistant caregivers employed	0	0
No. of child care children present at time of inspection	4	
No. of other children present at time of inspection	0	
No. of assistant caregivers present at time of inspection	0	
Licensee present at time of inspection?	Yes	
Persons Interviewed:	Licensee	<input checked="" type="checkbox"/>
	Assistant Caregivers	<input type="checkbox"/>

Approved child use space:

Ms. Kimberly Kendall resides in a one-story house with a basement located in a residential area of Adrian. The rooms on the main level approved for childcare meet the 35 sq. ft. requirement for each child. The main level kitchen/dining room, living room, and playroom are approved for child use. The lower level (basement) will only be used for conducting tornado drills or during actual tornado emergencies.

During my onsite inspection on 1/24/23, I observed the children during freedom of choice activity and nap/rest time. All of the rooms were equipped with an adequate amount of age-appropriate play and learning equipment. Ms. Kendall provides the children with both structured and freedom of choice learning activities that include arts and craft activities. Staff member interaction with the childcare children was positive and nurturing.

Exiting information (including second floor and basement): The main level of the home utilizes two remote door exits located in the front and rear of the home.

Approved variances - No Yes Description:

Key Indicator Inspection: No.

Additional information:

- Pets? No Yes If yes, describe.
Pets in the home include one small-sized dog that is friendly and has regular contact with the childcare children.
- Hot tubs or spa pool? No Yes If yes, are there appropriate barriers?
- Swimming pool? No Yes If yes, describe pool and barriers.

- Other water hazards? No Yes If yes, describe.
- Fireplace or wood burning stove? No Yes If yes, describe.
- Fireplace/wood burner in use during child care hours? No Yes If yes, describe barriers to protect children from burns.

III. DESCRIPTION OF FINDINGS & CONCLUSIONS

This renewal inspection involved a review of all applicable child care home administrative rules and statutes. Verification of compliance included direct observations of the physical environment and the program, discussions with staff, and a review of the home's records, including staff records and children's records. Staff records include background checks, medical clearance information, and training information. Children's records include child information cards and child in care statements/receipts.

During the inspection, the child care home was found to be in compliance with all applicable rules and statutes except for the following violations:

R 400.1905

Training.

(7) CPR and first aid training certification must be maintained according to the expiration dates on the individual's certification cards.

Ms. Kendall's infant, child, and adult CPR and first aid expired on 10/2022 and is in need of renewal. Ms. Kendall has a renewal certification class scheduled in February of 2023.

A corrective action plan was requested and approved on 01/24/2023. It is expected that the corrective action plan be implemented within the specified time frames as outlined in the approved plan. A follow-up evaluation may be made to verify compliance. Should the corrections not be implemented in the specified time, it may be necessary to reevaluate the status of your license.

IV. RECOMMENDATION

I recommend no change in the current license status.



01/24/2023

Timothy A Swope
Licensing Consultant

Date