



STATE OF MICHIGAN
DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS
LANSING

GRETCHEN WHITMER
GOVERNOR

ORLENE HAWKS
DIRECTOR

August 14, 2022

Jennifer Romeo
50317 Bellaire
Chesterfield, MI 48047

RE: License #: DF500255178
Jennifer Romeo
50317 Bellaire
Chesterfield, MI 48047

Dear Ms. Romeo:

Attached is your renewal inspection report. You can find a copy of this renewal inspection report and any associated corrective action plans on our [website](#) under [Statewide Search for Licensed Child Care Centers and Homes](#). A description of when renewal inspection reports are completed can be found under [Overview of Licensing Reports](#).

As a result of the renewal inspection on 6/15/2022, I did not find any rule or law violations. You will receive your regular license in the mail.

During calendar year 2021:	Total
Number of serious injuries that occurred in facility.	0
Number of deaths that occurred in the facility.	0
Number of substantiated cases of abuse and/or neglect of a child that occurred at the facility.	0

Please contact me with any questions. In the event that I am not available and you need to speak to someone immediately, please contact the local office at (517) 284-9730.

Per MCL 722.113g, this report and any related corrective action plans must be filed in your Licensing Notebook.

Sincerely,

A handwritten signature in black ink, appearing to read "J. DeMuyne". The signature is written in a cursive, flowing style.

Jennifer DeMuyne, Licensing Consultant
Child Care Licensing Bureau
611 W Ottawa
PO BOX 30664
Lansing, MI 48909
(586) 256-1005

Enclosure

**MICHIGAN DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS
CHILD CARE LICENSING BUREAU
RENEWAL INSPECTION REPORT**

I. IDENTIFYING INFORMATION

License #:	DF500255178
Licensee Name:	Jennifer Romeo
Licensee Address:	50317 Bellaire Chesterfield, MI 48047
Licensee Telephone #:	(586) 716-9929
Licensee:	N/A
Name of Facility:	Jennifer Romeo
Facility Address:	50317 Bellaire Chesterfield, MI 48047
Facility Telephone #:	(586) 716-9929
Original Issuance Date:	05/09/2003
Capacity:	6
Age Range:	Ages Birth Thru 17 years

II. METHODS OF INSPECTION

Date of On-site Inspection(s): 06/15/2022

		No. of Records Reviewed
No. of children enrolled in care	6	6
No. of assistant caregivers employed	0	0
No. of child care children present at time of inspection	5	
No. of other children present at time of inspection	0	
No. of assistant caregivers present at time of inspection	0	
Licensee present at time of inspection?	Yes	
Persons Interviewed:		
Licensee	<input checked="" type="checkbox"/>	
Assistant Caregivers	<input type="checkbox"/>	

Approved child use space: Main Floor

Exiting information (including second floor and basement): The Main floor has two remote exits for emergency purposes.

Approved variances - No Yes Description:

Key Indicator Inspection: No

Additional information:

- Pets? No Yes If yes, describe.
A dog that has contact with children in care.
- Hot tubs or spa pool? No Yes If yes, are there appropriate barriers?
- Swimming pool? No Yes If yes, describe pool and barriers.
- Other water hazards? No Yes If yes, describe.
- Fireplace or wood burning stove? No Yes If yes, describe.
A barrier so children do not have access.
- Fireplace/wood burner in use during child care hours? No Yes If yes, describe barriers to protect children from burns.

III. DESCRIPTION OF FINDINGS & CONCLUSIONS

This renewal inspection involved a review of all applicable child care home administrative rules and statutes. Verification of compliance included direct observations of the physical environment and the program, discussions with staff, and a review of the home's records, including staff records and children's records. Staff records include background checks, medical clearance information, and

training information. Children's records include child information cards and child in care statements/receipts.

The facility is in compliance with all applicable rules and statutes.

IV. RECOMMENDATION

I recommend the license be renewed.



8/14/22

Jennifer DeMuyneck
Licensing Consultant

Date