



GRETCHEN WHITMER
GOVERNOR

STATE OF MICHIGAN
DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS
LANSING

ORLENE HAWKS
DIRECTOR

March 24, 2023

Ashley Arena
8862 Radner
Sterling Heights, MI 48314

RE: License #: DF500381393
Ashley's Place
8862 Radner Drive
Sterling Heights, MI 48314

Dear Ms. Arena:

Attached is your renewal inspection report. You can find a copy of this renewal inspection report and any associated corrective action plans on our [website](#) under [Statewide Search for Licensed Child Care Centers and Homes](#). A description of when renewal inspection reports are completed can be found under [Overview of Licensing Reports](#).

During the renewal inspection on 3/24/2023, I found 2 violations. The violations are listed below and explained in the attached report:

- R400.1905 (7) Training.
- R400.1905 (9) Training.

You gave us an acceptable written corrective action plan. We will send you a regular license in the mail.

During calendar year Choose the previous year.: 2022	Total
Number of serious injuries that occurred in facility.	0
Number of deaths that occurred in the facility.	0
Number of substantiated cases of abuse and/or neglect of a child that occurred at the facility.	0

Note: Technical Assistance was provided to Ms. Arena regarding R400.1905 (1) annual training hour requirement. Ms. Arena made up her 2022 (10) training hours prior to the onsite inspection in March of 2023.

Please contact me with any questions. In the event that I am not available and you need to speak to someone immediately, please contact the local office at (517) 284-9730.

Per MCL 722.113g, this report and any related corrective action plans must be filed in your Licensing Notebook.

Sincerely,

A handwritten signature in black ink, appearing to read "LaTonya Kegler", written over a horizontal line.

LaTonya Kegler, Licensing Consultant
Child Care Licensing Bureau (CCLB)
611 W Ottawa Street
PO Box 30664
Lansing, MI 48909-8164
(586) 256-1280

Enclosure

**MICHIGAN DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS
CHILD CARE LICENSING BUREAU
RENEWAL INSPECTION REPORT**

I. IDENTIFYING INFORMATION

License #:	DF500381393
Licensee Name:	Ashley Arena
Licensee Address:	8862 Radner Sterling Heights, MI 48314
Licensee Telephone #:	(248) 895-1668
Licensee:	N/A
Name of Facility:	Ashley's Place
Facility Address:	8862 Radner Drive Sterling Heights, MI 48314
Facility Telephone #:	(248) 895-1668
Original Issuance Date:	03/29/2016
Capacity:	6
Age Range:	Ages Birth Thru 17 years

II. METHODS OF INSPECTION

Date of On-site Inspection(s): 03/24/2023

	No. of Records Reviewed	
No. of children enrolled in care	9	5
No. of assistant caregivers employed	0	0
No. of child care children present at time of inspection	4	
No. of other children present at time of inspection	0	
No. of assistant caregivers present at time of inspection	0	
Licensee present at time of inspection?	Yes	
Persons Interviewed:	Licensee	<input checked="" type="checkbox"/>
	Assistant Caregivers	<input type="checkbox"/>

Approved child use space: livingroom, nook, all bedrooms (napping only)
Exiting information (including second floor and basement): front and side door
Approved variances - No Yes Description:
Key Indicator Inspection: no.

Additional information:

- Pets? No Yes If yes, describe.
2 dogs
- Hot tubs or spa pool? No Yes If yes, are there appropriate barriers?
- Swimming pool? No Yes If yes, describe pool and barriers.
- Other water hazards? No Yes If yes, describe.
- Fireplace or wood burning stove? No Yes If yes, describe.
- Fireplace/wood burner in use during child care hours? No Yes If yes, describe barriers to protect children from burns.

III. DESCRIPTION OF FINDINGS & CONCLUSIONS

This renewal inspection involved a review of all applicable child care home administrative rules and statutes. Verification of compliance included direct observations of the physical environment and the program, discussions with staff, and a review of the home's records, including staff records and children's records. Staff records include background checks, medical clearance information, and

training information. Children's records include child information cards and child in care statements/receipts.

During the inspection, the child care home was found to be in compliance with all applicable rules and statutes except for the following violations:

R 400.1905 Training.

(7) CPR and first aid training certification must be maintained according to the expiration dates on the individual's certification cards.

Ms. Ashley's CPR/First Aid certification expired in February of 2023.

R 400.1905 Training

(9) When the department of licensing and regulatory affairs or the department of education publishes a notice that a new health and safety update document or a new health and safety update training activity has been published on MiRegistry, the licensee shall ensure that all personnel read and acknowledge the document or complete the activity within 6 months of the notice.

Ms. Arena failed to complete the required yearly Health and Safety Refresher trainings from 2020-2022 as required.

A corrective action plan was requested and approved on 03/24/2023. It is expected that the corrective action plan be implemented within the specified time frames as outlined in the approved plan. A follow-up evaluation may be made to verify compliance. Should the corrections not be implemented in the specified time, it may be necessary to reevaluate the status of your license.

IV. RECOMMENDATION

I recommend issuance of a regular license to this childcare family home (capacity 1-6).



LaTonya Kegler
Licensing Consultant

March 24, 2023
Date