



GRETCHEN WHITMER
GOVERNOR

STATE OF MICHIGAN
DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS
LANSING

ORLENE HAWKS
DIRECTOR

July 12, 2022

Ionela Miller
2926 Eastland Rd.
Muskegon, MI 49441

RE: License #: DF610387753
Building Blocks
2926 Eastland Rd.
Muskegon, MI 49441

Dear Mrs. Miller:

Attached is your renewal inspection report. You can find a copy of this renewal inspection report and any associated corrective action plans on our [website](#) under [Statewide Search for Licensed Child Care Centers and Homes](#). A description of when renewal inspection reports are completed can be found under [Overview of Licensing Reports](#).

During the renewal inspection on 07/11/2022, I found three violations listed below and explained in the attached report:

- R400.1906(1)(c) Records of a licensee; child care staff member; child care assistant.**
- R400.1905(1) Training.**
- R400.1934(4) Heating; ventilation; lighting; radon.**

You gave us an acceptable written corrective action plan. We will send you a regular license in the mail.

During calendar year 2021:	Total
Number of serious injuries that occurred in facility.	0
Number of deaths that occurred in the facility.	0

Number of substantiated cases of abuse and/or neglect of a child that occurred at the facility.	0
---	---

Please contact me with any questions. In the event that I am not available and you need to speak to someone immediately, please contact the local office at (517) 284-9730.

Per MCL 722.113g, this report and any related corrective action plans must be filed in your Licensing Notebook.

Sincerely,



Kortney Williams, Licensing Consultant
Child Care Licensing
611 W. Ottawa St.
P.O.Box 30664
Lansing, MI 48909
(231) 463-3177

enclosure

**MICHIGAN DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS
CHILD CARE LICENSING BUREAU
RENEWAL INSPECTION REPORT**

I. IDENTIFYING INFORMATION

License #:	DF610387753
Licensee Name:	Ionela Miller
Licensee Address:	2926 Eastland Rd. Muskegon, MI 49441
Licensee Telephone #:	
Ages Birth Thru 5 years 0 months Licensee:	N/A
Name of Facility:	Building Blocks
Facility Address:	2926 Eastland Rd. Muskegon, MI 49441
Facility Telephone #:	(231) 769-7217
Original Issuance Date:	07/18/2017
Capacity:	6
Age Range:	Birth – 5yrs

II. METHODS OF INSPECTION

Date of On-site Inspection(s): 07/11/2022

	No. of Records Reviewed	
No. of children enrolled in care	9	9
No. of assistant caregivers employed	0	0
No. of child care children present at time of inspection	5	
No. of other children present at time of inspection	1	
No. of assistant caregivers present at time of inspection	0	
Licensee present at time of inspection?	Yes	
Persons Interviewed:		
Licensee	<input checked="" type="checkbox"/>	
Assistant Caregivers	<input type="checkbox"/>	

Approved child use space: The breezeway connecting the home and the garage, the kitchen, and the bathroom on the main level. The right side of the basement (play area) will be used for child use. The living room on the main level, upstairs bedroom and the open area.

Exiting information (including second floor and basement): The main level of the home has four exits, the front door, and three doors off the breezeway. One leads to the backyard, one leads to the front of the home and the other leads to the garage. The basement has a staircase to the main level of the home and an egress window in the approved area.

Approved variances - No Yes Description:

Key Indicator Inspection: No

Additional information:

- Pets? No Yes If yes, describe.
Ms. Miller has one dog.
- Hot tubs or spa pool? No Yes If yes, are there appropriate barriers?
- Swimming pool? No Yes If yes, describe pool and barriers.
- Other water hazards? No Yes If yes, describe.
- Fireplace or wood burning stove? No Yes If yes, describe.
- Fireplace/wood burner in use during child care hours? No Yes If yes, describe barriers to protect children from burns.

III. DESCRIPTION OF FINDINGS & CONCLUSIONS

This renewal inspection involved a review of all applicable child care home administrative rules and statutes. Verification of compliance included direct observations of the physical environment and the program, discussions with staff, and a review of the home's records, including staff records and children's records. Staff records include background checks, medical clearance information, and training information. Children's records include child information cards and child in care statements/receipts.

During the on-site inspection the six children and licensee were outside having outdoor play. All the children were being appropriately interacted with and supervised.

During the inspection, the child care home was found to be in compliance with all applicable rules and statutes except for the following violations:

R 400.1905 Training.

(1) A licensee shall complete not less than 10 clock hours of training each calendar year related to child development, program planning, and administrative management for a child care business, not including CPR, first aid, and infectious disease, including immunizations, training.

Ms. Miller did not ensure that she complete 10 hours annually of professional development.

R 400.1906 Records of a licensee; child care staff member; child care assistant.

(1) A licensee shall maintain a file for each child care staff member and each child care assistant that includes all of the following:

(c) A statement signed by a licensed physician or his or her designee that attests to the individual's mental and physical health., and which must be updated as follows:

(i) For an applicant or licensee, within 1 year before issuance of the initial license and at the time of subsequent renewals.

(ii) For a child care staff member and a child care assistant, within 1 year prior t

Ms. Miller did not have a signed medical statement completed by her physician at her renewal.

R 400.1934 Heating; ventilation; lighting; radon.


(4) A licensee shall test the child care home for the concentration of radon gas before the initial license is issued and every 4 years thereafter at the time of license renewal.

Ms. Miller did not have an updated radon test completed.

A corrective action plan was requested and approved on 07/11/2022. It is expected that the corrective action plan be implemented within the specified time frames as outlined in the approved plan. A follow-up evaluation may be made to verify compliance. Should the corrections not be implemented in the specified time, it may be necessary to reevaluate the status of your license.

IV. RECOMMENDATION

I recommend the renewal of the family license (capacity 1-6)



Kortney Williams
Licensing Consultant

07/12/2022
Date