



STATE OF MICHIGAN
DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS
LANSING

GRETCHEN WHITMER
GOVERNOR

ORLENE HAWKS
DIRECTOR

July 12, 2023

Brooke Tennant
15131 Brookwood Dr.
Norton Shores, MI 49441

RE: License #: DF610397666
Brooke Tennant
1513 Brookwood Dr.
Norton Shores, MI 49441

Dear Mrs. Tennant:

Attached is your renewal inspection report. You can find a copy of this renewal inspection report and any associated corrective action plans on our [website](#) under [Statewide Search for Licensed Child Care Centers and Homes](#). A description of when renewal inspection reports are completed can be found under [Overview of Licensing Reports](#).


As a result of the renewal inspection on 07/11/2023, I did not find any rule or law violations. You will receive your regular license in the mail.

During calendar year 2022:	Total
Number of serious injuries that occurred in facility.	0
Number of deaths that occurred in the facility.	0
Number of substantiated cases of abuse and/or neglect of a child that occurred at the facility.	0

Please contact me with any questions. In the event that I am not available and you need to speak to someone immediately, please contact the local office at (517) 284-9730.

Per MCL 722.113g, this report and any related corrective action plans must be filed in your Licensing Notebook.

Sincerely,

A handwritten signature in black ink that reads "K. Williams". The signature is written in a cursive style with a large, looped "W" at the end.

Kortney Williams, Licensing Consultant
Child Care Licensing
611 W. Ottawa St.
P.O.Box 30664
Lansing, MI 48909
(231) 463-3177

enclosure

**MICHIGAN DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS
CHILD CARE LICENSING BUREAU
RENEWAL INSPECTION REPORT**

I. IDENTIFYING INFORMATION

License #:	DF610397666
Licensee Name:	Brooke Tennant
Licensee Address:	15131 Brookwood Dr. Norton Shores, MI 49441
Licensee Telephone #:	(231) 788-0722
Licensee:	N/A
Name of Facility:	Brooke Tennant
Facility Address:	1513 Brookwood Dr. Norton Shores, MI 49441
Facility Telephone #:	(231) 206-0329
Original Issuance Date:	01/09/2019
Capacity:	7
Age Range:	Ages Birth Thru 12 years

II. METHODS OF INSPECTION

Date of On-site Inspection(s): 07/11/2023

	No. of Records Reviewed	
No. of children enrolled in care	10	10
No. of assistant caregivers employed	0	0
No. of child care children present at time of inspection	4	
No. of other children present at time of inspection	3	
No. of assistant caregivers present at time of inspection	0	
Licensee present at time of inspection?	Yes	
Persons Interviewed:	Licensee	<input checked="" type="checkbox"/>
	Assistant Caregivers	<input type="checkbox"/>

Approved child use space: The approved space includes the living room, family room, kitchen and dining room on the main floor of the home. In the basement the main living room, the kitchen and bathroom in the basement are approved space.

Exiting information (including second floor and basement): From the main floor of the home you can exit through the front door and side door. In the basement of the home you can exit through the main staircase and the door leading outside the home.

Approved variances - No Yes Description: Ms. Bennett has an approved variance for the capacity of 7 child care children.

Key Indicator Inspection: No.

Additional information:

- Pets? No Yes If yes, describe.
Ms. Bennett has two dogs.
- Hot tubs or spa pool? No Yes If yes, are there appropriate barriers?
- Swimming pool? No Yes If yes, describe pool and barriers.
- Other water hazards? No Yes If yes, describe.
- Fireplace or wood burning stove? No Yes If yes, describe.
- Fireplace/wood burner in use during child care hours? No Yes If yes, describe barriers to protect children from burns.

III. DESCRIPTION OF FINDINGS & CONCLUSIONS


During the on-site inspection the licensee, four childcare children and three of her grandchildren were present. The children were participating in choice play. All the children were being appropriately interacted with and supervised by the licensee. Ms. Tennent indicated that her radon test results came back inconclusive. She will be completing a new test and submitting the results by the end of the month.

This renewal inspection involved a review of all applicable childcare home administrative rules and statutes. Verification of compliance included direct observations of the physical environment and the program, discussions with staff, and a review of the home's records, including staff records and children's records. Staff records include background checks, medical clearance information, and training information. Children's records include child information cards and child in care statements/receipts.

The facility is in compliance with all applicable rules and statutes.

IV. RECOMMENDATION

I recommend issuance of a regular license to this childcare family home (capacity 1-6).



Kortney Williams
Licensing Consultant

07/12/2023
Date