



GRETCHEN WHITMER
GOVERNOR

STATE OF MICHIGAN
DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS
LANSING

Marlon I. Brown, DPA
ACTING DIRECTOR

Report Type : Interim
Inspection Type: Interim

Date of Inspection: 9/27/2023
Date of Report: 11/10/2023

Licensee Name(s)	License Number	Capacity
Judith Marie Strzelecki	DF630049741	6
Facility Name	Program Type	
Judith Marie Strzelecki	Family Home	
Facility Address	Mailing Address	
282 Coryell, Oxford, MI, 48371	282 Coryell, Oxford, MI, 48371	
Facility Phone Number	Facility Email Address	
2489782970	jms.daycare@gmail.com	

Findings of the Inspection

A copy of this Interim inspection report and any associated corrective action plans is available on the Child Care Licensing Bureau [website](#) under [Statewide Search for Licensed Child Care Centers and Homes](#). A description of when interim inspection reports are completed can be found under [Overview of Licensing Reports](#).

The purpose of the Interim inspection was to determine compliance with applicable licensing statutes and administrative rules for child care Family Home. During the Interim inspection, licensing consultant Michelle Fruehan found 2 violations. The violations are listed and explained below. On 09/27/2023, you gave us an acceptable written corrective action plan.

If you have any questions regarding the report, please contact licensing consultant, Michelle Fruehan, at (248) 672-9158. In the event that Michelle Fruehan is not available and you need to speak to someone immediately, please contact the Child Care Licensing Bureau at 517-284-9730.

Inspection Details		
<i>Number of Rules/Statutes Reviewed</i>	<i>Number of Rules/Statute Violations</i>	<i>Number of Rules/Statutes where Technical Assistance was Provided</i>
234	2	0
<i>Number of Children's Records Reviewed: Number of Children Enrolled</i>	<i>Number of Staff Employed : Number of Staff Files Reviewed</i>	<i>Number of Home Volunteers : Number of Volunteer Files Reviewed</i>

6: 6	1: 1	0:
<i>Number of Children Observed : Number of Children Present During Inspection</i>	<i>Number of Child Care Staff Members Observed: Number of Child Care Staff Members Present During Inspection</i>	<i>Number of Volunteers Observed a: Number of Volunteers Present During Inspection</i>
6: 6	1:6	0:0
<i>Licensee Interviewed</i>	<i>Child Care Staff Members Interviewed</i>	Pets
Water or Other Hazards	Outdoor Space	
There were no water or other hazards.	The outdoor space is located in the backyard of the child care home.	

Documentation of Required Inspections		
<i>Type of Inspection</i>	<i>Date of Inspection</i>	<i>Findings</i>
<i>Environmental Health</i>	<i>06/08/1994</i>	<i>Approved A Rating</i>
<i>Boiler Inspection</i>	<i>04/20/2022</i>	<i>Approved</i>
<i>Radon</i>	<i>07/14/2022</i>	<i>Approved</i>

<i>Rule Number</i>	<i>Rule</i>	<i>Analysis</i>	<i>Conclusion</i>
R 400.1945(4)	Emergency; plan; drill. Fire drills must be practiced while children are in care at least once quarterly, and a written record that includes the date and time it takes to evacuate must be maintained.	Fire drills were not practiced quarterly and documented. A drill log could not be located.	Repeat Violation Established Reference: : 7/8/2018 :Violation Established;
R 400.1945(5)	Emergency; plan; drill. At least 2 tornado drills must be practiced while children are in care between March and November, and a written record of these drills that includes the date must be maintained.	Tornado drills were not practiced and documented twice a year. A drill log could not be located.	Violation Established

Technical Assistance	
<i>Rule Number</i>	<i>Rule</i>

Bureau Recommendation
I recommend no change in the status of this license.

Approved By:			
<i>Michelle Fruehan</i>		11/13/2023	
Michelle Fruehan	Date		
Licensing Consultant			