



GRETCHEN WHITMER  
GOVERNOR

STATE OF MICHIGAN  
DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS  
LANSING

Marlon I. Brown, DPA  
ACTING DIRECTOR

**Report Type:** Interim  
**Inspection Type:** Interim

**Date of Inspection:** 11/28/2023  
**Date of Report:** 11/29/2023

Licensee Name(s)	License Number	Capacity
Wendy Kay Butterfield	DF630249832	6
Facility Name	Program Type	
Wendy Butterfield	Family Home	
Facility Address	Mailing Address	
6644 Northview Drive, Clarkston, MI, 48346	6644 Northview Drive, Clarkston, MI, 48346	
Facility Phone Number	Facility Email Address	
2483103138	wkbpearl10@gmail.com	

### Findings of the Inspection

A copy of this Interim inspection report and any associated corrective action plans is available on the Child Care Licensing Bureau [website](#) under [Statewide Search for Licensed Child Care Centers and Homes](#). A description of when interim inspection reports are completed can be found under [Overview of Licensing Reports](#).

The purpose of the Interim inspection was to determine compliance with applicable licensing statutes and administrative rules for child care Family Home.

As a result of the Interim inspection(s) on 11/28/2023, licensing consultant Michelle Fruehan did not find any rule or law violations.

If you have any questions regarding the report, please contact licensing consultant, Michelle Fruehan, at (248) 672-9158. In the event that Michelle Fruehan is not available, and you need to speak to someone immediately, please contact the Child Care Licensing Bureau at 517-284-9730.

Inspection Details		
<i>Number of Rules/Statutes Reviewed</i>	<i>Number of Rules/Statute Violations</i>	<i>Number of Rules/Statutes where Technical Assistance was Provided</i>
234	0	0
<i>Number of Children's Records Reviewed: Number of Children Enrolled</i>	<i>Number of Staff Employed: Number of Staff Files Reviewed</i>	<i>Number of Home Volunteers: Number of Volunteer Files Reviewed</i>
8: 8	1: 1	0: 0


<i>Number of Children Observed: Number of Children Present During Inspection</i>	<i>Number of Child Care Staff Members Observed: Number of Child Care Staff Members Present During Inspection</i>	<i>Number of Volunteers Observed a: Number of Volunteers Present During Inspection</i>
5: 5	1: 0	0 : 0
<i>Licensee Interviewed</i>	<i>Child Care Staff Members Interviewed</i>	<i>Pets</i>
Yes	Yes	There are no pets in the home
<i>Water or Other Hazards</i>	<i>Outdoor Space</i>	
There were no water or other hazards observed.	The outdoor space is located in the backyard of the child care home. There is elevated equipment with a shock absorbing material underneath. There is ample green space and shade throughout the space.	

<b>Documentation of Required Inspections</b>		
<i>Type of Inspection</i>	<i>Date of Inspection</i>	<i>Findings</i>
<i>Radon Test</i>	6/27/2022	2.5 pCi/L
<i>Water Heater Inspection</i>	6/27/2022	Approved
<i>Furnace Inspection</i>	6/27/2022	Approved

<i>Rule Number</i>	<i>Rule</i>	<i>Analysis</i>	<i>Conclusion</i>
--------------------	-------------	-----------------	-------------------

<b>Technical Assistance</b>	
<i>Rule Number</i>	<i>Rule</i>

<b>Bureau Recommendation</b>
I recommend no change in the status of the license.

<b>Approved By:</b>			
	12/27/2023		
Michelle Fruehan Licensing Consultant	<b>Date</b>		