



STATE OF MICHIGAN
 DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS
 LANSING

GRETCHEN WHITMER
 GOVERNOR

ORLENE HAWKS
 DIRECTOR

July 11, 2023

Nakashia Jones
 1122 Dover
 Pontiac, MI 48341

: DF630307617
Nakashia Jones
1122 Dover
Pontiac, MI 48341

Dear Ms. Jones:

Attached is your renewal inspection report. You can find a copy of this renewal inspection report and any associated corrective action plans on our [website](#) under [Statewide Search for Licensed Child Care Centers and Homes](#). A description of when renewal inspection reports are completed can be found under [Overview of Licensing Reports](#).

As a result of the renewal inspection on 7/7/2023, I did not find any rule or law violations. You will receive your regular license in the mail.

During calendar year 2022:	Total
Number of serious injuries that occurred in facility.	0
Number of deaths that occurred in the facility.	0
Number of substantiated cases of abuse and/or neglect of a child that occurred at the facility.	0

Please contact me with any questions. In the event that I am not available and you need to speak to someone immediately, please contact the local office at (517) 284-9730.

Per MCL 722.113g, this report and any related corrective action plans must be filed in your Licensing Notebook.

Sincerely,

J. Manchester

Jinelle M. Manchester, Licensing Consultant
Bureau of Community and Health Systems
611 W. Ottawa Street
P.O. Box 30664
Lansing, MI 48909
(313) 938-6141

enclosure

**MICHIGAN DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS
CHILD CARE LICENSING BUREAU
RENEWAL INSPECTION REPORT**

I. IDENTIFYING INFORMATION

License #:	DF630307617
Licensee Name:	Nakashia Jones
Licensee Address:	1122 Dover Pontiac, MI 48341
Licensee Telephone #:	(248) 778-6661
Licensee:	N/A
Name of Facility:	Nakashia Jones
Facility Address:	1122 Dover Pontiac, MI 48341
Facility Telephone #:	(248) 778-6661
Original Issuance Date:	06/02/2010
Capacity:	6
Age Range:	Ages Birth Thru 17 years

II. METHODS OF INSPECTION

Date of On-site Inspection(s): 07/07/2023

	No. of Records Reviewed	
No. of children enrolled in care	5	5
No. of assistant caregivers employed	0	0
No. of child care children present at time of inspection	5	
No. of other children present at time of inspection	0	
No. of assistant caregivers present at time of inspection	0	
Licensee present at time of inspection?	Yes	
Persons Interviewed:		
Licensee	<input checked="" type="checkbox"/>	
Assistant Caregivers	<input type="checkbox"/>	

Approved child use space: basement

Exiting information (including second floor and basement): egress window and stairs to side door

Approved variances - No Yes Description:

Key Indicator Inspection: no

Additional information:

- Pets? No Yes If yes, describe.
- Hot tubs or spa pool? No Yes If yes, are there appropriate barriers?
- Swimming pool? No Yes If yes, describe pool and barriers.
- Other water hazards? No Yes If yes, describe.
- Fireplace or wood burning stove? No Yes If yes, describe.
- Fireplace/wood burner in use during child care hours? No Yes If yes, describe barriers to protect children from burns.

III. DESCRIPTION OF FINDINGS & CONCLUSIONS

This renewal inspection involved a review of all applicable child care home administrative rules and statutes. Verification of compliance included direct observations of the physical environment and the program, discussions with staff, and a review of the home's records, including staff records and children's records. Staff records include background checks, medical clearance information, and

training information. Children's records include child information cards and child in care statements/receipts.

The facility is in compliance with all applicable rules and statutes.

IV. RECOMMENDATION

I recommend issuance of a regular license to this child care family home (capacity 1-6).

J. Manchester

7/11/2023

Jinelle M. Manchester
Licensing Consultant

Date