



STATE OF MICHIGAN
 DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS
 LANSING

GRETCHEN WHITMER
 GOVERNOR

ORLENE HAWKS
 DIRECTOR

October 3, 2022

Sarah Belanger
 401 Dorothy
 South Lyon, MI 48178

RE: License #: DF630390727
Little Treasures Childcare
401 Dorothy
South Lyon, MI 48178

Dear Mrs. Belanger:

Attached is your renewal inspection report. You can find a copy of this renewal inspection report and any associated corrective action plans on our [website](#) under [Statewide Search for Licensed Child Care Centers and Homes](#). A description of when renewal inspection reports are completed can be found under [Overview of Licensing Reports](#).

As a result of the renewal inspection on 09/28/2022, I did not find any rule or law violations. You will receive your regular license in the mail.

During calendar year 2021:	Total
Number of serious injuries that occurred in facility.	0
Number of deaths that occurred in the facility.	0
Number of substantiated cases of abuse and/or neglect of a child that occurred at the facility.	0

Please contact me with any questions. In the event that I am not available and you need to speak to someone immediately, please contact the local office at (517) 284-9730.

Per MCL 722.113g, this report and any related corrective action plans must be filed in your Licensing Notebook.

Sincerely,

A handwritten signature in black ink, appearing to read "Alicia Wiggins". The signature is written in a cursive style with a large initial "A" and a long, sweeping underline.

Alicia Wiggins, Licensing Consultant
Child Care Licensing Bureau
611 W. Ottawa Street
P.O. Box 30664
Lansing, MI 48909
(248) 369-7892

Enclosure

**MICHIGAN DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS
CHILD CARE LICENSING BUREAU
RENEWAL INSPECTION REPORT**

I. IDENTIFYING INFORMATION

License #:	DF630390727
Licensee Name:	Sarah Belanger
Licensee Address:	401 Dorothy South Lyon, MI 48178
Licensee Telephone #:	(248) 939-6962
Licensee:	N/A
Name of Facility:	Little Treasures Childcare
Facility Address:	401 Dorothy South Lyon, MI 48178
Facility Telephone #:	(248) 939-6962
Original Issuance Date:	11/03/2017
Capacity:	7
Age Range:	Ages Birth Thru 17 years

II. METHODS OF INSPECTION

Date of On-site Inspection(s): 09/28/2022

	No. of Records Reviewed	
No. of children enrolled in care	6	6
No. of assistant caregivers employed	0	0
No. of child care children present at time of inspection	3	
No. of other children present at time of inspection	0	
No. of assistant caregivers present at time of inspection	0	
Licensee present at time of inspection?	Yes	
Persons Interviewed:	Licensee	<input checked="" type="checkbox"/>
	Assistant Caregivers	<input type="checkbox"/>

Approved child use space: The basement and the main floor including the kitchen, eating area, and great room are approved child use space. The main floor will not be typically used.

Exiting information (including second floor and basement): The exits on the main floor include the front and back doors. There is also a door that leads out to the garage from which the children can exit.

The basement stairs can be used as one means of exiting to the main level of the home and the outdoors. The second means of exiting is through the window which is 38 inches from the floor. It measures 46" x 22", is side sliding, and opens to a molded plastic window well.

Approved variances - No Yes Description: R 400.1910 (1) (a-c) Ratio of personnel to children. The licensed family child care home's capacity was increased from 6 unrelated children to 7 unrelated children.

Key Indicator Inspection: No

Additional information:

- Pets? No Yes If yes, describe.
Mrs. Belanger has an Old English Bulldog.
- Hot tubs or spa pool? No Yes If yes, are there appropriate barriers?
- Swimming pool? No Yes If yes, describe pool and barriers.
Mrs. Belanger has an above ground pool in the backyard. The pool had no water in it at the time of the renewal inspection. Mrs. Belanger stated the pool is in the process of being taken down for the season.
- Other water hazards? No Yes If yes, describe.

- Fireplace or wood burning stove? No Yes If yes, describe.
Mrs. Belanger has an electric fireplace.
- Fireplace/wood burner in use during child care hours? No Yes If yes,
describe barriers to protect children from burns.

III. DESCRIPTION OF FINDINGS & CONCLUSIONS

This renewal inspection involved a review of all applicable child care home administrative rules and statutes. Verification of compliance included direct observations of the physical environment and the program, discussions with staff, and a review of the home's records, including staff records and children's records. Staff records include background checks, medical clearance information, and training information. Children's records include child information cards and child in care statements/receipts.

During the on-site inspection, I observed children in care engaged in a variety of developmentally appropriate activities, including outdoor play. I also observed handwashing, eating lunch, and naptime. The caregiver's interaction with the children was positive and nurturing.

The facility is in compliance with all applicable rules and statutes.

Technical Assistance and Consultation were provided for the following:

- R 400.1907 (1) (a) Children's records. We discussed that the child information cards cannot have any blank sections or state N/A.
- R 400.1907 (3) Child's record. Include the children's last names on the attendance sheet.
- R 400.1913 (3) (g) Discipline; child handling. Update discipline policy regarding children being placed in time out based on their age. Use of time out for children under 3 years old is prohibited.
- R 400.1921 Water hazards; water activities. We discussed barriers needed for swimming pools.

IV. RECOMMENDATION

I recommend issuance of a regular license to this child care family home (capacity 1-6).



October 3, 2022

Alicia Wiggins
Licensing Consultant

Date