



GRETCHEN WHITMER
GOVERNOR

STATE OF MICHIGAN
DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS
LANSING

ORLENE HAWKS
DIRECTOR

September 12, 2022

Seema Ibrahim
2575 Walton Blvd.
Rochester Hills, MI 48306

RE: License #: DF630400506
Seema Ibrahim
2575 Walton Blvd.
Rochester Hills, MI 48309

Dear Ms. Ibrahim:

This letter is to advise you that the 09/12/2022 corrective action plan you submitted, regarding each rule violation cited in the recently completed Renewal Licensing Study Report, is approved.

You can find a copy of this corrective action approval letter and the associated report on our [website](#) under [Statewide Search for Licensed Child Care Centers and Homes](#). A description of each type of report and corrective action plans can be found under [Overview of Licensing Reports](#).

Violation cited	Noncompliance observed	Plan to correct	Date to be completed
R400.1906(1)(c)(i) Records of a licensee; child care staff member; child care assistant.	Ms. Ibrahim did not have a signed statement. She stated she has submitted the statement to her physician to sign.	Ms. Ibrahim had her physician fill out the evaluation form, she submitted the document to Licensing, and she has the form in her file at the home.	09/10/2022
R400.1933(4) Water supply; sewage disposal; water temperature.	At the time of the on-site inspection, the hot water temperature of the bathroom sink the children use was 133 degrees.	At the time of the on-site inspection Ms. Ibrahim reduced the water temperature of the sink. The hot water temperature of the sink is at 120 degrees and will be kept no hotter than 120 degrees.	07/25/2022

It is expected that the corrective action plan will be implemented within the time frames as outlined in your plan.

A follow-up evaluation may be made to verify compliance. Should the corrections not be implemented in the specified time, it may be necessary to reevaluate the status of your license.

The office provides technical assistance to meet the licensing requirements and consultation to improve services. Please contact me with any questions. In the event that I am not available and you need to speak to someone immediately, you may contact the local office at (517) 284-9730.

Sincerely,

A handwritten signature in black ink, appearing to read "Cheryl Amare". The signature is fluid and cursive, with a long horizontal flourish at the end.

Cheryl Amare, Licensing Consultant
Bureau of Community and Health Systems
611 W. Ottawa Street
P.O. Box 30664
Lansing, MI 48909
(248) 860-0896