



GRETCHEN WHITMER
GOVERNOR

STATE OF MICHIGAN
DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS
LANSING

ORLENE HAWKS
DIRECTOR

August 1, 2022

Seema Ibrahim
2575 Walton Blvd.
Rochester Hills, MI 48306

RE: License #: DF630400506
Seema Ibrahim
2575 Walton Blvd.
Rochester Hills, MI 48309

Dear Ms. Ibrahim:

Attached is your renewal inspection report. You can find a copy of this renewal inspection report and any associated corrective action plans on our [website](#) under [Statewide Search for Licensed Child Care Centers and Homes](#). A description of when renewal inspection reports are completed can be found under [Overview of Licensing Reports](#).

During the renewal inspection on 07/25/2022, I found 2 violation(s) listed below and explained in the attached report: listed below and explained in the attached report:
R400.906(1)(c)(i) Records of a licensee; child care staff member; child care assistant.
R400.933(4) Water supply; sewage disposal; water temperature.

Due to the violations, you must send us a corrective action plan by 08/22/2022. You can use our [corrective action plan](#) form or create your own.

If you need help writing the corrective action plan, please contact me. If you do not send a corrective action plan, you may face disciplinary action. The corrective action plan must include the following:

- How compliance with each rule will be achieved.
- Who is directly responsible for implementing the corrective action for each violation.
- Specific time frames for each violation as to when the correction will be completed or implemented.
- How continuing compliance will be maintained once compliance is achieved.
- The signature of the responsible party and a date.

Upon receipt of an acceptable corrective action plan, a regular license will be issued. You will receive it in the mail.

During calendar year 2021:	Total
Number of serious injuries that occurred in facility.	0
Number of deaths that occurred in the facility.	0
Number of substantiated cases of abuse and/or neglect of a child that occurred at the facility.	0

Please contact me with any questions. In the event that I am not available and you need to speak to someone immediately, please contact the local office at (517) 284-9730.

Per MCL 722.113g, this report and any related corrective action plans must be filed in your Licensing Notebook.

Sincerely,



Cheryl Amare, Licensing Consultant
Bureau of Community and Health Systems
611 W. Ottawa Street
P.O. Box 30664
Lansing, MI 48909
(248) 860-0896

enclosure

**MICHIGAN DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS
CHILD CARE LICENSING BUREAU
RENEWAL INSPECTION REPORT**

I. IDENTIFYING INFORMATION

License #:	DF630400506
Licensee Name:	Seema Ibrahim
Licensee Address:	2575 Walton Blvd. Rochester Hills, MI 48306
Licensee Telephone #:	(248) 375-3238
Licensee:	N/A
Name of Facility:	Seema Ibrahim
Facility Address:	2575 Walton Blvd. Rochester Hills, MI 48309
Facility Telephone #:	(248) 802-4424
Original Issuance Date:	01/28/2020
Capacity:	6
Age Range:	Ages Birth Thru 12 years

II. METHODS OF INSPECTION

Date of On-site Inspection(s): 07/25/2022

	No. of Records Reviewed	
No. of children enrolled in care	4	4
No. of assistant caregivers employed	0	0
No. of child care children present at time of inspection	2	
No. of other children present at time of inspection	3	
No. of assistant caregivers present at time of inspection	0	
Licensee present at time of inspection?	Yes	
Persons Interviewed:		
Licensee	<input checked="" type="checkbox"/>	
Assistant Caregivers	<input type="checkbox"/>	

Approved child use space: Family room, kitchen, dining room, and living room on the main level; basement; bedroom 4 on the second level.

Exiting information (including second floor and basement): Children can exit out the front door, sliding doorwall or garage door from the family room; down the stairs from bedroom 4; or up the stairs or out the emergency exit window from the basement.

Approved variances - No Yes Description:

Key Indicator Inspection: no

Additional information:

- Pets? No Yes If yes, describe.
1 bird which is in a cage in the corner of dining room.
- Hot tubs or spa pool? No Yes If yes, are there appropriate barriers?
- Swimming pool? No Yes If yes, describe pool and barriers.
- Other water hazards? No Yes If yes, describe.
- Fireplace or wood burning stove? No Yes If yes, describe.
in the living room
- Fireplace/wood burner in use during child care hours? No Yes If yes, describe barriers to protect children from burns.

III. DESCRIPTION OF FINDINGS & CONCLUSIONS

This renewal inspection involved a review of all applicable child care home administrative rules and statutes. Verification of compliance included direct observations of the physical environment and the program, discussions with staff,

and a review of the home's records, including staff records and children's records. Staff records include background checks, medical clearance information, and training information. Children's records include child information cards and child in care statements/receipts.

During the inspection, the child care home was found to be in compliance with all applicable rules and statutes except for the following violations:

R 400.1906 Records of a licensee; child care staff member; child care assistant.

(1) A licensee shall maintain a file for each child care staff member and each child care assistant that includes all of the following:

(c) A statement signed by a licensed physician or his or her designee that attests to the individual's mental and physical health., and which must be updated as follows:

(i) For an applicant or licensee, within 1 year before issuance of the initial license and at the time of subsequent renewals.

Ms. Ibrahim did not have a signed statement. She stated she has submitted the statement to her physician to sign.

R 400.1933 Water supply; sewage disposal; water temperature.

(4) Hot water temperature must not exceed 120 degrees Fahrenheit at water faucets accessible to children.

At the time of the on-site inspection, the hot water temperature of the bathroom sink the children use was 133 degrees.

IV. RECOMMENDATION

Upon receipt of an acceptable corrective action plan, I recommend issuance of a regular license to this child care home (capacity 1 to 6).



Cheryl Amare
Licensing Consultant

Date
08/01/2022