



GRETCHEN WHITMER
GOVERNOR

STATE OF MICHIGAN
DEPARTMENT OF
LIFELONG EDUCATION, ADVANCEMENT, AND POTENTIAL
LANSING

Michelle Richard
ACTING DIRECTOR

Report Type : Interim
Inspection Type: Interim

Date of Inspection: 5/8/2024
Date of Report: 5/15/2024

Licensee Name(s)	License Number	Capacity
Lakeshia Johnson	DF630412086	6
Facility Name	Program Type	
Kingdom Kidz Daycare	Family Home	
Facility Address	Mailing Address	
21414 Mitchelldale, Ferndale, MI, 48220	21414 Mitchelldale, Ferndale, MI, 48220	
Facility Phone Number	Facility Email Address	
313-399-3408	lakeshia33@yahoo.com	

Findings of the Inspection

A copy of this Interim inspection report and any associated corrective action plans is available on the Child Care Licensing Bureau [website](#) under [Statewide Search for Licensed Child Care Centers and Homes](#). A description of when interim inspection reports are completed can be found under [Overview of Licensing Reports](#).

The purpose of the Interim inspection was to determine compliance with applicable licensing statutes and administrative rules for child care Family Home.

During the Interim inspection, licensing consultant Cheryl Amare found 2 violations. The violations are listed and explained below. An acceptable written corrective action plan was received on 5/8/2024.

If you have any questions regarding the report, please contact licensing consultant, Cheryl Amare, at 248-860-0896. In the event that Cheryl Amare is not available, and you need to speak to someone immediately, please contact the Child Care Licensing Bureau at 517-284-9730.

Inspection Details		
<i>Number of Rules/Statutes Reviewed</i>	<i>Number of Rules/Statute Violations</i>	<i>Number of Rules/Statutes where Technical Assistance was Provided</i>
83	2	3
<i>Number of Children's Records Reviewed : Number of Children Enrolled</i>	<i>Number of Staff Employed : Number of Staff Files Reviewed</i>	<i>Number of Home Volunteers : Number of Volunteer Files Reviewed</i>
3 : 3	1 : 1	0 : 0
<i>Number of Children Observed : Number of Children Present During Inspection</i>	<i>Number of Child Care Staff Members Observed : Number of Child Care Staff Members Present During Inspection</i>	<i>Number of Volunteers Observed a: Number of Volunteers Present During Inspection</i>
1 : 1	1 : 1	: 0
<i>Licensee Interviewed</i>	<i>Child Care Staff Members Interviewed</i>	<i>Pets</i>
Yes		No pets
<i>Water or Other Hazards</i>	<i>Outdoor Space</i>	

Documentation of Required Inspections		
<i>Type of Inspection</i>	<i>Date of Inspection</i>	<i>Findings</i>

<i>Rule Number</i>	<i>Rule</i>	<i>Analysis</i>	<i>Conclusion</i>
R 400.1945(4)	Emergency; plan; drill. Fire drills must be practiced while children are in care at least once quarterly, and a written record that includes the date and time it takes to evacuate must be maintained.	Licensee only had documentation of completing one fire drill in 2023, four were required. Licensee does not have documentation of completing a fire drill between January and March of 2024.	Repeat Violation Established Reference: : 3/7/2023 :Violation Established;
R 400.1945(5)	Emergency; plan; drill. At least 2 tornado drills must be practiced while children are in care between March and November, and a written record of these drills that includes the date must be maintained.	Licensee only had documentation of completing one of the two required tornado drills in 2023.	Repeat Violation Established Reference: : 3/7/2023 :Violation Established;
R 400.1944(1)	Smoke detectors; fire extinguishers. Operable smoke detectors approved by a nationally	During the on-site inspection all of the smoke detectors on the main level of the home	Violation Established


	<p>recognized testing laboratory must be installed and maintained on each floor of the home, including the basement, and in all sleeping areas and bedrooms used by children in care.</p>	<p>were beeping indicating the batteries need to be replaced.</p>	
--	---	---	--

Technical Assistance

<i>Rule Number</i>	<i>Rule</i>
R 400.1941(2)	<p>Combustible materials and equipment must not be stored within 4 feet of furnaces, other flame or heatproducing equipment, or fuel-fired water heaters.</p>
R 400.1904a(2)(c)	<p>Proof of training in the prevention of infectious disease, including immunizations. Hours of training in the prevention of infectious disease from MiRegistry will be allowed to count for training hours to meet this requirement."</p>
R 400.1907(1)(b)	<p>A child in care statement or receipt using a form provided by the department and signed by the parent certifying all of the following:</p>

Bureau Recommendation

You have submitted an acceptable corrective action plan. I recommend no change in the status of the license.

Approved By:			
			
Cheryl Amare Licensing Consultant	05/15/2024 Date		