



GRETCHEN WHITMER  
GOVERNOR

STATE OF MICHIGAN  
DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS  
LANSING

ORLENE HAWKS  
DIRECTOR

February 02, 2023

Daphyne Denstedt  
130 E. Hughes Lake Road  
Rose City, MI 48654

RE: License #: DF680389862  
**Denstedt Daycare**  
**130 E. Hughes Lake Road**  
**Rose City, MI 48654**

Dear Ms. Denstedt:

Attached is your renewal inspection report. You can find a copy of this renewal inspection report and any associated corrective action plans on our [website](#) under [Statewide Search for Licensed Child Care Centers and Homes](#). A description of when renewal inspection reports are completed can be found under [Overview of Licensing Reports](#).

During the renewal inspection on 01/31/2023, I found five violations listed below and explained in the attached report:

- R 400.1905(1) Training.**
- R 400.1906(1)(c) Records of a licensee; child care staff member; child care assistant.**
- R 400.1907(1)(a) Child's records.**
- R 400.1934(4) Heating; ventilation; lighting; radon.**
- R 400.1941(4) Heat-producing equipment.**
- R 400.1907(1)(b) Child's records.**

You gave us an acceptable written corrective action plan. We will send you a regular license in the mail.

<b>During calendar year 2021:</b>	<b>Total</b>
Number of serious injuries that occurred in facility.	<b>0</b>
Number of deaths that occurred in the facility.	<b>0</b>
Number of substantiated cases of abuse and/or neglect of a child that occurred at the facility.	<b>0</b>

Please contact me with any questions. In the event that I am not available and you need to speak to someone immediately, please contact the local office at (989) 590-0191.

Per MCL 722.113g, this report and any related corrective action plans must be filed in your Licensing Notebook.

Sincerely,

*Jeannie C. Ellis*

Jeannie Ellis, Licensing Consultant  
 Child Care Licensing Bureau  
 611 W. Ottawa Street  
 P.O. Box 30664  
 Lansing, MI 48909  
 (989) 590-0191

enclosure

**MICHIGAN DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS  
CHILD CARE LICENSING BUREAU  
RENEWAL INSPECTION REPORT**

**I. IDENTIFYING INFORMATION**

<b>License #:</b>	DF680389862
<b>Licensee Name:</b>	Daphyne Denstedt
<b>Licensee Address:</b>	130 E. Hughes Lake Road Rose City, MI 48654
<b>Licensee Telephone #:</b>	(989) 685-1142
<b>Licensee:</b>	N/A
<b>Name of Facility:</b>	Denstedt Daycare
<b>Facility Address:</b>	130 E. Hughes Lake Road Rose City, MI 48654
<b>Facility Telephone #:</b>	(989) 685-9377
<b>Original Issuance Date:</b>	12/18/2017
<b>Capacity:</b>	6
<b>Age Range:</b>	Ages Birth Thru 17 years

## II. METHODS OF INSPECTION

Date of On-site Inspection(s): 01/31/2023

		No. of Records Reviewed
No. of children enrolled in care	8	8
No. of assistant caregivers employed	0	0
No. of child care children present at time of inspection	0	
No. of other children present at time of inspection	1	
No. of assistant caregivers present at time of inspection	0	
Licensee present at time of inspection?	Yes	
Persons Interviewed:		
Licensee	<input checked="" type="checkbox"/>	
Assistant Caregivers	<input type="checkbox"/>	

Approved child use space: The approved child use space includes the play room, living room, bathroom, and kitchen/dining room.

Exiting information (including second floor and basement): There are three exits from the home. The first exit is located off the play room and offers egress outside to the front yard of the home. The second exit is located off the living room and offers egress outside to the back yard of the home. The third exit is located off the kitchen/dining room and offers egress to the outside through the attached garage and then out either a front or back door.

Approved variances -  No  Yes Description:

Key Indicator Inspection: no.

### Additional information:

- Pets? No  Yes  If yes, describe.  
There are cats and 2 dogs in this home. With supervised contact with the children in care. There is another dog that stays outside and has no contact with the children in care.
- Hot tubs or spa pool? No  Yes  If yes, are there appropriate barriers?
- Swimming pool? No  Yes  If yes, describe pool and barriers.
- Other water hazards? No  Yes  If yes, describe.
- Fireplace or wood burning stove? No  Yes  If yes, describe.
- Fireplace/wood burner in use during child care hours? No  Yes  If yes, describe barriers to protect children from burns.  
The wood burning stove is located in the attached garage.

### III. DESCRIPTION OF FINDINGS & CONCLUSIONS

This renewal inspection involved a review of all applicable child care home administrative rules and statutes. Verification of compliance included direct observations of the physical environment and the program, discussions with staff, and a review of the home's records, including staff records and children's records. Staff records include background checks, medical clearance information, and training information. Children's records include child information cards and child in care statements/receipts.

During the inspection, the child care home was found to be in compliance with all applicable rules and statutes except for the following violations:

**R 400.1905                      Training.**

**(1) A licensee shall complete not less than 10 clock hours of training each calendar year related to child development, program planning, and administrative management for a child care business, not including CPR, first aid, and infectious disease, including immunizations, training.**

Ms. Denstedt completed two hours of training in 2020 and three hours of training in 2021.

**R 400.1906                      Records of a licensee; child care staff member; child care assistant.**

**(1) A licensee shall maintain a file for each child care staff member and each child care assistant that includes all of the following:**

**(c) A statement signed by a licensed physician or his or her designee that attests to the individual's mental and physical health., and which must be updated as follows:**

**(i) For an applicant or licensee, within 1 year before issuance of the initial license and at the time of subsequent renewals.**

Ms. Denstedt does not have a current medical clearance.

**R 400.1907            Child's records.**

(1) Prior to a child's initial attendance, a licensee shall obtain the following documents:

(a) A completed child information card on a form provided by the department or a comparable substitute approved by the department.

Ms. Denstedt did not have child information records on file for two of the eight children enrolled.

**R400.1907(1)(b)    Child's record.**

(1) Prior to a child's initial attendance, a licensee shall obtain the following documents:

(b) A child in care statement or receipt using a form provided by the department and signed by the parent certifying all of the following:

(i) Receipt of a written disciplinary policy.

(ii) Condition of the child's health.

(iii) Acknowledgement that the parent has been offered either a copy of the licensing rules for a child care home or has been given the website for an electronic copy of these rules.

(iv) Agreement as to who will provide food for the child.

(v) Acknowledgement that firearms are on the premises, if applicable.

(vi) If the child care home was built prior to 1978, then the licensee shall inform the parents of each child in care and all personnel of the potential presence of lead-based paint or lead dust hazards, unless the licensee maintains documentation from a lead testing professional that the home is lead safe.

Ms. Denstedt did not have child in care statement on file for two of the eight children enrolled.

**R 400.1934            Heating; ventilation; lighting; radon.**

(4) A licensee shall test the child care home for the concentration of radon gas before the initial license is issued and every 4 years thereafter at the time of license renewal.

Ms. Denstedt has not completed a radon test within the past 4 years.

**R 400.1941 Heat-producing equipment.**

(4) Furnaces, other flame or heat-producing equipment used to heat the home when children are in care, and fuel-fired water heaters must be inspected by 1 of the following entities:

(c) A mechanical inspector for the local jurisdiction or licensed mechanical inspector for a wood stove or other solid fuel appliance.

Ms. Denstedt is currently using her wood burning furnace as the sole source of heating her child care home.

A corrective action plan was requested and approved on 01/31/2023. It is expected that the corrective action plan be implemented within the specified time frames as outlined in the approved plan. A follow-up evaluation may be made to verify compliance. Should the corrections not be implemented in the specified time, it may be necessary to reevaluate the status of your license.

**IV. RECOMMENDATION**

I recommend the renewal of this family child care home license (capacity 6).

*Jeannie C. Ellis*

February 2, 2023

---

Jeannie Ellis  
Licensing Consultant

Date