



STATE OF MICHIGAN  
 DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS  
 LANSING

GRETCHEN WHITMER  
 GOVERNOR

ORLENE HAWKS  
 DIRECTOR

November 30, 2020

Beverly Fiskars  
 12880 James St  
 Holland, MI 49424

RE: License #: DF700050581  
**BeverlyFiskars**  
**12880 James Street**  
**Holland, MI 49424**

Dear Mrs. Fiskars:

Attached is your renewal inspection report. You can find a copy of this renewal inspection report and any associated corrective action plans on our [website](#) under [Statewide Search for Licensed Child Care Centers and Homes](#). A description of when renewal inspection reports are completed can be found under [Overview of Licensing Reports](#).

As a result of the renewal inspection on 11/30/2020, I did not find any rule or law violations. You will receive your regular license in the mail.

<b>During calendar year 2019:</b>	<b>Total</b>
Number of serious injuries that occurred in facility.	<b>0</b>
Number of deaths that occurred in the facility.	<b>0</b>
Number of substantiated cases of abuse and/or neglect of a child that occurred at the facility.	<b>0</b>

Please contact me with any questions. In the event that I am not available and you need to speak to someone immediately, please contact the local office at (616) 356-0183.

Per MCL 722.113g, this report and any related corrective action plans must be filed in your Licensing Notebook.

Sincerely,

A handwritten signature in black ink that reads "Dawnita Diaz". The signature is written in a cursive, flowing style.

Dawnita M. Diaz, Licensing Consultant  
Bureau of Community and Health Systems  
12185 James Street, Suite 200  
Holland, MI 49424  
(616) 402-9376

enclosure

**MICHIGAN DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS  
BUREAU OF COMMUNITY AND HEALTH SYSTEMS  
RENEWAL INSPECTION REPORT**

**I. IDENTIFYING INFORMATION**

<b>License #:</b>	DF700050581
<b>Licensee Name:</b>	Beverly Fiskars
<b>Licensee Address:</b>	12880 James St Holland, MI 49424
<b>Licensee Telephone #:</b>	(616) 510-8955
<b>Licensee:</b>	N/A
<b>Name of Facility:</b>	Beverly Fiskars
<b>Facility Address:</b>	12880 James Street Holland, MI 49424
<b>Facility Telephone #:</b>	(616) 399-6418
<b>Original Issuance Date:</b>	12/03/1991
<b>Capacity:</b>	6
<b>Age Range:</b>	Ages Birth Thru 12 years

## II. METHODS OF INSPECTION

Date of On-site Inspection(s): 11/30/2020

		No. of Records Reviewed
No. of children enrolled in care		6 6
No. of assistant caregivers employed		1 1
No. of child care children present at time of inspection		1
No. of other children present at time of inspection		0
No. of assistant caregivers present at time of inspection		0
Licensee present at time of inspection?		Yes
Persons Interviewed:	Licensee	<input checked="" type="checkbox"/>
	Assistant Caregivers	<input type="checkbox"/>

Approved child use space: Main floor: kitchen, dining room.

Ground/lower level: living room and playroom.

Exiting information (including second floor and basement): the main floor has the front door and the door exiting to the garage. The ground/lower level has the stairs leading to the front door and the playroom has doors exiting to grade.

Approved variances -  No  Yes Description:

Key Indicator Inspection: No

### Additional information:

- Pets? No  Yes  If yes, describe.  
The licensee has 3 outdoor cats.
- Hot tubs or spa pool? No  Yes  If yes, are there appropriate barriers?
- Swimming pool? No  Yes  If yes, describe pool and barriers.  
There is a swimming pool in the backyard of the home. There is a fence around the pool that is at least 48 inches in height and a gate that is locked to prevent access to the pool. The licensee is aware the department requires direct supervision at all times when children are outside due to the water hazard on the premises.
- Other water hazards? No  Yes  If yes, describe.
- Fireplace or wood burning stove? No  Yes  If yes, describe.  
There is a fireplace in the kitchen on the main floor of the home. There is a fireplace in the living room on the ground/lower level of the home.
- Fireplace/wood burner in use during child care hours? No  Yes  If yes, describe barriers to protect children from burns.


### III. DESCRIPTION OF FINDINGS & CONCLUSIONS

This renewal inspection involved a review of all applicable child care home administrative rules and statutes. Verification of compliance included direct observations of the physical environment and the program, discussions with staff, and a review of the home's records, including staff records and children's records. Staff records include background checks, medical clearance information, and training information. Children's records include child information cards and child in care statements/receipts.

The facility is in compliance with all applicable rules and statutes.

### IV. RECOMMENDATION

I recommend a regular license is issued to this family child care home (1-6 capacity).



11/30/2020

---

Dawnita M. Diaz  
Licensing Consultant

Date