



GRETCHEN WHITMER
GOVERNOR

STATE OF MICHIGAN
DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS
LANSING

ORLENE HAWKS
DIRECTOR

August 1, 2022

Adryanna Kloosterman
7517 Brewer Dr.
Hudsonville, MI 49426

RE: License #: DF700402350
Adryanna Kloosterman
7517 Brewer Dr.
Hudsonville, MI 49426

Dear Ms. Kloosterman:

Attached is your renewal inspection report. You can find a copy of this renewal inspection report and any associated corrective action plans on our [website](#) under [Statewide Search for Licensed Child Care Centers and Homes](#). A description of when renewal inspection reports are completed can be found under [Overview of Licensing Reports](#).

As a result of the renewal inspection on August 1, 2022, I did not find any rule or law violations. You will receive your regular license in the mail.

During calendar year 2022:	Total
Number of serious injuries that occurred in facility.	0
Number of deaths that occurred in the facility.	0
Number of substantiated cases of abuse and/or neglect of a child that occurred at the facility.	0

Please contact me with any questions. In the event that I am not available and you need to speak to someone immediately, please contact the local office at (517) 284-9730.

Per MCL 722.113g, this report and any related corrective action plans must be filed in your Licensing Notebook.

Sincerely,

A handwritten signature in black ink, appearing to read 'JMB', is positioned above the printed name.

Jessica Miranda-Bevier, Licensing Consultant
Child Care Licensing Bureau
611 W. Ottawa Street
P.O. Box 30664
Lansing, MI 48909
(616) 498-5459

enclosure

**MICHIGAN DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS
CHILD CARE LICENSING BUREAU
RENEWAL INSPECTION REPORT**

I. IDENTIFYING INFORMATION

License #:	DF700402350
Licensee Name:	Adryanna Kloosterman
Licensee Address:	7517 Brewer Dr. Hudsonville, MI 49426
Licensee Telephone #:	(616) 824-8460
Licensee:	N/A
Name of Facility:	Adryanna Kloosterman
Facility Address:	7517 Brewer Dr. Hudsonville, MI 49426
Facility Telephone #:	(616) 824-8460
Original Issuance Date:	02/21/2020
Capacity:	7
Age Range:	Ages Birth Thru 5 years 0 months

II. METHODS OF INSPECTION

Date of On-site Inspection(s): 08/01/2022

	No. of Records Reviewed	
No. of children enrolled in care	5	5
No. of assistant caregivers employed	0	0
No. of child care children present at time of inspection	5	
No. of other children present at time of inspection	3	
No. of assistant caregivers present at time of inspection	0	
Licensee present at time of inspection?	Yes	
Persons Interviewed:		
Licensee	<input checked="" type="checkbox"/>	
Assistant Caregivers	<input type="checkbox"/>	

Approved child use space: On the main level of the home the living room, dining room and kitchen are approved as child use space. In the basement the play room and south-east bedroom are approved as child use space.

Exiting information (including second floor and basement): On the main level there are two remotely located exits; the front door and a slider door leading to a deck that accesses the backyard of the home. In the basement level of the home there are two remotely located exits; the stairs to the main level and a window labeled as an exit.

Approved variances - No Yes Description: A variance was approved on July 27, 2022, for R 400.1910(1)(a-c) Ratio of personnel to children. The variance will continue to be approved.

Key Indicator Inspection: No

Additional information:

- Pets? No Yes If yes, describe.
There are a variety of pets in the home (two dogs, two ferrets, one snake, and several fish). Pet supplies and equipment are maintained inaccessible to child care children.
- Hot tubs or spa pool? No Yes If yes, are there appropriate barriers?
- Swimming pool? No Yes If yes, describe pool and barriers.
- Other water hazards? No Yes If yes, describe.
In the past there has been a marshy area along the back property line of the backyard. During my visit, there was no evidence of water on the property.
- Fireplace or wood burning stove? No Yes If yes, describe.
- Fireplace/wood burner in use during child care hours? No Yes If yes, describe barriers to protect children from burns.

III. DESCRIPTION OF FINDINGS & CONCLUSIONS

This renewal inspection involved a review of all applicable child care home administrative rules and statutes. Verification of compliance included direct observations of the physical environment and the program, discussions with staff, and a review of the home's records, including staff records and children's records. Staff records include background checks, medical clearance information, and training information. Children's records include child information cards and child in care statements/receipts.

During my on-site inspection, the home was clean and organized. There is a variety of age-appropriate equipment in the home for the children to access. The children were engaged in free play. Ms. Kloosterman was providing appropriate care and supervision. She interacted with children in a positive and nurturing manner. Home and child records were very organized and readily available.

I provided consultation on contacting the fire department to test smoke detectors in the home.

The facility is in compliance with all applicable rules and statutes.

IV. RECOMMENDATION

I recommend issuance of a regular license to this child care family home (capacity 1-6).



08/01/2022

Jessica Miranda-Bevier
Licensing Consultant

Date