



GRETCHEN WHITMER
GOVERNOR

STATE OF MICHIGAN
DEPARTMENT OF
LIFELONG EDUCATION, ADVANCEMENT, AND POTENTIAL
LANSING

Michelle Richard
ACTING DIRECTOR

03/07/2024

Debra Tijerina
Tijerina Debra
12045 Wilkinson Rd, Freeland, MI, , 48623

License Number: DF730053424

Dear Debra Tijerina,

This letter is to advise you that the 03/05/2024 corrective action plan you submitted, regarding each rule violation cited in the recently completed Inspection, is approved.

You can find a copy of this corrective action approval letter and the associated report on our [website](#) under [Statewide Search for Licensed Child Care Centers and Homes](#). A description of each type of report and corrective action plans can be found under [Overview of Licensing Reports](#).

Violation cited	Noncompliance observed	Plan to correct	Date to be completed
R 400.1934(3)	A carbon monoxide detector, bearing a safety certification mark of a recognized testing laboratory, such as UL (Underwriters Laboratories) or ETL (Electrotechnical Laboratory), was not placed on all levels approved for child care.	Licensee will purchase a new carbon monoxide detector within 7 days.	3/12/2024

It is expected that the corrective action plan will be implemented within the time frames as outlined in your plan.

A follow-up evaluation may be made to verify compliance. Should the corrections not be implemented in the specified time, it may be necessary to reevaluate the status of your license.

The office provides technical assistance to meet the licensing requirements and consultation to improve services. Please contact DeAndre Lawson at (989) 898-8977 or lawsond@michigan.gov. In the event that DeAndre Lawson is not available, and you need

to speak to someone immediately, please contact the Child Care Licensing Bureau at 517-284-9730.

Sincerely,

A handwritten signature in cursive script that reads "DeAndre Lawson". The signature is written in black ink and includes a long horizontal flourish extending to the right.

DeAndre Lawson, Licensing Consultant