



STATE OF MICHIGAN
 DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS
 LANSING

GRETCHEN WHITMER
 GOVERNOR

ORLENE HAWKS
 DIRECTOR

April 7, 2022

Jeanne Young
 P. O. Box 3582
 Saginaw, MI 48605

RE: License #: DF730079429
Jeanne Young
2637 Gorham PI
Saginaw, MI 48601

Dear Ms Young:

Attached is your renewal inspection report. You can find a copy of this renewal inspection report and any associated corrective action plans on our [website](#) under [Statewide Search for Licensed Child Care Centers and Homes](#). A description of when renewal inspection reports are completed can be found under [Overview of Licensing Reports](#).


As a result of the renewal inspection on 4/7/2022, I did not find any rule or law violations. You will receive your regular license in the mail.

During calendar year 2021:	Total
Number of serious injuries that occurred in facility.	0
Number of deaths that occurred in the facility.	0
Number of substantiated cases of abuse and/or neglect of a child that occurred at the facility.	0

Please contact me with any questions. In the event that I am not available and you need to speak to someone immediately, please contact the local office at 517-284-9730.

Per MCL 722.113g, this report and any related corrective action plans must be filed in your Licensing Notebook.

Sincerely,

A handwritten signature in black ink that reads "Mary Smith". The signature is written in a cursive, slightly slanted style.

Mary Smith, Licensing Consultant
Bureau of Community and Health Systems
411 Genesee
P.O. Box 5070
Saginaw, MI 48605
(989) 780-0924

enclosure

**MICHIGAN DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS
CHILD CARE LICENSING BUREAU
RENEWAL INSPECTION REPORT**

I. IDENTIFYING INFORMATION

License #:	DF730079429
Licensee Name:	Jeanne Young
Licensee Address:	2637 Gorham Pl Saginaw, MI 48601
Licensee Telephone #:	(989) 529-4115
Licensee:	N/A
Name of Facility:	Jeanne Young
Facility Address:	2637 Gorham Pl Saginaw, MI 48601
Facility Telephone #:	(989) 529-4115
Original Issuance Date:	12/11/1997
Capacity:	6
Age Range:	Ages Birth Thru 17 years

II. METHODS OF INSPECTION

Date of On-site Inspection(s): 04/07/2022

	No. of Records Reviewed	
No. of children enrolled in care	0	0
No. of assistant caregivers employed	0	0
No. of child care children present at time of inspection	0	
No. of other children present at time of inspection	0	
No. of assistant caregivers present at time of inspection	0	
Licensee present at time of inspection?	Yes	
Persons Interviewed:	Licensee	<input checked="" type="checkbox"/>
	Assistant Caregivers	<input type="checkbox"/>

Approved child use space: The entire basement is approved for child care use. There is a half bathroom located off the kitchen in the basement for child care use.

Exiting information (including second floor and basement): The basement exits are the stairs leading to the main level and an egress window on the opposite wall. Main level exits include the front and back doors.

Approved variances - No Yes Description:

Key Indicator Inspection: No

Additional information:

- Pets? No Yes If yes, describe.
- Hot tubs or spa pool? No Yes If yes, are there appropriate barriers?
- Swimming pool? No Yes If yes, describe pool and barriers.
- Other water hazards? No Yes If yes, describe.
- Fireplace or wood burning stove? No Yes If yes, describe.
- Fireplace/wood burner in use during child care hours? No Yes If yes, describe barriers to protect children from burns.

III. DESCRIPTION OF FINDINGS & CONCLUSIONS

This renewal inspection involved a review of all applicable child care home administrative rules and statutes. Verification of compliance included direct observations of the physical environment and the program, discussions with staff, and


a review of the home's records, including staff records and children's records. Staff records include background checks, medical clearance information, and training information. Children's records include child information cards and child in care statements/receipts.

Ms. Young did not have any children in care at the time of the on-site inspection. The home was clean and safe for child care use. Required records were organized and readily available for review.

The facility is in compliance with all applicable rules and statutes.

IV. RECOMMENDATION

I recommend issuance of a regular license to this child care family home (capacity 1-6).



04/07/2022

Mary Smith
Licensing Consultant

Date