



GRETCHEN WHITMER
GOVERNOR

STATE OF MICHIGAN
DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS
LANSING

MARLON I. BROWN, DPA
ACTING DIRECTOR

August 9, 2023

Desirae Dupuis
3016 Eddy
Saginaw, MI 48604

RE: License #: DF730395839
Desirae Dupuis
3016 Eddy
Saginaw, MI 48604

Dear Ms. Dupuis:

Attached is your renewal inspection report. You can find a copy of this renewal inspection report and any associated corrective action plans on our [website](#) under [Statewide Search for Licensed Child Care Centers and Homes](#). A description of when renewal inspection reports are completed can be found under [Overview of Licensing Reports](#).


As a result of the renewal inspection on 8/3/2023, I did not find any rule or law violations. You will receive your regular license in the mail.

During calendar year 2022:	Total
Number of serious injuries that occurred in facility.	0
Number of deaths that occurred in the facility.	0
Number of substantiated cases of abuse and/or neglect of a child that occurred at the facility.	0

Please contact me with any questions. In the event that I am not available and you need to speak to someone immediately, please contact the local office at 517-284-9730 .

Per MCL 722.113g, this report and any related corrective action plans must be filed in your Licensing Notebook.

Sincerely,

A handwritten signature in black ink that reads "Mary Smith". The signature is written in a cursive style with a large, stylized "M" and "S".

Mary Smith, Licensing Consultant
Bureau of Community and Health Systems
411 Genesee
P.O. Box 5070
Saginaw, MI 48605
(989) 780-0924

enclosure

**MICHIGAN DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS
CHILD CARE LICENSING BUREAU
RENEWAL INSPECTION REPORT**

I. IDENTIFYING INFORMATION

License #:	DF730395839
Licensee Name:	Desirae Dupuis
Licensee Address:	3016 Eddy Saginaw, MI 48604
Licensee Telephone #:	(989) 737-5166
Licensee:	N/A
Name of Facility:	Desirae Dupuis
Facility Address:	3016 Eddy Saginaw, MI 48604
Facility Telephone #:	(989) 737-5166
Original Issuance Date:	02/20/2019
Capacity:	6
Age Range:	Ages Birth Thru 17 years

II. METHODS OF INSPECTION

Date of On-site Inspection(s):

08/03/2023

		No. of Records Reviewed
No. of children enrolled in care	12	12
No. of assistant caregivers employed	0	0
No. of child care children present at time of inspection	6	
No. of other children present at time of inspection	0	
No. of assistant caregivers present at time of inspection	0	
Licensee present at time of inspection?	Yes	
Persons Interviewed:	Licensee	☒
	Assistant Caregivers	☐

Approved child use space: The den, one bedroom and the former kitchen on the main floor of the home are approved for child care use. There is a bathroom located on the main floor of the home for child care use.

Exiting information (including second floor and basement): The main level has four remote exits; the front door, two side doors and a back door which are each marked as exits and lead to outside. The second floor has two remote exits; a window and stairs leading down to the main level. The basement has two remote exits; a window and stairs leading up to the main level. The second floor and basement are not approved for child care use. The basement may be used as a storm shelter.

Approved variances - ☒ No ☐ Yes Description:

Key Indicator Inspection: No

Additional information:

- Pets? No ☐ Yes ☒ If yes, describe.
There is one dog (mini labradoodle)
- Hot tubs or spa pool? No ☒ Yes ☐ If yes, are there appropriate barriers?
- Swimming pool? No ☒ Yes ☐ If yes, describe pool and barriers.
- Other water hazards? No ☒ Yes ☐ If yes, describe.
- Fireplace or wood burning stove? No ☐ Yes ☒ If yes, describe.
There is an electric fireplace in the living room, which is not an approved child care use space.
- Fireplace/wood burner in use during child care hours? No ☒ Yes ☐ If yes, describe barriers to protect children from burns.

III. DESCRIPTION OF FINDINGS & CONCLUSIONS


This renewal inspection involved a review of all applicable child care home administrative rules and statutes. Verification of compliance included direct observations of the physical environment and the program, discussions with staff, and a review of the home's records, including staff records and children's records. Staff records include background checks, medical clearance information, and training information. Children's records include child information cards and child in care statements/receipts.

During the on-site inspection, I observed Ms. Dupuis providing direct supervision to children resting during nap time upon my arrival. I observed safe sleep practices being utilized with the infant. I also observed Ms. Dupuis providing care to the infant which included soothing the infant who had just awakened from a nap and was fussy. I observed the older children engaged in quiet activities which included using a tablet for learning and literacy games. I observed children engaged in free play activities. I observed hand washing and snack time. I also observed parents and children during drop off time. The children appeared happy and well bonded to Ms. Dupuis. The home was clean and safe for child care use. Required records were organized and readily available for review.

The facility is in compliance with all applicable rules and statutes.

IV. RECOMMENDATION

I recommend issuance of a regular license to this child care family home (capacity 1-6).



08/09/2023

Mary Smith
Licensing Consultant

Date