



GRETCHEN WHITMER
GOVERNOR

STATE OF MICHIGAN
DEPARTMENT OF
LIFELONG EDUCATION, ADVANCEMENT, AND POTENTIAL
LANSING

Michelle Richard
ACTING DIRECTOR

Report Type: Renewal
Inspection Type: Renewal

Date of Inspection: 3/5/2024
Date of Report: 3/8/2024

Licensee Name(s)	License Number	Capacity
Santeen Geitman	DF730400655	7
Facility Name	Program Type	
Albee Chesaning Day Care (Santeen Geitman)	Family Home	
Facility Address	Mailing Address	
5105 W Birch Run Rd, Saint Charles, MI, 48655	5105 W Birch Run Rd, Saint Charles, MI, 48655	
Facility Phone Number	Facility Email Address	
9898451569	sageitman@hotmail.com	

Findings of the Inspection

A copy of this renewal inspection report and any associated corrective action plans is available on the Child Care Licensing Bureau [website](#) under [Statewide Search for Licensed Child Care Centers and Homes](#). A description of when renewal inspection reports are completed can be found under [Overview of Licensing Reports](#).

The renewal inspection involved a review of all applicable child care center [administrative rules](#) and [statutes](#). Verification of compliance included direct observations of the physical environment and the program, discussions with staff, and a review of the center's records, including staff records and children's records. Staff records include background checks and training information. Children's records include child information cards, physical examination dates, and immunizations.

During the onsite inspection, I observed children transitioning from lunch time to rest time upon my arrival. I observed the caregiver providing direct supervision of children engaged in quiet activities. I observed children napping during rest time. I observed children engaged in free play activities. Children were observed playing with age appropriate toys. The children appeared happy and well bonded to Ms. Geitman. The home was found to be clean and safe for children's use. Required records were organized and readily available for review.

As a result of the renewal inspection(s) on 3/5/2024, licensing consultant Mary Smith did not find any rule or law violations. A regular license will be issued.


If you have any questions regarding the report, please contact licensing consultant, Mary Smith, at (989) 780-0924. In the event that Mary Smith is not available and you need to speak to someone immediately, please contact the Child Care Licensing Bureau at 517-284-9730.

Inspection Details		
<i>Number of Rules/Statutes Reviewed</i>	<i>Number of Rules/Statute Violations</i>	<i>Number of Rules/Statutes where Technical Assistance was Provided</i>
467	0	0
<i>Number of Children's Records Reviewed: Number of Children Enrolled</i>	<i>Number of Staff Employed: Number of Staff Files Reviewed</i>	<i>Number of Home Volunteers: Number of Volunteer Files Reviewed</i>
7: 7	1: 1	0: 0
<i>Number of Children Observed: Number of Children Present During Inspection</i>	<i>Number of Child Care Staff Members Observed: Number of Child Care Staff Members Present During Inspection</i>	<i>Number of Volunteers Observed a: Number of Volunteers Present During Inspection</i>
3: 3	1: 1	0: 0
<i>Licensee Interviewed</i>	<i>Child Care Staff Members Interviewed</i>	<i>Pets</i>
Yes	Yes	One small dog and one cat reside inside the home. There are five goats, 26 chickens and two rabbits that are kept outside in a caged in area.
<i>Water or Other Hazards</i>	<i>Outdoor Space</i>	
There is a 4 ft above ground hard sided swimming pool located in the back of the home. There is no access to the pool as the ladder has been removed and made inaccessible to the children in care. Ms. Geitman also installed a deck which is kept locked while children are in care.	Ms. Geitman has designated the side and back yard for outdoor play. The play area in not fenced in. Ms. Geitman will provide direct supervision of the children during all outdoor play activities. There is a large trampoline in the back yard that Ms. Geitman is aware is prohibited for use by child care children. There is a swing set with sand that provides a cushioned barrier.	

Documentation of Required Inspections		
Type of Inspection	Date of Inspection	Findings
Furnace Inspection	1/9/2024	Parker Brothers Heating & Cooling completed a furnace and hot water heater inspection. Found in good working condition.
Hot Water Heater Inspection	1/9/2024	Parker Brothers Heating & Cooling completed a furnace and hot water heater inspection. Found in good working condition.
Radon Test	2/15/2024	2.8 pCi/L

Hours of Operation						
Monday	Tuesday	Wednesday	Thursday	Friday	Saturday	Sunday
07:00 AM To 5:30 PM	07:00 AM To 5:30 PM	07:00 AM To 5:30 PM	07:00 AM To 5:30 PM	07:00 AM To 5:30 PM		

Bureau Recommendation
I recommend issuance of a regular license to this child care family home (capacity 1 - 7).

Approved By:			
			
Mary Smith Licensing Consultant	Date 3/9/2024		