



STATE OF MICHIGAN
 DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS
 LANSING

GRETCHEN WHITMER
 GOVERNOR

MARLON I. BROWN, DPA
 ACTING DIRECTOR

September 13, 2023

Sarah Bruzdowski
 723 N 6th St
 Saint Clair, MI 48079

RE: License #: DF740404535
Lil' Sunbeams Childcare
723 N 6th St
Saint Clair, MI 48079

Dear Ms. Bruzdowski:

This letter is to advise you that the 09/12/2023 corrective action plan you submitted, regarding each rule violation cited in the recently completed Renewal Licensing Study Report, is approved.

You can find a copy of this corrective action approval letter and the associated report on our [website](#) under [Statewide Search for Licensed Child Care Centers and Homes](#). A description of each type of report and corrective action plans can be found under [Overview of Licensing Reports](#).

| Violation cited | Noncompliance observed | Plan to correct | Date to be completed |
|----------------------------|---|---|----------------------|
| R 400.1905 (9) Training | Ms. Bruzdowski had not completed the refresher trainings as required by this rule for 2021 or 2022. Links have been provided for Ms. Bruzdowski to complete them. | Ms. Bruzdowski will complete the refresher courses by 9/30/2023 | 9/30/23 |

| | | | |
|--|--|---|----------|
| R 400.1906 (1) (c) (i) Records of a licensee; child care staff member; child care assistant. | At the time of renewal, Ms. Bruzdowski did not have an updated statement signed by ha physician attesting to her mental and physical health. | Ms. Bruzdowski will obtain the completed medical from her doctor by 9/15/23. A copy will be sent to the department. | 9/15/23 |
| R 400.1919 (3) Communicable disease; immunization; mental and physical health; physician attestation; tuberculosis. | A member of the household who turned 14 years old did not have a TB test completed. | The TB test will be completed by 10/15/20. A copy will be sent to the department. | 10/15/23 |
| R 400.1932 (2) Home maintenance and safety. | The safety latch to the kitchen cupboard was no longer working or in good repair. The cupboard was beneath the kitchen sink and stored cleaning supplies. These hazardous materials were not stored securely and out of the reach of children. | The new cabinet locks will be installed by 9/14/23. | 09/14/23 |

It is expected that the corrective action plan will be implemented within the time frames as outlined in your plan.

A follow-up evaluation may be made to verify compliance. Should the corrections not be implemented in the specified time, it may be necessary to reevaluate the status of your license.

The office provides technical assistance to meet the licensing requirements and consultation to improve services. Please contact me with any questions. In the event that I am not available and you need to speak to someone immediately, you may contact the local office at (517) 284-9730.

Sincerely,

A handwritten signature in cursive script that reads "Christine Noel".

Christine Noel, Licensing Consultant
Child Care Licensing Bureau
611 W. Ottawa Street
P.O. Box 30837
Lansing, MI 48909
(586) 256-1968