



GRETCHEN WHITMER  
GOVERNOR

STATE OF MICHIGAN  
DEPARTMENT OF  
LIFELONG EDUCATION, ADVANCEMENT, AND POTENTIAL  
LANSING

Michelle Richard  
ACTING DIRECTOR

**Report Type** : Interim  
**Inspection Type:** Interim

**Date of Inspection:** 4/23/2024  
**Date of Report:** 4/23/2024

Licensee Name(s)	License Number	Capacity
Deborah D Adamski	DF750054167	7
Facility Name	Program Type	
Deborah Adamski	Family Home	
Facility Address	Mailing Address	
67433 County Farm Road, Burr Oak, MI, 49030	67433 County Farm Road, Burr Oak, MI, 49030	
Facility Phone Number	Facility Email Address	
2694892836	familyanimals4h@hotmail.com	

### Findings of the Inspection

A copy of this Interim inspection report and any associated corrective action plans is available on the Child Care Licensing Bureau [website](#) under [Statewide Search for Licensed Child Care Centers and Homes](#). A description of when interim inspection reports are completed can be found under [Overview of Licensing Reports](#).

The purpose of the Interim inspection was to determine compliance with applicable licensing statutes and administrative rules for child care Family Homes.

As a result of the interim inspection on 4/23/2024, licensing consultant Carrie Harris did not find any rule or law violations.

If you have any questions regarding the report, please contact licensing consultant, Carrie Harris, at (269) 615-5617. In the event that Carrie Harris is not available, and you need to speak to someone immediately, please contact the Child Care Licensing Bureau at 517-284-9730.

<b>Inspection Details</b>		
<i>Number of Rules/Statutes Reviewed</i>	<i>Number of Rules/Statute Violations</i>	<i>Number of Rules/Statutes where Technical Assistance was Provided</i>
178	0	0
<i>Number of Children's Records Reviewed : Number of Children Enrolled</i>	<i>Number of Staff Employed : Number of Staff Files Reviewed</i>	<i>Number of Home Volunteers : Number of Volunteer Files Reviewed</i>
3 : 3	1 : 1	0 : 0
<i>Number of Children Observed : Number of Children Present During Inspection</i>	<i>Number of Child Care Staff Members Observed : Number of Child Care Staff Members Present During Inspection</i>	<i>Number of Volunteers Observed a: Number of Volunteers Present During Inspection</i>
3 : 3	1 : 1	0 : 0
<i>Licensee Interviewed</i>	<i>Child Care Staff Members Interviewed</i>	<i>Pets</i>
Yes	Yes	The family home has 3 dogs, 5 cats, 3 calves, 6 goats, and a lot of poultry.
<i>Water or Other Hazards</i>	<i>Outdoor Space</i>	
The child care home uses an outdoor wood furnace to heat the home. The play area used by the children in care is partially fenced. Direct supervision is always used when children are outdoors. The wood furnace is not located near the outdoor play area.	The outdoor play area is located on the side of the home and is partially fenced. There is a swing set and portable climbing equipment over sand.	

<b>Documentation of Required Inspections</b>		
<i>Type of Inspection</i>	<i>Date of Inspection</i>	<i>Findings</i>
Environmental Health Inspection Results	6/13/2013	Received a "D" rating. Water has high nitrates. The provider has an approved variance to provide bottled water for all drinking purposes.
Fuel-Fired Furnace Inspection Results	4/17/2023	In good working condition.
Water Heater Inspection Results	4/17/2023	In good working condition.
Radon Test Results	11/8/2021	Results measured at 1.9 pCi/L on the first floor. Basement is a Michigan basement.

<i>Rule Number</i>	<i>Rule</i>	<i>Analysis</i>	<i>Conclusion</i>
--------------------	-------------	-----------------	-------------------

**Technical Assistance**

<i>Rule Number</i>	<i>Rule</i>
--------------------	-------------

**Bureau Recommendation**

I recommend no change in the status of the license.

**Approved By:**

<i>Carrie Harris</i>			
Carrie Harris <b>Licensing Consultant</b>	04/23/2024 <b>Date</b>		