



STATE OF MICHIGAN
 DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS
 LANSING

GRETCHEN WHITMER
 GOVERNOR

ORLENE HAWKS
 DIRECTOR

May 10, 2023

Deborah Adamski
 67433 County Farm Rd
 Burr Oak, MI 49030

RE: License #: DF750054167
Deborah Adamski
67433 County Farm Road
Burr Oak, MI 49030

Dear Ms. Adamski:

Attached is your renewal inspection report. You can find a copy of this renewal inspection report and any associated corrective action plans on our [website](#) under [Statewide Search for Licensed Child Care Centers and Homes](#). A description of when renewal inspection reports are completed can be found under [Overview of Licensing Reports](#).

During the renewal inspection on May 9, 2023, I found one violation listed below and explained in the attached report:

R 400.1907(1)(a) Child's records.

You gave us an acceptable written corrective action plan. We will send you a regular license in the mail.

During calendar year 2022:	Total
Number of serious injuries that occurred in facility.	0
Number of deaths that occurred in the facility.	0
Number of substantiated cases of abuse and/or neglect of a child that occurred at the facility.	0

Please contact me with any questions. In the event that I am not available and you need to speak to someone immediately, please contact the local office at (517) 284-9730.

Per MCL 722.113g, this report and any related corrective action plans must be filed in your Licensing Notebook.

Sincerely,

Carrie Harris

Carrie Harris, Licensing Consultant
Child Care Licensing Bureau
611 W. Ottawa Street
PO Box 30837
Lansing, MI 48909
(269) 615-5617

enclosure

**MICHIGAN DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS
CHILD CARE LICENSING BUREAU
RENEWAL INSPECTION REPORT**

I. IDENTIFYING INFORMATION

License #:	DF750054167
Licensee Name:	Deborah Adamski
Licensee Address:	67433 County Farm Rd Burr Oak, MI 49030
Licensee Telephone #:	(269) 489-2836
Licensee:	N/A
Name of Facility:	Deborah Adamski
Facility Address:	67433 County Farm Road Burr Oak, MI 49030
Facility Telephone #:	(269) 489-2836
Original Issuance Date:	08/04/1988
Capacity:	7
Age Range:	Ages Birth Thru 17 years

II. METHODS OF INSPECTION

Date of On-site Inspection(s): 05/09/2023

	No. of Records Reviewed	
No. of children enrolled in care	3	3
No. of assistant caregivers employed	0	0
No. of child care children present at time of inspection	1	
No. of other children present at time of inspection	4	
No. of assistant caregivers present at time of inspection	0	
Licensee present at time of inspection?	Yes	
Persons Interviewed:	Licensee	<input checked="" type="checkbox"/>
	Assistant Caregivers	<input type="checkbox"/>

Approved child use space: The main floor living room, play room, kitchen, and bathroom are approved for child care use.

Exiting information (including second floor and basement): The main level of the home has two standard door exits. There is a front door and a back door.

Approved variances - No Yes Description: A variance was approved on September 28, 2007, for R 400.1933(1), Water supply; sewage disposal; water temperature. The child care home has high nitrates in the water and it is not safe for consumption. The provider will only use bottled water for all cooking and drinking purposes.

A variance was approved on July 18, 2022, for R 400.1910(1) Ratio of personnel to children. The child care home can have a ratio of 1 child care staff member to 7 children.

Key Indicator Inspection: No.

Additional information:

- Pets? No Yes If yes, describe.
The family home has three dogs, cattle, outdoor cats, goats, and poultry.
- Hot tubs or spa pool? No Yes If yes, are there appropriate barriers?
- Swimming pool? No Yes If yes, describe pool and barriers.
- Other water hazards? No Yes If yes, describe.

- Fireplace or wood burning stove? No Yes If yes, describe.
The child care home uses an outdoor wood furnace to heat the home in the winter months.
- Fireplace/wood burner in use during child care hours? No Yes If yes, describe barriers to protect children from burns.
The play area used by the children in care is partially fenced. Direct supervision is always used when children are outdoors. The outdoor wood furnace is not located near the outdoor child use area.

III. DESCRIPTION OF FINDINGS & CONCLUSIONS

This renewal inspection involved a review of all applicable child care home administrative rules and statutes. Verification of compliance included direct observations of the physical environment and the program, discussions with staff, and a review of the home's records, including staff records and children's records. Staff records include background checks, medical clearance information, and training information. Children's records include child information cards and child in care statements/receipts.

During the inspection, the child care home was found to be in compliance with all applicable rules and statutes except for the following violations:

R 400.1907

Child's records.

(1) Prior to a child's initial attendance, a licensee shall obtain the following documents:

(a) A completed child information card on a form provided by the department or a comparable substitute approved by the department.

I reviewed three child information cards, and all three cards were missing required information such as employer name and phone numbers, physician information, admission date, allergies/special needs, emergency contact/release information, a date, and the parent signature.

A corrective action plan was requested and approved on 05/09/2023. It is expected that the corrective action plan be implemented within the specified time frames as outlined in the approved plan. A follow-up evaluation may be made to verify compliance. Should the corrections not be implemented in the specified time, it may be necessary to reevaluate the status of your license.

IV. RECOMMENDATION

I recommend issuance of a regular license to this child care family home (capacity 1-6).

Carrie Harris

May 10, 2023

Carrie Harris
Licensing Consultant

Date