



GRETCHEN WHITMER
GOVERNOR

STATE OF MICHIGAN
DEPARTMENT OF
LIFELONG EDUCATION, ADVANCEMENT, AND POTENTIAL
LANSING

Michelle Richard
ACTING DIRECTOR

Report Type : Interim
Inspection Type: Interim

Date of Inspection: 4/23/2024
Date of Report: 4/23/2024

Licensee Name(s)	License Number	Capacity
Sue Ann Yoder	DF750054244	7
Facility Name	Program Type	
Sue Ann Yoder	Family Home	
Facility Address	Mailing Address	
314 S Clay, Sturgis, MI, 49091	314 S Clay, Sturgis, MI, 49091	
Facility Phone Number	Facility Email Address	
2696512759	keebie@chartermi.net	

Findings of the Inspection

A copy of this Interim inspection report and any associated corrective action plans is available on the Child Care Licensing Bureau [website](#) under [Statewide Search for Licensed Child Care Centers and Homes](#). A description of when interim inspection reports are completed can be found under [Overview of Licensing Reports](#).

The purpose of the Interim inspection was to determine compliance with applicable licensing statutes and administrative rules for child care Family Homes.

As a result of the Interim inspection on 4/23/2024, licensing consultant Carrie Harris did not find any rule or law violations.

If you have any questions regarding the report, please contact licensing consultant, Carrie Harris, at (269) 615-5617. In the event that Carrie Harris is not available, and you need to speak to someone immediately, please contact the Child Care Licensing Bureau at 517-284-9730.

Inspection Details		
<i>Number of Rules/Statutes Reviewed</i>	<i>Number of Rules/Statute Violations</i>	<i>Number of Rules/Statutes where Technical Assistance was Provided</i>
175	0	0
<i>Number of Children's Records Reviewed : Number of Children Enrolled</i>	<i>Number of Staff Employed : Number of Staff Files Reviewed</i>	<i>Number of Home Volunteers : Number of Volunteer Files Reviewed</i>
6 : 6	1 : 1	0 : 0
<i>Number of Children Observed : Number of Children Present During Inspection</i>	<i>Number of Child Care Staff Members Observed : Number of Child Care Staff Members Present During Inspection</i>	<i>Number of Volunteers Observed a: Number of Volunteers Present During Inspection</i>
6 : 6	1 : 1	0 : 0
<i>Licensee Interviewed</i>	<i>Child Care Staff Members Interviewed</i>	<i>Pets</i>
Yes	Yes	The family child care home has two indoor cats.
<i>Water or Other Hazards</i>	<i>Outdoor Space</i>	
There were no water hazards or other hazards present during the onsite inspection.	The outdoor play area is located behind the home and is not fenced. There is a swing set over rubber mulch and other portable play equipment for the children's use.	

Documentation of Required Inspections		
<i>Type of Inspection</i>	<i>Date of Inspection</i>	<i>Findings</i>
Water Heater Inspection Result	5/24/2021	In good working order.
Fuel-Fired Furnace Inspection Results	5/24/2021	In good working order.
Radon Test	4/14/2021	Results measured at 3.0 pCi/L on the basement level of the home.

<i>Rule Number</i>	<i>Rule</i>	<i>Analysis</i>	<i>Conclusion</i>
--------------------	-------------	-----------------	-------------------

Technical Assistance	
<i>Rule Number</i>	<i>Rule</i>

Bureau Recommendation

I recommend no change in the status of the license.

Approved By:

<i>Carrie Harris</i>			
Carrie Harris Licensing Consultant	04/23/2024 Date		