



STATE OF MICHIGAN
 DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS
 LANSING

GRETCHEN WHITMER
 GOVERNOR

ORLENE HAWKS
 DIRECTOR

June 8, 2022

Angela Harrington
 601 N. Spring St.
 Durand, MI 48429

RE: License #: DF780409965
Gigi's Zero To Three Family Childcare
601 N. Spring Street
Durand, MI 48429

Dear Mrs. Harrington:

Attached is your renewal inspection report. You can find a copy of this renewal inspection report and any associated corrective action plans on our [website](#) under [Statewide Search for Licensed Child Care Centers and Homes](#). A description of when renewal inspection reports are completed can be found under [Overview of Licensing Reports](#).

As a result of the renewal inspection on 6/8/2022, I did not find any rule or law violations. You will receive your regular license in the mail.

During calendar year 2021:	Total
Number of serious injuries that occurred in facility.	0
Number of deaths that occurred in the facility.	0
Number of substantiated cases of abuse and/or neglect of a child that occurred at the facility.	0

Please contact me with any questions. In the event that I am not available and you need to speak to someone immediately, please contact the local office at 517-284-9730.

Sincerely,

A handwritten signature in cursive script that reads "Angela Histed".

Angela Histed, Licensing Consultant
Bureau of Community and Health Systems
611 W. Ottawa Street
P.O. Box 30664
Lansing, MI 48909
(248) 917-1607

Enclosure

**MICHIGAN DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS
CHILD CARE LICENSING BUREAU
RENEWAL INSPECTION REPORT**

I. IDENTIFYING INFORMATION

License #:	DF780409965
Licensee Name:	Angela Harrington
Licensee Address:	601 N. Spring St. Durand, MI 48429
Licensee Telephone #:	(269) 251-7279
Licensee:	N/A
Name of Facility:	Gigi's Zero To Three Family Childcare
Facility Address:	601 N. Spring Street Durand, MI 48429
Facility Telephone #:	(269) 251-7279
Original Issuance Date:	01/05/2022
Capacity:	6
Age Range:	Ages Birth Thru 10 years

II. METHODS OF INSPECTION

Date of On-site Inspection(s): 06/08/2022

	No. of Records Reviewed	
No. of children enrolled in care	8	7
No. of assistant caregivers employed	0	0
No. of child care children present at time of inspection	5	
No. of other children present at time of inspection	0	
No. of assistant caregivers present at time of inspection	0	
Licensee present at time of inspection?	Yes	
Persons Interviewed:	Licensee	<input checked="" type="checkbox"/>
	Assistant Caregivers	<input type="checkbox"/>

Approved child use space: The living room, kitchen, one bedroom and bathroom are all approved for child care use.

Exiting information (including second floor and basement): The exits in the home are the front door, side door and back door on the main level.

Approved variances - No Yes Description:

Key Indicator Inspection: No

Additional information:

- Pets? No Yes If yes, describe.
One dog- Goldendoodle
- Hot tubs or spa pool? No Yes If yes, are there appropriate barriers?
- Swimming pool? No Yes If yes, describe pool and barriers.
- Other water hazards? No Yes If yes, describe.
- Fireplace or wood burning stove? No Yes If yes, describe.
Ms. Harrington has a fireplace in the living room that has a barrier to separate it from the children playing.
- Fireplace/wood burner in use during child care hours? No Yes If yes, describe barriers to protect children from burns.

III. DESCRIPTION OF FINDINGS & CONCLUSIONS

This renewal inspection involved a review of all applicable child care home administrative rules and statutes. Verification of compliance included direct observations of the physical environment and the program, discussions with staff, and a review of the home's records, including staff records and children's records. Staff records include background checks, medical clearance information, and training information. Children's records include child information cards and child in care statements/receipts.

The facility is in compliance with all applicable rules and statutes.

Technical assistance was provided to Ms. Harrington to remind her to keep the water temperature under 120 degrees.

IV. RECOMMENDATION

I recommend issuance of a regular license to this child care family home (capacity 1-6).



06/08/2022

Angela Histed
Licensing Consultant

Date