



GRETCHEN WHITMER
GOVERNOR

STATE OF MICHIGAN
DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS
LANSING

ORLENE HAWKS
DIRECTOR

August 4, 2022

Phillip New
604 Crestview Drive
Corunna, MI 48817

RE: Application #: DF780412724
New Daycare
604 Crestview Drive
Corunna, MI 48817

Dear Mr. New:

Attached is the Original Licensing Study Report for the above referenced facility. The study has determined substantial compliance with applicable licensing statutes and rules. Therefore, an original license with a capacity of 6 is issued.

Please review the attached documentation for accuracy and contact me with any questions. In the event that I am not available and you need to speak to someone immediately, please contact the local office at (248) 975-5053.

Per MCL 722.113g, this report must be filed in your Licensing Notebook.

Sincerely,

A handwritten signature in cursive script that reads "Angela Histed".

Angela Histed, Licensing Consultant
Bureau of Community and Health Systems
611 W. Ottawa Street
P.O. Box 30664
Lansing, MI 48909
(248) 917-1607

Enclosure

**MICHIGAN DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS
CHILD CARE LICENSING BUREAU
LICENSING STUDY REPORT**

I. IDENTIFYING INFORMATION

License #:	DF780412724
Licensee Name:	Phillip New
Licensee Address:	604 Crestview Drive Corunna, MI 48817
Licensee Telephone #:	(989) 251-2455
Licensee:	N/A
Name of Facility:	New Daycare
Facility Address:	604 Crestview Drive Corunna, MI 48817
Facility Telephone #:	(989) 251-2455
Application Date:	05/17/2022
Capacity:	6
Program Type:	CHILD CARE FAMILY HOME (CAPACITY 1-6)

II. METHODOLOGY

05/17/2022	On-Line Enrollment
05/17/2022	Heating Approval Not Applicable
06/02/2022	Contact - Document Sent Rule & Act booklets; CC Comprehensive Background Cks; Reimburse ltr & form
06/16/2022	Contact - Document Received App - Signed & dated
06/16/2022	Contact - Document Received Med cl, TB, 001 & DL for Phillip
06/16/2022	Contact - Document Received Verification of CPR, 1st Aid, Infant Safe Sleep, Courses 1 & 2 for Phillip
06/21/2022	Contact - Document Received Radon results 0.9 pCi/L
07/01/2022	Contact - Document Received Updated DL for Phillip
07/01/2022	Application Complete/Orientation Needed
07/01/2022	Workload Transfer for Orientation
07/14/2022	Orientation Scheduled For- Lansing - Virtual
07/14/2022	Orientation Attended Lansing - Virtual
07/26/2022	Inspection Completed On-site
08/03/2022	Inspection Completed-BCAL Full Compliance

III. DESCRIPTION OF FINDINGS & CONCLUSIONS

A. Description of Facility

Mr. New lives in a two-story home at 604 Crestview Dr. in Corunna MI.

Rooms and levels approved for child care use: The basement of the home is approved child care space. This includes the living area, dining area/kitchen and bathroom.

Areas not approved: In the basement, the bedroom is not an approved child care space. Also, the entire main floor (upstairs) is not approved child care space.

Ages of children served: Mr. New will provide care for children birth to 17 years of age.

Equipment: The home has an adequate amount of equipment for the ages and number of children served.

Proposed days and hours of operation: The facility will operate Monday through Friday and every other weekend from 5:30 AM- 7:30 PM

Previous or concurrent licenses, including children's foster care: Mr. New previously held a child care license with his mother as co-licensee (DF780287276) that was closed on 05/17/2022.

Exiting information (including second floor and basement): The home has two exits. One exit is the stairs directly out the front door, and the second exit is out the side door into the garage that leads to the front yard.

Outdoor play area description:

The children will play in the front and side portion of the yard. The yard does not have any elevated equipment, but Mr. New has an adequate amount of outside equipment for the children to utilize. Mr. New will have direct supervision of the children at all times while outside.

Additional information:

- Pets? No Yes If yes, describe.
- Hot tubs or spa pool? No Yes If yes, are there appropriate barriers?
- Swimming pool? No Yes If yes, describe pool and barriers. The pool is not used and permanently closed. There is a gate surrounding it and has a lock on the door that remains locked at all times.
- Other water hazards? No Yes If yes, describe.
- Fireplace or wood burning stove? No Yes If yes, describe.
- Fireplace/wood burner in use during child care hours? No Yes If yes, describe barriers to protect children from burns:

Explanation of variances, if any: No variances.

B. Rule/Statutory Violations: Mr. New is in compliance with all rules and no violations were established.

IV. RECOMMENDATION

I recommend issuance of an original license to this child care family home (capacity 1-6).

Angela Histed

08/03/2022

Angela Histed
Licensing Consultant

Date

Approved By:

Jacquelin Sharkey

08/04/2022

Jacquelin Sharkey
Area Manager

Date