



GRETCHEN WHITMER
GOVERNOR

STATE OF MICHIGAN
DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS
LANSING

ORLENE HAWKS
DIRECTOR

September 27, 2022

Wedad Alihasan
8757 Amaranth Ln
Ypsilanti, MI 48197

RE: License #: DF810316798
Wedad Alihasan
8757 Amaranth Ln
Ypsilanti, MI 48197

Dear Ms. Alihasan:

Attached is your renewal inspection report. You can find a copy of this renewal inspection report and any associated corrective action plans on our [website](#) under [Statewide Search for Licensed Child Care Centers and Homes](#). A description of when renewal inspection reports are completed can be found under [Overview of Licensing Reports](#).

During the renewal inspection on June 28, 2023, I found two violation(s) listed below and explained in the attached report:

- R 400.1907 Child's records
- R 400.1934 Heating; ventilation; lighting.

You gave us an acceptable written corrective action plan. We will send you a regular license in the mail.

| During calendar year 2021: | Total |
|---|--------------|
| Number of serious injuries that occurred in facility. | 0 |
| Number of deaths that occurred in the facility. | 0 |
| Number of substantiated cases of abuse and/or neglect of a child that occurred at the facility. | 0 |

Please contact me with any questions. In the event that I am not available and you need to speak to someone immediately, please contact the local office at 517-284-9730.

Per MCL 722.113g, this report and any related corrective action plans must be filed in your Licensing Notebook.

Sincerely,

A handwritten signature in black ink that reads "Kimberly Brown". The signature is written in a cursive, flowing style.

Kimberly Brown, Licensing Consultant
Bureau of Community and Health Systems
611 W. Ottawa Street
P.O. Box 30664
Lansing, MI 48909
(734) 417-9703

enclosure

**MICHIGAN DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS
CHILD CARE LICENSING BUREAU
RENEWAL INSPECTION REPORT**

I. IDENTIFYING INFORMATION

| | |
|--------------------------------|---|
| License #: | DF810316798 |
| Licensee Name: | Wedad Alihasan |
| Licensee Address: | 8757 Amaranth Ln Ypsilanti, MI 48197 |
| Licensee Telephone #: | (313) 443-6372 |
| Licensee: | N/A |
| Name of Facility: | Wedad Alihasan |
| Facility Address: | 8757 Amaranth Ln Ypsilanti, MI 48197 |
| Facility Telephone #: | (734) 833-3993 |
| Original Issuance Date: | 06/07/2012 |
| Capacity: | 6 |
| Age Range: | Ages Birth Thru 17 years |

II. METHODS OF INSPECTION

Date of On-site Inspection(s): 06/28/2022

| | | No. of Records Reviewed |
|---|-------------------------------------|-------------------------|
| No. of children enrolled in care | 5 | 5 |
| No. of assistant caregivers employed | 3 | 3 |
| No. of child care children present at time of inspection | 3 | |
| No. of other children present at time of inspection | 0 | |
| No. of assistant caregivers present at time of inspection | 1 | |
| Licensee present at time of inspection? | Yes | |
| Persons Interviewed: | | |
| Licensee | <input checked="" type="checkbox"/> | |
| Assistant Caregivers | <input checked="" type="checkbox"/> | |

Approved child use space: The basement and main level of the day.

Exiting information (including second floor and basement): Egress window and steps in the basement, front door and back sliding door on the main floor.

Approved variances - No Yes Description:

Key Indicator Inspection: No.

Additional information:

- Pets? No Yes If yes, describe.
Two cats
- Hot tubs or spa pool? No Yes If yes, are there appropriate barriers?
- Swimming pool? No Yes If yes, describe pool and barriers.
- Other water hazards? No Yes If yes, describe.
- Fireplace or wood burning stove? No Yes If yes, describe.
- Fireplace/wood burner in use during child care hours? No Yes If yes, describe barriers to protect children from burns.

III. DESCRIPTION OF FINDINGS & CONCLUSIONS

This renewal inspection involved a review of all applicable child care home administrative rules and statutes. Verification of compliance included direct observations of the physical environment and the program, discussions with staff, and a review of the home's records, including staff records and children's records. Staff records include background checks, medical clearance information, and

training information. Children's records include child information cards and child in care statements/receipts.

During the inspection, the child care home was found to be in compliance with all applicable rules and statutes except for the following violations:

R 400.1907 Child's records.

(1) Prior to a child's initial attendance, a licensee shall obtain the following documents:

(b) A child in care statement or receipt using a form provided by the department and signed by the parent certifying all of the following:

(i) Receipt of a written disciplinary policy.

(ii) Condition of the child's health.

(iii) Acknowledgement that the parent has been offered either a copy of the licensing rules for a child care home or has been given the website for an electronic copy of these rules.

(iv) Agreement as to who will provide food for the child.

(v) Acknowledgement that firearms are on the premises, if applicable.

(vi) If the child care home was built prior to 1978, then the licensee shall inform the parents of each child in care and all personnel of the potential presence of lead-based paint or lead dust hazards, unless the licensee maintains documentation from a lead testing professional that the home is lead safe.

The child in care statements were not signed and dated by the parents.

R 400.1934 Heating; ventilation; lighting.

(3) A carbon monoxide detector, bearing a safety certification mark of a recognized testing laboratory, such as UL (Underwriters Laboratories) or ETL (Electrotechnical Laboratory), must be placed on all levels approved for child care.

At the time of the inspection the child care home did not have an operable carbon monoxide detectors.

A corrective action plan was requested and approved on 08/25/2022. It is expected that the corrective action plan be implemented within the specified time frames as outlined in the approved plan. A follow-up evaluation may be made to verify compliance. Should the corrections not be implemented in the specified time, it may be necessary to reevaluate the status of your license.

IV. RECOMMENDATION

I recommend issuance of a regular license to this child care home.



Kimberly Brown
Licensing Consultant

Date