



GRETCHEN WHITMER
GOVERNOR

STATE OF MICHIGAN
DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS
LANSING

ORLENE HAWKS
DIRECTOR

August 17, 2021

Bree Russell
3337 Surrey Dr
Saline, MI 48176

RE: Application #: DF810408224
Bree's Busy Bees Daycare
3337 Surrey Dr
Saline, MI 48176

Dear Ms. Russell:

Attached is the Original Licensing Study Report for the above referenced facility. The study has determined substantial compliance with applicable licensing statutes and rules. Therefore, an original license with a capacity of 6 is issued.

Please review the attached documentation for accuracy and contact me with any questions. In the event that I am not available, and you need to speak to someone immediately, please contact the local office at (517) 284-9730.

Per MCL 722.113g, this report must be filed in your Licensing Notebook.

Sincerely,

A handwritten signature in cursive script that reads "Dalerie Hughes".

Dalerie Hughes, Licensing Consultant
Bureau of Community and Health Systems
Cadillac Pl. Ste 9-100
3026 W. Grand Blvd
Detroit, MI 48202
(734) 660-7987

enclosure

**MICHIGAN DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS
CHILD CARE LICENSING BUREAU
LICENSING STUDY REPORT**

I. IDENTIFYING INFORMATION

License #:	DF810408224
Licensee Name:	Bree Russell
Licensee Address:	3337 Surrey Dr Saline, MI 48176
Licensee Telephone #:	(517) 285-6477
Licensee:	N/A
Name of Facility:	Bree's Busy Bees Daycare
Facility Address:	3337 Surrey Dr Saline, MI 48176
Facility Telephone #:	(517) 285-6477
Application Date:	04/20/2021
Capacity:	6
Program Type:	CHILD CARE FAMILY HOME (CAPACITY 1-6)

II. METHODOLOGY

04/20/2021	On-Line Enrollment
04/21/2021	Inspection Report Requested - Health Inv. #1031479
04/21/2021	Contact - Document Sent Rule & Act booklets; MI Child Care Matters; CC Comprehensive Background Cks
04/23/2021	Inspection Completed-Heating Approved
04/23/2021	Inspection Completed-Water Heater
04/28/2021	Inspection Completed-Env. Health: D
05/04/2021	Contact - Telephone call made Spoke to Ms. Russell regarding the D rating for the environmental health inspection. I explained that she would need to have a reinspection completed with an A rating before a license can be issued. Ms. Russell stated that she would like to continue with the process and would make the corrections and have a reinspection completed.
05/17/2021	Contact - Document Received App - Signed & dated
05/17/2021	Contact - Document Received Med cl, TB, 001 & DL for Bree; TB & 001 for Alexander
05/17/2021	Contact - Document Received Verification of CPR, 1st Aid, Infant Safe Sleep, Courses 1 & 2 for Bree
06/15/2021	Contact - Document Received Radon results 1.6 pCi/L
06/17/2021	Orientation Scheduled For-Lansing
06/17/2021	Application Complete/Orientation Needed
06/17/2021	Workload Transfer for Orientation
06/17/2021	Orientation Attended Via TEAMS with Lansing staff
07/09/2021	Inspection Report Requested - Health

	Per Denise, sanitarian, no charge
07/15/2021	Inspection Completed-Env. Health: A
08/12/2021	Inspection Completed On-site
08/12/2021	Inspection Completed-BCAL Full Compliance

III. DESCRIPTION OF FINDINGS & CONCLUSIONS

A. Description of Facility

The child care home is a two-story colonial style single dwelling home. The home is in a residential area of Saline, Michigan.

Rooms and levels approved for child care use:

The recreation room, kitchen, and bathroom on the main level of the home are approved for child care. One bedroom on the second-floor northeast side of the home is also approved for child care.

The basement is only approved for tornado drills and tornado shelter.

The approve space exceeds 35 sq. feet per child requirement.

Areas not approved:

The living room and dining room on the main level of the home are not approved for child care. Three bedrooms and bathroom on the second level of the home are not approved for child care. The basement is only approved for tornado shelter and drills, and not regular child care use.

Ages of children served:

Ms. Russell will accept children ages 0-12 years of age.

Equipment:

Ms. Russell has an adequate amount of developmentally appropriate indoor/outdoor play equipment for children of different ages and stages of development.

Proposed days and hours of operation:

Ms. Russell will operate from 7:30 a.m.-5:30 p.m., Monday through Friday, year-round.

Previous or concurrent licenses, including children's foster care:

Ms. Russell has never been licensed as a foster home or child care home.

Exiting information (including second floor and basement):

There are two remote exits on the main floor, including a front door and sliding glass door in the recreation room. There is also a door adjacent to the kitchen leading to the attached garage. There are two remote exits on the second floor. One exit is a window in the bedroom that is clearly identified. There are also stairs that lead directly to the main level of the home.

Outdoor play area description:

The outdoor play area is a large, unfenced backyard. Children will be supervised at all times while outdoors. The area is clean and safe and does not have any hazards.

Additional information:

- Pets? No Yes If yes, describe. 1 Cat
- Hot tubs or spa pool? No Yes If yes, are there appropriate barriers?
- Swimming pool? No Yes If yes, describe pool and barriers.
- Other water hazards? No Yes If yes, describe.
- Fireplace or wood burning stove? No Yes If yes, describe. There is a wood burning fireplace in the recreation room. The fireplace is covered up and locked.
- Fireplace/wood burner in use during child care hours? No Yes If yes, describe barriers to protect children from burns:

Explanation of variances, if any:

There were no variances granted for this child care home.

B. Rule/Statutory Violations

There were no rule violations.

IV. RECOMMENDATION

I recommend issuance of an original license to this child care family home (capacity 1-6).

Dalerie Hughes

August 17, 2021

Dalerie Hughes
Licensing Consultant

Date

Approved By:

Darlese McConnell

08/18/2021

Darlese McConnell
Area Manager

Date