



GRETCHEN WHITMER
GOVERNOR

STATE OF MICHIGAN
DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS
LANSING

ORLENE HAWKS
DIRECTOR

March 1, 2023

Rawya Juboori
8716 Lilly Drive
Ypsilanti, MI 48197

RE: License #: DF810412274
Rawya Juboori
8716 Lilly Drive
Ypsilanti, MI 48197

Dear Ms. Juboori:

Attached is your renewal inspection report. You can find a copy of this renewal inspection report and any associated corrective action plans on our [website](#) under [Statewide Search for Licensed Child Care Centers and Homes](#). A description of when renewal inspection reports are completed can be found under [Overview of Licensing Reports](#).

During the renewal inspection on January 19, 2023, I found six violation(s) listed below and explained in the attached report:

R 400.1903(6)(c)
R400.1916(6)(b)
R400.1932(2)
R400.1942(2)
R400.1944(1)
R400.1907(3)

You gave us an acceptable written corrective action plan. We will send you a regular license in the mail.

Due to the infant safe sleep violation(s), all of your infant child care staff members must take training on infant safe sleep. This must be included in your corrective action plan. In addition, a follow up inspection may be made to check compliance with the infant safe sleep rules.

During calendar year 2022:	Total
Number of serious injuries that occurred in facility.	0
Number of deaths that occurred in the facility.	0
Number of substantiated cases of abuse and/or neglect of a child that occurred at the facility.	0

Please review the enclosed documentation for and contact me with any questions. In the event that I am not available and you need to speak to someone immediately, please contact the local office at (517) 284-9730.

Per MCL 722.113g, this report and any related corrective action plans must be filed in your Licensing Notebook.

Sincerely,



Kimberly Brown, Licensing Consultant
 Bureau of Community and Health Systems
 611 W. Ottawa Street
 P.O. Box 30664
 Lansing, MI 48909
 (734) 417-9703

Enclosure

**MICHIGAN DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS
CHILD CARE LICENSING BUREAU
RENEWAL INSPECTION REPORT**

I. IDENTIFYING INFORMATION

License #:	DF810412274
Licensee Name:	Rawya Juboori
Licensee Address:	8716 Lilly Drive Ypsilanti, MI 48197
Licensee Telephone #:	
Licensee:	N/A
Name of Facility:	Rawya Juboori
Facility Address:	8716 Lilly Drive Ypsilanti, MI 48197
Facility Telephone #:	(734) 757-7489
Original Issuance Date:	08/25/2022
Capacity:	6
Age Range:	Ages Birth Thru 6 years

II. METHODS OF INSPECTION

Date of On-site Inspection(s): 01/19/2023

		No. of Records Reviewed
No. of children enrolled in care	7	7
No. of assistant caregivers employed	1	1
No. of child care children present at time of inspection	7	
No. of other children present at time of inspection	0	
No. of assistant caregivers present at time of inspection	1	
Licensee present at time of inspection?	Yes	
Persons Interviewed:		
Licensee	<input checked="" type="checkbox"/>	
Assistant Caregivers	<input checked="" type="checkbox"/>	

Approved child use space: Basement of the home and living room and family room on the main level of the home.

Exiting information (including second floor and basement): Front Door and Sliding door on main level. Stairs and egress window in basement.

Approved variances - No Yes Description:

Key Indicator Inspection: No .

Additional information:

- Pets? No Yes If yes, describe.
- Hot tubs or spa pool? No Yes If yes, are there appropriate barriers?
- Swimming pool? No Yes If yes, describe pool and barriers.
- Other water hazards? No Yes If yes, describe.
- Fireplace or wood burning stove? No Yes If yes, describe.
- Fireplace/wood burner in use during child care hours? No Yes If yes, describe barriers to protect children from burns.

III. DESCRIPTION OF FINDINGS & CONCLUSIONS

This renewal inspection involved a review of all applicable child care home administrative rules and statutes. Verification of compliance included direct observations of the physical environment and the program, discussions with staff,

and a review of the home's records, including staff records and children's records. Staff records include background checks, medical clearance information, and training information. Children's records include child information cards and child in care statements/receipts.

During the inspection, the child care home was found to be in compliance with all applicable rules and statutes except for the following violations:

R 400.1903 Licensee responsibilities.

(1)(f) Post the current license in a conspicuous place within the child care home during the hours of operation.

At the time of the inspection the child care license was not posted.

R 400.1907 Child's records.

(3) Dated daily attendance records of children in care must be maintained and include the child's first and last name and the time of arrival and departure. Electronic records may be used. If electronic records are used, they must be available to the department at the time of the inspection. If electronic attendance records are not available during an on-site inspection, the child care home is in violation of this rule.

At the time of the inspection there were seven child care children present, however only six were signed in. One child in child care was a relative of the licensee.

R 400.1916 Bedding and sleeping equipment.

(6) Infants, birth to 12 months of age, shall rest or sleep alone in an approved crib, play yard, or porta-crib. This equipment must meet all of the following requirements:

(b) A tightly fitted or snug bottom sheet must cover the crib or porta-crib mattress with no additional padding placed between the sheet and the mattress.

One of the cribs located within the child care home had a crib with padding under the mattress to elevate the child when asleep and make the crib softer. Safe sleep requirements were reviewed by the child care home licensee.

R 400.1932 Home maintenance and safety.

(2) All dangerous and hazardous materials or items must be stored securely and out of the reach of children.

At the time of the inspection there was laundry detergent located in an unlocked basement cabinet within reach of the child care children.

R 400.1942 Electrical service; maintenance.

(2) All electrical outlets, including outlets on multiple outlet devices, accessible to children must have safety covers or be tamper resistant outlets.

There was one uncovered outlet located within reach of the child care children in the basement of the home.

R 400.1944 Smoke detectors; fire extinguishers.

(1) Operable smoke detectors approved by a nationally recognized testing laboratory must be installed and maintained on each floor of the home, including the basement, and in all sleeping areas and bedrooms used by children in care.

Two smoke detectors were low on batteries at the time of the expansion.

A corrective action plan was requested and approved on 02/04/2023. It is expected that the corrective action plan be implemented within the specified time frames as outlined in the approved plan. A follow-up evaluation may be made to verify compliance. Should the corrections not be implemented in the specified time, it may be necessary to reevaluate the status of your license.

IV. RECOMMENDATION

I recommend issuance of a regular license to this family child care home.

Handwritten signature of Kimberly Brown in cursive script.

Kimberly Brown
Licensing Consultant

Date