



GRETCHEN WHITMER
GOVERNOR

STATE OF MICHIGAN
DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS
LANSING

ORLENE HAWKS
DIRECTOR

September 1, 2022

Katherine Janowski
561 Kellogg St
Plymouth, MI 48170

RE: Application #: **DF820413044**
Katy's DTP Daycare
561 Kellogg St
Plymouth, MI 48170

Dear Ms. Janowski:

Attached is the Original Licensing Study Report for the above referenced facility. The study has determined substantial compliance with applicable licensing statutes and rules. Therefore, an original license with a capacity of 6 is issued.

Please review the attached documentation for accuracy and contact me with any questions. In the event that I am not available and you need to speak to someone immediately, please contact the local office at (313) 456-0380.

Per MCL 722.113g, this report must be filed in your Licensing Notebook.

Sincerely,

Jeanette C. Wallington, Licensing Consultant
Bureau of Community and Health Systems
Child Care Licensing Division
611 West Ottawa street
P.O. Box 30664
Lansing, MI 48909
517-284-9730

(313) 938-6221

enclosure

**MICHIGAN DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS
CHILD CARE LICENSING BUREAU
LICENSING STUDY REPORT**

I. IDENTIFYING INFORMATION

License #:	DF820413044
Licensee Name:	Katherine Janowski
Licensee Address:	561 Kellogg St Plymouth, MI 48170
Licensee Telephone #:	(810) 941-8885
Licensee:	N/A
Name of Facility:	Katy's DTP Daycare
Facility Address:	561 Kellogg St Plymouth, MI 48170
Facility Telephone #:	(810) 941-8885
Application Date:	06/21/2022
Capacity:	6
Program Type:	CHILD CARE FAMILY HOME (CAPACITY 1-6)

II. METHODOLOGY

06/21/2022	On-Line Enrollment
06/21/2022	Contact - Document Received App - Not signed or dated
06/21/2022	Contact - Document Received 001's for Katherine & [REDACTED]
06/24/2022	Inspection Completed-Heating Approved
06/24/2022	Inspection Completed-Water Heater
06/28/2022	Contact - Document Received Radon results 2.5 pCi/L
06/28/2022	Contact - Document Received TB's for Katherine & [REDACTED]
06/28/2022	Contact - Document Received Med cl's for Katherine & [REDACTED]
06/28/2022	Contact - Document Received Verification of CPR, 1st Aid, Infant Safe Sleep, Courses 1 & 2 for Katherine
07/19/2022	Contact - Document Sent Rule & Act booklets; CC Comprehensive Background Cks; Reimburse ltr & form
07/19/2022	Contact - Document Received App - Signed & dated
07/19/2022	Contact - Document Received DL for Katherine
07/19/2022	Application Complete/Orientation Needed
07/19/2022	Workload Transfer for Orientation
07/28/2022	Orientation Scheduled For- Northwest - Virtual
07/28/2022	Orientation Attended Northwest - Virtual
08/23/2022	Inspection Completed On-site

III. DESCRIPTION OF FINDINGS & CONCLUSIONS

A. Description of Facility

This child care family home is located in downtown Plymouth Township near the intersection of Ann Arbor Trail and Maple.

Rooms and levels approved for child care use:

This is a two-story home. The front bedroom, living room dining room, the main bedroom, and the upper-level loft are approved. The loft is approved for napping only. There is a bathroom on the main level for the children to use.

Areas not approved:

The basement is not approved for childcare.

Ages of children served:

Children ages Birth to 5 years will be accepted.

Equipment:

There is an adequate amount of age and developmentally-appropriate equipment in the home.

Proposed days and hours of operation:

The home will be open Monday – Friday from 8:00 a.m. to 5:00 p.m. No weekends or overnight care will be provided.

Previous or concurrent licenses, including children's foster care:

The license does not have any previous or concurrent licenses.

Exiting information (including second floor and basement):

There are two exits from the home. The front door and back door lead to the outside.

Outdoor play area description:

The children will play in the fenced backyard.

Additional information:

- Pets? No Yes If yes, describe. There is one dog in the home.
- Hot tubs or spa pool? No Yes If yes, are there appropriate barriers?
- Swimming pool? No Yes If yes, describe pool and barriers.
- Other water hazards? No Yes If yes, describe.

- Fireplace or wood burning stove? No Yes If yes, describe.
- Fireplace/wood burner in use during child care hours? No Yes If yes, describe barriers to protect children from burns:

Explanation of variances, if any: No variances

B. Rule/Statutory Violations

There are no rule/statutory violations

IV. RECOMMENDATION

I recommend issuance of a original license to this child care family home (capacity 1-6).



09/01/2022

Jeanette C. Wallington
Licensing Consultant

Date

Approved By:



09/01/2022

LaTanya Ellington
Area Manager

Date