



STATE OF MICHIGAN
 DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS
 LANSING

GRETCHEN WHITMER
 GOVERNOR

ORLENE HAWKS
 DIRECTOR

November 4, 2021

Bette Bednarick
 1901 Sunnyside Dr
 Cadillac, MI 49601

RE: License #: DF830059442

RE: SI LOG #: **Bette Bednarick**
1901 Sunnyside Drive
Cadillac, MI 49601

Dear Ms. Bednarick:

This letter is to advise you that the 11/03/2021 corrective action plan you submitted, regarding each rule violation cited in the recently completed Interim Inspection Report, is approved.

You can find a copy of this corrective action approval letter and the associated report on our [website](#) under [Statewide Search for Licensed Child Care Centers and Homes](#). A description of each type of report and corrective action plans can be found under [Overview of Licensing Reports](#).

Violation cited	Noncompliance observed	Plan to correct	Date to be completed
R 400.1924 (2)(a) Comprehensive background check; fingerprinting	Ms. Bednarick's husband does not have a completed consent and disclosure form.	Ms. Bednarick's husband will complete the required form.	11/5/2021
R 400.1944 (1) Smoke detectors; fire extinguishers	There was no smoke detector installed in the room where children nap.	Ms. Bednarick will install a smoke detector.	11/4/2021


R 400.1945 (2)(b) Emergency; plan; drill	Emergency procedures do not include a relocation site.	Ms. Bednarick will update her emergency procedures.	11/5/2021
R 400.1945 (2)(f) Emergency; plan; drill	Emergency procedures do not include a plan for continuing operations during/after a disaster.	Ms. Bednarick will update her emergency procedures.	11/5/2021
R 400.1945 (2)(h) Emergency; plan; drill	Emergency procedures do not include a plan for accommodating children with special needs.	Ms. Bednarick will update her emergency procedures.	11/5/2021
R 400.1945 (2)(i) Emergency; plan; drill	Emergency procedures do not include a plan for accommodating children with chronic medical conditions.	Ms. Bednarick will update her emergency procedures.	11/5/2021

It is expected that the corrective action plan will be implemented within the time frames as outlined in your plan.

A follow-up evaluation may be made to verify compliance. Should the corrections not be implemented in the specified time, it may be necessary to reevaluate the status of your license.

The office provides technical assistance to meet the licensing requirements and consultation to improve services. Please contact me with any questions. In the event that I am not available and you need to speak to someone immediately, you may contact the local office at (231) 922-5309.

Sincerely,



Amanda Wendell, Licensing Consultant
Bureau of Community and Health Systems
Suite 11
701 S. Elmwood
Traverse City, MI 49684
(231) 492-5410