



GRETCHEN WHITMER
GOVERNOR

STATE OF MICHIGAN
DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS
LANSING

ORLENE HAWKS
DIRECTOR

November 4, 2021

Bette Bednarick
1901 Sunnyside Dr
Cadillac, MI 49601

RE: License #: DF830059442
Bette Bednarick
1901 Sunnyside Drive
Cadillac, MI 49601

Dear Ms. Bednarick:

This letter is a follow-up to the Department's findings regarding the interim inspection conducted at your home on 11/03/2021. The purpose of this inspection was to determine compliance with applicable licensing statutes and administrative rules for Family and Group Child Care Homes.

At the time of the onsite inspection, Ms. Bednarick was present with three child care children. When I arrived, two children were eating lunch and Ms. Bednarick was feeding an infant. During the inspection, the children finished eating, washed their hands, and engaged in free play. Ms. Bednarick was responsive to the children's needs and appeared bonded with the children.

The violations that were found are:

R 400.1925 Comprehensive background check; fingerprinting.

(2) An applicant or licensee shall do all of the following:

(a) Ensure that each individual who requires an eligibility determination pursuant to subrule (1) of this rule completes, signs, and submits all of the information required in subrule (5) of this rule, and in subrule (6) of this rule if applicable, on a form prescribed by the department. The forms are available on the department's website for the child care background check system, www.michigan.gov/ccbc. The form(s) must be signed

and dated prior to the individual's appointment to be fingerprinted.

Ms. Bednarick did not ensure that her husband completed a consent and disclosure form.

REPEAT VIOLATION ESTABLISHED

LSR dated 03/29/2021

Corrective Action Plan dated 02/16/2021

R 400.1944 Smoke detectors; fire extinguishers.

(1) Operable smoke detectors approved by a nationally recognized testing laboratory must be installed and maintained on each floor of the home, including the basement, and in all sleeping areas and bedrooms used by children in care.

Ms. Bednarick did not ensure that a smoke detector is installed in each sleeping area used by children in care.

REPEAT VIOLATION ESTABLISHED

LSR dated 01/03/2019

Corrective Action Plan dated 11/30/2018

Interim Inspection Report dated 01/31/2020

Corrective Action Plan dated 01/30/2020

R 400.1945 Emergency; plan; drill.

(2) The written plan must include all of the following:
(b) A plan for safely moving children to a relocation site.

Ms. Bednarick did not ensure that her emergency plan includes a plan for safely moving children to a relocation site.

R 400.1945 Emergency; plan; drill.

(2) The written plan must include all of the following:
(f) A plan for continuing operations during or after a disaster.

Ms. Bednarick did not ensure that her emergency plan includes a plan for continuing operations during or after a disaster.

R 400.1945 Emergency; plan; drill.

- (2) The written plan must include all of the following:
 - (h) A plan for how children with special needs will be accommodated in all types of emergencies.

Ms. Bednarick did not ensure that her emergency plan includes a plan for how children with special needs will be accommodated in all types of emergencies.

R 400.1945 Emergency; plan; drill.

- (2) The written plan must include all of the following:
 - (i) A plan for how children with chronic medical conditions will be accommodated in all types of emergencies.

Ms. Bednarick did not ensure that her emergency plan includes a plan for how children with special needs will be accommodated in all types of emergencies.

On 11/03/2021, you gave us an acceptable written corrective action plan.

During the exit conference, technical assistance/consultation was provided regarding the following:

- Ms. Bednarick’s pack and play mattress was not secured to the frame. I showed her how to do this, and she will ensure that it stays secured.
- Ms. Bednarick’s fire emergency plan states that a whistle will be used to indicate a fire drill. Ms. Bednarick will update her plan to indicate that the smoke detector will be used for fire drills.
- Ms. Bednarick’s role in the facility’s CCBC account is “licensee designee”. Ms. Bednarick must log in and change her role to “licensee”.
- Ms. Bednarick will add children’s date of admission to their child information cards.
- I informed Ms. Bednarick that, even though there is no line for it, it is expected that child in care statements will include the date of signature.

During calendar year 2020:	Total
Number of serious injuries that occurred in facility.	0
Number of deaths that occurred in the facility.	0
Number of substantiated cases of abuse and/or neglect of a child that occurred at the facility.	0

You can find a copy of this inspection letter and any associated corrective action plans on our [website](#) under [Statewide Search for Licensed Child Care Centers and Homes](#). A description of when inspection letters are completed can be found under [Overview of Licensing Reports](#).

Please contact me with any questions. In the event that I am not available and you need to speak to someone immediately, please contact the local office at (231) 922-5309.

Per MCL 722.113g, this report and any related corrective action plans must be filed in your Licensing Notebook.

Sincerely,

Amanda Wendell

Amanda Wendell, Licensing Consultant
Bureau of Community and Health Systems
Suite 11
701 S. Elmwood
Traverse City, MI 49684
(231) 492-5410