



GRETCHEN WHITMER
GOVERNOR

STATE OF MICHIGAN
DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS
LANSING

ORLENE HAWKS
DIRECTOR

November 14, 2022

Bette Bednarick
1901 Sunnyside Dr
Cadillac, MI 49601

RE: License #: DF830059442
Bette Bednarick
1901 Sunnyside Drive
Cadillac, MI 49601

Dear Ms. Bednarick:

Attached is your renewal inspection report. You can find a copy of this renewal inspection report and any associated corrective action plans on our [website](#) under [Statewide Search for Licensed Child Care Centers and Homes](#). A description of when renewal inspection reports are completed can be found under [Overview of Licensing Reports](#).

During the renewal inspection on 11/7/2022, I found one violation. The violation is listed below and explained in the attached report:

R 400.R400.1933 Water supply; sewage disposal; water temperature.

You gave us an acceptable written corrective action plan. We will send you a regular license in the mail.

During calendar year 2021:	Total
Number of serious injuries that occurred in facility.	0
Number of deaths that occurred in the facility.	0
Number of substantiated cases of abuse and/or neglect of a child that occurred at the facility.	0

Please contact me with any questions. In the event that I am not available and you need to speak to someone immediately, please contact the local office at (517) 284-9730.

Per MCL 722.113g, this report and any related corrective action plans must be filed in your Licensing Notebook.

Sincerely,

A handwritten signature in black ink that reads "Sara Schalk". The signature is written in a cursive, slightly slanted style.

Sara Schalk, Licensing Consultant
Child Care Licensing Bureau
611 W. Ottawa Street
P.O. Box 30664
Lansing, MI 48909
(231)340-2730

enclosure

**MICHIGAN DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS
CHILD CARE LICENSING BUREAU
RENEWAL INSPECTION REPORT**

I. IDENTIFYING INFORMATION

License #:	DF830059442
Licensee Name:	Bette Bednarick
Licensee Address:	1901 Sunnyside Dr Cadillac, MI 49601
Licensee Telephone #:	
Licensee:	N/A
Name of Facility:	Bette Bednarick
Facility Address:	1901 Sunnyside Drive Cadillac, MI 49601
Facility Telephone #:	(231) 878-1251
Original Issuance Date:	11/17/1994
Capacity:	6
Age Range:	Ages Birth Thru 12 years

II. METHODS OF INSPECTION

Date of On-site Inspection(s): 11/07/2022

	No. of Records Reviewed	
No. of children enrolled in care	6	5
No. of assistant caregivers employed	0	0
No. of child care children present at time of inspection	0	
No. of other children present at time of inspection	0	
No. of assistant caregivers present at time of inspection	0	
Licensee present at time of inspection?	Yes	
Persons Interviewed:		
Licensee	<input checked="" type="checkbox"/>	
Assistant Caregivers	<input type="checkbox"/>	

Approved child use space: The main level kitchen, living room, and playroom are approved for child care use.

Exiting information (including second floor and basement): There is a door from the kitchen entry area to the side yard of the home and a door to the garage from the same area. There is also a sliding glass door which exits the living room to a deck and the side yard of the home.

Approved variances - No Yes Description:

Key Indicator Inspection: No

Additional information:

- Pets? No Yes If yes, describe.
There are two dogs.
- Hot tubs or spa pool? No Yes If yes, are there appropriate barriers?
- Swimming pool? No Yes If yes, describe pool and barriers.
- Other water hazards? No Yes If yes, describe.
Ms. Bednarick's home is directly across Sunnyside Dr. from Lake Cadillac.
Sunnyside Dr. is a visual barrier between the home and the lake.
- Fireplace or wood burning stove? No Yes If yes, describe.
There is a wood burning stove in the living room.
- Fireplace/wood burner in use during child care hours? No Yes If yes, describe barriers to protect children from burns.
Ms. Bednarick has a secure gate across the length of the living room, creating a barrier between the child use space and the fireplace.

III. DESCRIPTION OF FINDINGS & CONCLUSIONS

This renewal inspection involved a review of all applicable child care home administrative rules and statutes. Verification of compliance included direct observations of the physical environment and the program, discussions with staff, and a review of the home's records, including staff records and children's records. Staff records include background checks, medical clearance information, and training information. Children's records include child information cards and child in care statements/receipts.

At the time of the onsite inspection, there were no children in care due to illness. A follow up visit will be completed when there are child care children present.

During the inspection, the child care home was found to be in compliance with all applicable rules and statutes except for the following violations:

R 400.1933 Water supply; sewage disposal; water temperature.

(4) Hot water temperature must not exceed 120 degrees Fahrenheit at water faucets accessible to children.

During the inspection, the temperature of the water at the bathroom sink accessible to children was 124 degrees Fahrenheit.

**REPEAT VIOLATION ESTABLISHED
LSR DATED 03/29/2021
CAP DATED 02/16/2021**

A corrective action plan was requested and approved on 11/07/2022. It is expected that the corrective action plan be implemented within the specified time frames as outlined in the approved plan. A follow-up evaluation may be made to verify compliance. Should the corrections not be implemented in the specified time, it may be necessary to reevaluate the status of your license.

During the exit conference, technical assistance/consultation was provided on the following:

- I reminded Ms. Bednarick that children's attendance records must include the child's first and last name.
- I reminded Ms. Bednarick to ensure that child in care statements are reviewed and updated annually.
- Reviewed required postings and location for the postings.

IV. RECOMMENDATION

I recommend issuance of a regular license to this child care family home (capacity 1-6).

Sara Schalk

11/14/2022

Sara Schalk
Licensing Consultant

Date