



STATE OF MICHIGAN
 DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS
 LANSING

GRETCHEN WHITMER
 GOVERNOR

ORLENE HAWKS
 DIRECTOR

January 13, 2023

Tamara Heydens
 217 N Sherman St
 Bay City, MI 48708

RE: License #: DG090059753
Tamara Heydens
217 N. Sherman Street
Bay City, MI 48708

Dear Ms. Heydens:

Attached is your renewal inspection report. You can find a copy of this renewal inspection report and any associated corrective action plans on our [website](#) under [Statewide Search for Licensed Child Care Centers and Homes](#). A description of when renewal inspection reports are completed can be found under [Overview of Licensing Reports](#).

During the renewal inspection on 1/13/2023, I found 1 violation(s) listed below and explained in the attached report:

R 400.1905 (9) Training

You gave us an acceptable written corrective action plan. We will send you a regular license in the mail.

During calendar year 2022:	Total
Number of serious injuries that occurred in facility.	0
Number of deaths that occurred in the facility.	0
Number of substantiated cases of abuse and/or neglect of a child that occurred at the facility.	0

Please contact me with any questions. In the event that I am not available and you need to speak to someone immediately, please contact the local office at 517-284-9730.

Per MCL 722.113g, this report and any related corrective action plans must be filed in your Licensing Notebook.

Sincerely,




Stacy M. Tomczak, Licensing Consultant
Bureau of Community and Health Systems
611 W. Ottawa St.
PO Box 30664
Lansing, MI 48909
989-798-4738

enclosure

**MICHIGAN DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS
CHILD CARE LICENSING BUREAU
RENEWAL INSPECTION REPORT**

I. IDENTIFYING INFORMATION

License #:	DG090059753
Licensee Name:	Tamara Heydens
Licensee Address:	217 N Sherman St Bay City, MI 48708
Licensee Telephone #:	
Licensee:	N/A
Name of Facility:	Tamara Heydens
Facility Address:	217 N. Sherman Street Bay City, MI 48708
Facility Telephone #:	(989) 893-8964
Original Issuance Date:	06/07/1994
Capacity:	12
Age Range:	Ages Birth Thru 17 years

II. METHODS OF INSPECTION

Date of On-site Inspection(s): 01/13/2023

		No. of Records Reviewed
No. of children enrolled in care	10	10
No. of assistant caregivers employed	0	0
No. of child care children present at time of inspection	2	
No. of other children present at time of inspection	0	
No. of assistant caregivers present at time of inspection	0	
Licensee present at time of inspection?	Yes	
Persons Interviewed:		
Licensee	<input checked="" type="checkbox"/>	
Assistant Caregivers	<input type="checkbox"/>	

Approved child use space: main floor

Exiting information (including second floor and basement): There is a front, side, and back door for exits.

Approved variances - No Yes Description:

Key Indicator Inspection: No

Additional information:

- Pets? No Yes If yes, describe.
Ms. Heydens has a rabbit.
- Hot tubs or spa pool? No Yes If yes, are there appropriate barriers?
- Swimming pool? No Yes If yes, describe pool and barriers.
- Other water hazards? No Yes If yes, describe.
- Fireplace or wood burning stove? No Yes If yes, describe.
- Fireplace/wood burner in use during child care hours? No Yes If yes, describe barriers to protect children from burns.

III. DESCRIPTION OF FINDINGS & CONCLUSIONS

This renewal inspection involved a review of all applicable child care home administrative rules and statutes. Verification of compliance included direct observations of the physical environment and the program, discussions with staff, and a review of the home's records, including staff records and children's records. Staff records include background checks, medical clearance information, and

training information. Children's records include child information cards and child in care statements/receipts.

During the inspection, the child care home was found to be in compliance with all applicable rules and statutes except for the following violations:

R 400.1905 Training

(9) When the department of licensing and regulatory affairs or the department of education publishes a notice that a new health and safety update document or a new health and safety update training activity has been published on MiRegistry, the licensee shall ensure that all personnel read and acknowledge the document or complete the activity within 6 months of the notice.


Ms. Heydens completed the health and safety refresher on December 14. This was not within six months of notice.

A corrective action plan was requested and approved on 01/13/2023. It is expected that the corrective action plan be implemented within the specified time frames as outlined in the approved plan. A follow-up evaluation may be made to verify compliance. Should the corrections not be implemented in the specified time, it may be necessary to reevaluate the status of your license.

Technical assistance was provided regarding assistant caregiver requirements and caregiver absences.

IV. RECOMMENDATION

I recommend issuance of a regular license to this child care group home (capacity 7-12).



1/18/2023

Stacy M. Tomczak
Licensing Consultant

Date