



GRETCHEN WHITMER  
GOVERNOR

STATE OF MICHIGAN  
DEPARTMENT OF  
LIFELONG EDUCATION, ADVANCEMENT, AND POTENTIAL  
LANSING

Michelle Richard  
DIRECTOR

**Report Type** : Interim  
**Inspection Type:** Interim

**Date of Inspection:** 2/6/2024  
**Date of Report:** 2/21/2024

Licensee Name(s)	License Number	Capacity
Jodi M Zielinski	DG090265488	14
Facility Name	Program Type	
Zielinski, Jodi	Group Home	
Facility Address	Mailing Address	
397 Richards, Bay City, MI, 48706	397 Richards Rd, Bay City, MI, 48706	
Facility Phone Number	Facility Email Address	
9892394475	joezin1975@gmail.com	

### Findings of the Inspection

A copy of this Interim inspection report and any associated corrective action plans is available on the Child Care Licensing Bureau [website](#) under [Statewide Search for Licensed Child Care Centers and Homes](#). A description of when interim inspection reports are completed can be found under [Overview of Licensing Reports](#).

The purpose of the Interim inspection was to determine compliance with applicable licensing statutes and administrative rules for child care Group Home.

During the Interim inspection, licensing consultant Stacy Tomczak found 2 violations. The violations are listed and explained below. An acceptable written corrective action plan was received on 2/19/24.

If you have any questions regarding the report, please contact licensing consultant, Stacy Tomczak, at 989-798-4738. In the event that Stacy Tomczak is not available, and you need to speak to someone immediately, please contact the Child Care Licensing Bureau at 517-284-9730.

<b>Inspection Details</b>		
<i>Number of Rules/Statutes Reviewed</i>	<i>Number of Rules/Statute Violations</i>	<i>Number of Rules/Statutes where Technical Assistance was Provided</i>
199	2	0
<i>Number of Children's Records Reviewed : Number of Children Enrolled</i>	<i>Number of Staff Employed : Number of Staff Files Reviewed</i>	<i>Number of Home Volunteers : Number of Volunteer Files Reviewed</i>
10: 23	2: 2	0: 0
<i>Number of Children Observed : Number of Children Present During Inspection</i>	<i>Number of Child Care Staff Members Observed : Number of Child Care Staff Members Present During Inspection</i>	<i>Number of Volunteers Observed a: Number of Volunteers Present During Inspection</i>
14: 14	1: 1	0 : 0
<i>Licensee Interviewed</i>	<i>Child Care Staff Members Interviewed</i>	<i>Pets</i>
Yes	Yes	There is a small yorkshire terrier that will have access to the children.
<i>Water or Other Hazards</i>	<i>Outdoor Space</i>	
There are no water hazards observed in the outdoor play area. The neighbor does have a pool on the other side of the fence.	There outdoor play area is fully enclosed and located along the side of the home.	

<b>Documentation of Required Inspections</b>		
<i>Type of Inspection</i>	<i>Date of Inspection</i>	<i>Findings</i>

<i>Rule Number</i>	<i>Rule</i>	<i>Analysis</i>	<i>Conclusion</i>
R 400.1932(3)	Home maintenance and safety. All steps, stairs, porches, and elevated structures to which children in care have access must be protected to prevent falls, and must be free of ice and snow accumulation.	The steps to the main part of the home did not have a gate in front of them to protect from falls.	Violation Established
R 400.1933(4)	Water supply; sewage disposal; water temperature. Hot water temperature must not exceed 120 degrees Fahrenheit at	The hot water temperature at the sink measured 134.4.	Repeat Violation Established Reference: : 2/1/2017 :Violation Established;

	water faucets accessible to children.		
--	---------------------------------------	--	--


**Technical Assistance**

<i>Rule Number</i>	<i>Rule</i>
--------------------	-------------

**Bureau Recommendation**

You have submitted an acceptable corrective action plan. I recommend no change in the status of the license.

**Approved By:**

			
		2/22/2024	
Stacy Tomczak			
<b>Licensing Consultant</b>	<b>Date</b>		