



STATE OF MICHIGAN  
 DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS  
 LANSING

GRETCHEN WHITMER  
 GOVERNOR

ORLENE HAWKS  
 DIRECTOR

September 15, 2021

LuAnne Hoyt  
 15505 A Drive North  
 Marshall, MI 49068

RE: License #: DG130338504  
**LuAnne Hoyt**  
**15505 A Drive North**  
**Marshall, MI 49068**

Dear Mrs. Hoyt:

Attached is your renewal inspection report. You can find a copy of this renewal inspection report and any associated corrective action plans on our [website](#) under [Statewide Search for Licensed Child Care Centers and Homes](#). A description of when renewal inspection reports are completed can be found under [Overview of Licensing Reports](#).

As a result of the renewal inspection on 8/14/2021, I did not find any rule or law violations. You will receive your regular license in the mail.

| <b>During calendar year 2020:</b>   | <b>Total</b> |
|---|--------------|
| Number of serious injuries that occurred in facility.   | <b>0</b>     |
| Number of deaths that occurred in the facility.   | <b>0</b>     |
| Number of substantiated cases of abuse and/or neglect of a child that occurred at the facility. | <b>0</b>     |

Please contact me with any questions. In the event that I am not available and you need to speak to someone immediately, please contact the local office at 616-356-0183.

Per MCL 722.113g, this report and any related corrective action plans must be filed in your Licensing Notebook.

Sincerely,

A handwritten signature in black ink that reads "Beth Goding". The signature is written in a cursive style with a long, sweeping tail on the "g".

Beth Goding, Licensing Consultant  
Bureau of Community and Health Systems  
Unit 13, 7th Floor  
350 Ottawa, N.W.  
Grand Rapids, MI 49503  
(269) 615-5489

enclosure

**MICHIGAN DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS  
CHILD CARE LICENSING BUREAU  
RENEWAL INSPECTION REPORT**

**I. IDENTIFYING INFORMATION**

|                                |   |
|--------------------------------|---|
| <b>License #:</b>              | DG130338504                               |
| <b>Licensee Name:</b>          | LuAnne Hoyt                               |
| <b>Licensee Address:</b>       | 15505 A Drive North<br>Marshall, MI 49068 |
| <b>Licensee Telephone #:</b>   |   |
| <b>Licensee:</b>               | N/A                                       |
| <b>Name of Facility:</b>       | LuAnne Hoyt                               |
| <b>Facility Address:</b>       | 15505 A Drive North<br>Marshall, MI 49068 |
| <b>Facility Telephone #:</b>   | (269) 789-2273                            |
| <b>Original Issuance Date:</b> | 04/03/2013                                |
| <b>Capacity:</b>               | 12  |
| <b>Age Range:</b>              | Ages Birth Thru 17 years                  |

## II. METHODS OF INSPECTION

Date of On-site Inspection(s): 09/14/2021

|   |                                     | No. of Records Reviewed |
|---|-------------------------------------|-------------------------|
| No. of children enrolled in care                          | 8                                   | 8                       |
| No. of assistant caregivers employed                      | 1                                   | 1                       |
| No. of child care children present at time of inspection  | 3                                   |                         |
| No. of other children present at time of inspection       | 0                                   |                         |
| No. of assistant caregivers present at time of inspection | 0                                   |                         |
| Licensee present at time of inspection?                   | Yes                                 |                         |
| Persons Interviewed:                                      |                                     |                         |
| Licensee  | <input checked="" type="checkbox"/> |                         |
| Assistant Caregivers                                      | <input type="checkbox"/>            |                         |

Approved child use space: The child care room and one bedroom in the basement.  
The main floor is not approved.

Exiting information (including second floor and basement): There is a stairway exit and an egress window for exiting in basement.

Approved variances -  No  Yes Description:

Key Indicator Inspection: No

### Additional information:

- Pets? No  Yes  If yes, describe.  
2 dogs
- Hot tubs or spa pool? No  Yes  If yes, are there appropriate barriers?
- Swimming pool? No  Yes  If yes, describe pool and barriers.
- Other water hazards? No  Yes  If yes, describe.
- Fireplace or wood burning stove? No  Yes  If yes, describe.  
fireplace in the main level living room.
- Fireplace/wood burner in use during child care hours? No  Yes  If yes, describe barriers to protect children from burns.

## III. DESCRIPTION OF FINDINGS & CONCLUSIONS

This renewal inspection involved a review of all applicable child care home administrative rules and statutes. Verification of compliance included direct observations of the physical environment and the program, discussions with staff, and a review of the home's records, including staff records and children's records.

Staff records include background checks, medical clearance information, and training information. Children's records include child information cards and child in care statements/receipts.

**IV. RECOMMENDATION**



9/15/2021

---

Beth Goding  
Licensing Consultant

Date