



GRETCHEN WHITMER  
GOVERNOR

STATE OF MICHIGAN  
DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS  
LANSING

ORLENE HAWKS  
DIRECTOR

April 5, 2023

Marietta Chamberlain  
401 Daisy Dr.  
St. Johns, MI 48879

RE: License #: DG190293475

RE: SI LOG #: **Marietta Chamberlain  
401 Daisy Dr.  
St. Johns, MI 48879**

Dear Ms. Chamberlain:

This letter is to advise you that the 03/27/2023 corrective action plan you submitted, regarding each rule violation cited in the recently completed Interim Inspection Report, is approved.

You can find a copy of this corrective action approval letter and the associated report on our [website](#) under [Statewide Search for Licensed Child Care Centers and Homes](#). A description of each type of report and corrective action plans can be found under [Overview of Licensing Reports](#).

Violation cited	Noncompliance observed	Plan to correct	Date to be completed
R 400.1905(9)	Ms. Chamberlain did not complete Health and Safety Refresher training in 2022.	Ms. Chamberlain will complete Health and Safety 2022.	05/15/2023
R 400.1907(2)	Ms. Chamberlain did not ensure parents updated five child information cards and two child in care statements annually.	Ms. Chamberlain will have parents update forms	04/15/2023
R 400.1916(4)	Ms. Chamberlain did not ensure the mattress was tight fitting. The mattress in the play yard was not attached to the frame creating an entrapment hazard for the infant in care.	Ms. Chamberlain will connect the mattress to the frame daily when she changes the sheet.	03/27/2023

R 400.1916(5)	Ms. Chamberlain did not ensure the play yard used for an infant in care was manufactured after February 19, 2014. The play yard she used for an infant in care was manufactured in 2011 and is not in compliance with Consumer Product Safety Commission safety standards.	Ms. Chamberlain will purchase a play yard that is in compliance within 10 days.	04/07/2023
R 400.1916(8)	Ms. Chamberlain had an infant sleeping in the play yard with the pacifier attached to her outfit posing a risk to the infant. Ms. Chamberlain stated she puts the infant in the play yard with the pacifier attached like the parent does. I provided technical assistance to Ms. Chamberlain reminding her of safe sleep requirements. She must ensure safety of the infant always following safe sleep requirements.	Ms. Chamberlain has removed the pacifier's attachment and will not use it anymore.	03/27/2023
R 400.1931(8)	Ms. Chamberlain did not ensure the bottle used for the infant was labeled with the child's first and last name and date.	Ms. Chamberlain will label the bottle every day.	03/28/2023
R 400.1932(1)	Ms. Chamberlain's home is not maintained in a clean, safe, and comfortable condition. The approved spaces used for child care are extremely cluttered with papers, shoes, appliances, food, furniture, and knick-knacks. The kitchen table used for food service was extremely cluttered with miscellaneous papers and such making it difficult to sit at or wash thoroughly for food service.	Ms. Chamberlain will get rid of clutter. To maintain her home she will check it each night before bed ensuring it is ready for children in the morning.	05/01/2023
R 400.1932(2)	Ms. Chamberlain did not ensure all dangerous and hazardous materials or items are stored securely and out of the reach of children. Ms. Chamberlain had	Ms. Chamberlain moved the hazardous materials off the table while consultant onsite. Ms. Chamberlain will keep the hazardous materials	03/27/2023


	personal medication on the kitchen table accessible to children. In addition, disinfectant wipes with bleach were on the table accessible to children in care.	inaccessible to children every day.	
<b>Safe Sleep Violations</b>	<b>Due to the safe sleep violations, Ms. Chamberlain is required to retake safe sleep.</b>	<b>Ms. Chamberlain will retake safe sleep by April 10, 2023.</b>	<b>04/10/2023</b>

It is expected that the corrective action plan will be implemented within the time frames as outlined in your plan.

**A follow-up evaluation may be made to verify compliance. Should the corrections not be implemented in the specified time, it may be necessary to reevaluate the status of your license.**

The office provides technical assistance to meet the licensing requirements and consultation to improve services. Please contact me with any questions. In the event that I am not available and you need to speak to someone immediately, you may contact the local office at (517) 284-9730.

Sincerely,



Sharon VanOrd, Licensing Consultant  
 Bureau of Community and Health Systems  
 611 W. Ottawa Street  
 P.O. Box 30837  
 Lansing, MI 48909  
 (517) 242-5029