



STATE OF MICHIGAN
 DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS
 LANSING

GRETCHEN WHITMER
 GOVERNOR

ORLENE HAWKS
 DIRECTOR

June 13, 2023

Cheryl Alassane
 11310 Nixon Rd.
 Grand Ledge, MI 48837

RE: License #: DG230284840
 Alassane, Cheryl
 11310 Nixon Rd.
 Grand Ledge, MI 48837

Dear Ms. Alassane:

This letter is to advise you that the 06/04/2023 corrective action plan you submitted, regarding each rule violation cited in the recently completed Renewal Licensing Study Report, is approved.

You can find a copy of this corrective action approval letter and the associated report on our [website](#) under [Statewide Search for Licensed Child Care Centers and Homes](#). A description of each type of report and corrective action plans can be found under [Overview of Licensing Reports](#).


Violation cited	Noncompliance observed	Plan to correct	Date to be completed
R 400.1906(1)(c)(i)(ii); Records of a licensee; child care staff member; child care assistant.	At the time of the inspection, Ms. Alassane did not have an updated medical clearance on file.	Ms. Alassane stated she has made an appointment to complete her medical clearance. Moving forward, she will send in her updated medical clearance for renewals 45 days prior to the expiration date of her license.	July 31, 2023, and ongoing.
R 400.1934(4); Heating; ventilation; lighting; radon.	At the time of the inspection, Ms. Alassane did not have a current radon test on file. The most recent radon test is from June of 2006.	Ms. Alassane stated she will complete the updated radon test. Moving forward, she will send her required radon test with her renewal 45 days prior to the expiration of her license.	July 3, 2023, and ongoing.

It is expected that the corrective action plan will be implemented within the time frames as outlined in your plan.

A follow-up evaluation may be made to verify compliance. Should the corrections not be implemented in the specified time, it may be necessary to reevaluate the status of your license.

The office provides technical assistance to meet the licensing requirements and consultation to improve services. Please contact me with any questions. In the event that I am not available and you need to speak to someone immediately, you may contact the local office at (517) 284-9727.

Sincerely,

A handwritten signature in cursive script, appearing to read "Michelle Gleed".

Michelle Gleed, Licensing Consultant
Bureau of Community and Health Systems
611 W. Ottawa Street
P.O. Box 30664
Lansing, MI 48909
(517) 599-7404