



GRETCHEN WHITMER  
GOVERNOR

STATE OF MICHIGAN  
DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS  
LANSING

ORLENE HAWKS  
DIRECTOR

November 23, 2022

Taunya Sims  
118 Hume Blvd.  
Lansing, MI 48917

**RE: License #:** DG230370564  
Taunya Sims  
118 Hume Blvd.  
Lansing, MI 48917

Dear Ms. Sims:

This letter is to advise you that the November 23, 2022, corrective action plan you submitted, regarding each rule violation cited in the recently completed Interim Inspection Report, is approved.

You can find a copy of this corrective action approval letter and the associated report on our [website](#) under [Statewide Search for Licensed Child Care Centers and Homes](#). A description of each type of report and corrective action plans can be found under [Overview of Licensing Reports](#).

Violation cited	Noncompliance observed	Plan to correct	Date to be completed
R 400.1920(5)(a); Outdoor play area and equipment.	The climbing equipment in the fenced outdoor play area did not have the required ground cover.	Ms. Sims stated the climbing equipment in the outdoor play area will have the required ground covering. Ms. Sims and her staff will ensure proper ground covering is maintained by checking it annually and maintaining as necessary.	11/17/2022 and ongoing
R 400.1932(3); Home maintenance and safety.	During the inspection the stairs leading from the ground to the elevated porch in the outdoor play area were not protected to prevent falls. During the inspection the stairs	Ms. Sims stated there is a gate at the bottom of the stairs leading from the ground to the elevated porch in the outdoor play area. There is also a gate at the bottom of the stairs which leads to the main playroom. Ms. Sims	10/06/2022 and 10/07/2022 and ongoing

	leading to the basement were not protected at the bottom of the stairs to protect falls.	stated she and/or her staff will check both gates daily at the start of each child care day to ensure proper closings.	
--	--	--	--

It is expected that the corrective action plan will be implemented within the time frames as outlined in your plan.

A follow-up evaluation may be made to verify compliance. Should the corrections not be implemented in the specified time, it may be necessary to reevaluate the status of your license.

The office provides technical assistance to meet the licensing requirements and consultation to improve services. Please contact me with any questions. In the event that I am not available and you need to speak to someone immediately, you may contact the local office at (517) 284-9727.

Kind regards,



Michelle Gleed, Licensing Consultant  
 Bureau of Community and Health Systems  
 611 W. Ottawa Street  
 P.O. Box 30664  
 Lansing, MI 48909  
 (517) 599-7404