



GRETCHEN WHITMER
GOVERNOR

STATE OF MICHIGAN
DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS
LANSING

ORLENE HAWKS
DIRECTOR

February 17, 2022

Rebecca Emmendorfer
4171 W Thompson Rd
Linden, MI 48451

RE: Application #: DG250411452
Rebecca Emmendorfer
4171 W Thompson Rd
Linden, MI 48451

Dear Ms. Emmendorfer:

Attached is the Original Licensing Study Report for the above referenced facility. The study has determined substantial compliance with applicable licensing statutes and rules. Therefore, an original license with a capacity of 12 is issued.

Please review the attached documentation for accuracy and contact me with any questions. In the event that I am not available and you need to speak to someone immediately, please contact the local office at (517) 284-9730.

Per MCL 722.113g, this report must be filed in your Licensing Notebook.

Sincerely,

A handwritten signature in cursive script that reads "Lisa Gundry".

Lisa Gundry, Licensing Consultant
Child Care Licensing Bureau
611 W. Ottawa Street
PO Box 30664
Lansing, MI 48909-8164
(810) 931-1220

**MICHIGAN DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS
CHILD CARE LICENSING BUREAU
LICENSING STUDY REPORT**

I. IDENTIFYING INFORMATION

License #:	DG250411452
Applicant Name:	Rebecca Emmendorfer
Applicant Address:	4171 W Thompson Rd Linden, MI 48451
Applicant Telephone #:	(810) 577-5871
Licensee:	N/A
Name of Facility:	Rebecca Emmendorfer
Facility Address:	4171 W Thompson Rd Linden, MI 48451
Facility Telephone #:	(810) 577-5871
Application Date:	01/15/2022
Capacity:	12
Program Type:	CHILD CARE GROUP HOME (CAPACITY 7-12)

II. METHODOLOGY

06/17/2021	Inspection Completed-Heating Approved
01/15/2022	Enrollment
01/19/2022	Application Incomplete Letter Sent needs everything
01/24/2022	Application Incomplete Letter Sent needs radon test, signed app, course 1 & 2 and tb for [REDACTED]
01/24/2022	Application Incomplete Letter Sent needs tb for [REDACTED] and course 1 & 2
02/01/2022	Document received, Zoning approval
02/01/2022	Application Complete/Orientation Needed
02/10/2022	Inspection Completed On-site
02/10/2022	Inspection Completed-BCAL Full Compliance
08/10/2021	Orientation Attended
06/17/2021	Inspection Completed – Furnace and Hot Water Heater
06/23/2021	Contact – Document Received Radon results 2.1 pci/L
04/26/2021	Contact – Document Received Rebecca Emmendorfer & [REDACTED] TB tests, CPR, First Aid, Course 1 & 2, and Safe Sleep Training verification.

III. DESCRIPTION OF FINDINGS & CONCLUSIONS

A. Description of Facility

The child care home is a two-story home located in a residential area on Thompson Road in Linden.

Rooms and levels approved for child care use:

The areas of the main level of the home that are approved for child care use are the bedroom/play room on the north side of the home, a bedroom/nap room on the southeast side of the home, and the eat-in kitchen.

Areas not approved:

The entire upper level of the home and the basement are not approved for child care use.

Ages of children served:

Mrs. Emmendorfer will provide care for children aged birth through 12 years.

Equipment:

Mrs. Emmendorfer has a variety of age-appropriate toys and equipment sufficient for her licensed capacity.

Proposed days and hours of operation:

This child care will operate Monday through Friday from 7:00am until 5:30pm.

Previous or concurrent licenses, including children's foster care:

Mrs. Emmendorfer was licensed for child care at her previous addresses under DG250389573, DF250384218 and DG250378502, and DF250408482. Mrs. Emmendorfer has never been licensed for children's foster care.

Exiting information (including second floor and basement):

The main level of the home has 4 remote exits (front door, back door, side door and garage door) and all of them lead directly to the outside.

Outdoor play area description:

Outdoor play will occur in the backyard of the home. This area is fenced and there is no elevated (over 30 inches) equipment requiring ground surface. The backyard has an above ground swimming pool that will not be used for child care children. The pool is a minimum of 4 feet in height and has a locked gate preventing children from accessing the area. Direct supervision will be provided at all times.

Additional information:

- Pets? No Yes If yes, describe.
- Hot tubs or spa pool? No Yes If yes, are there appropriate barriers?
- Swimming pool? No Yes If yes, describe pool and barriers. The pool is above ground and is at least four feet high and has a locked gate.
- Other water hazards? No Yes If yes, describe.

- Fireplace or wood burning stove? No Yes If yes, describe. There is a gas fireplace in the family room that will not be used during child care hours
- Fireplace/wood burner in use during child care hours? No Yes If yes, describe barriers to protect children from burns:

Explanation of variances, if any:

None.

B. Rule/Statutory Violations

None.

IV. RECOMMENDATION

I recommend issuance of an original license to this child care group home (capacity 7-12).

Lisa Gundry

2/17/2022

Lisa Gundry
Licensing Consultant

Date

Approved By:

Crecendra Brown

February 17, 2022

Crecendra Brown
Area Manager

Date