



GRETCHEN WHITMER
GOVERNOR

STATE OF MICHIGAN
DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS
LANSING

ORLENE HAWKS
DIRECTOR

August 17, 2022

Evelyn Bradley
609 Richmond St
Alma, MI 48801

RE: License # DG290403225
 Bradley, Evelyn
 609 Richmond St.
 Alma, MI 48801

Dear Ms. Bradley:

This letter is a follow-up to the on-site inspection conducted at your home on 08/10/2022. This was a follow-up inspection. I completed this inspection because you were placed on increased monitoring as stated in your special investigation report dated 04/22/2022.

When I arrived on-site, there were four unrelated children and two related children in attendance; along with two child care staff members and one supervised volunteer. All of the children were outside playing. Ms. Bradley was in compliance with the following rules:

- R400.1907(3) Child's record.
- R400.1906(1)(b) Records of a licensee; child care staff member; child care assistant.
- R400.1908(1) Capacity.
- R400.1903(4)(c) Licensee responsibilities.

The violations that were found are:

R 400.1920 Outdoor play area and equipment.

(5) When swings, climbers, slides, and other similar play equipment with a designated play surface above 30 inches are used, they must:

(a) Not be placed over concrete, asphalt, or a similar surface, such as hard-packed dirt or grass.

Child care children were observed playing on the outdoor wooden playset. The playset had swings, a climbing wall and a slide that were above 30 inches in height. Grass was the only surfacing underneath the playset.

R 400.1920

Outdoor play area and equipment.

(5) When swings, climbers, slides, and other similar play equipment with a designated play surface above 30 inches are used, they must:

(c) Be placed at least 6 feet from the perimeter of other play structures or obstacles.

Child care children were observed playing on the outdoor wooden playset. The playset had swings, a climbing wall and a slide that were above 30 inches in height. The outdoor fence and the house were within the 6-foot perimeter of these elevated items on the playset.

On 08/10/2022, you gave us an acceptable written corrective action plan. An additional increased monitoring inspection will be conducted, to ensure the playset is in compliance with the licensing rules for family and group child care homes.

You can find a copy of this confirming letter and any associated corrective action plans on our [website](#) under [Statewide Search for Licensed Child Care Centers and Homes](#). A description of when confirming letters are completed can be found under [Overview of Licensing Reports](#).

Please contact me with any questions. In the event that I am not available and you need to speak to someone immediately, please contact the local office at 517-284-9730.

Per MCL 722.113g, this report and any related corrective action plans must be filed in your Licensing Notebook.

Sincerely,



Dana M. Hart, Licensing Consultant
Child Care Licensing Bureau
611 W. Ottawa Street
P.O. Box 30664
Lansing, MI 48909
517-388-4625