



GRETCHEN WHITMER
GOVERNOR

STATE OF MICHIGAN
DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS
LANSING

ORLENE HAWKS
DIRECTOR

September 7, 2022

Nicole Coddington
4529 Garfield St
Ubly, MI 48475

RE: License #: DG320381456
Tikes and Tots Daycare
4529 Garfield St
Ubly, MI 48475

Dear Mrs. Coddington:

Attached is your renewal inspection report. You can find a copy of this renewal inspection report and any associated corrective action plans on our [website](#) under [Statewide Search for Licensed Child Care Centers and Homes](#). A description of when renewal inspection reports are completed can be found under [Overview of Licensing Reports](#).

During the renewal inspection on 09/07/2022, I found one violation(s) listed below and explained in the attached report:

R 400.1934 Heating; ventilation; lighting; radon.


You gave us an acceptable written corrective action plan. We will send you a regular license in the mail.

During calendar year 2021:	Total
Number of serious injuries that occurred in facility.	0
Number of deaths that occurred in the facility.	0
Number of substantiated cases of abuse and/or neglect of a child that occurred at the facility.	0

Please contact me with any questions. In the event that I am not available and you need to speak to someone immediately, please contact the local office at 517-284-9730.

Per MCL 722.113g, this report and any related corrective action plans must be filed in your Licensing Notebook.

Sincerely,

A handwritten signature in black ink that reads "Erin M. Kidd". The signature is written in a cursive style with a large initial "E".

Erin Kidd, Licensing Consultant
Child Care Licensing Bureau
611 W. Ottawa St.
P.O. Box 30664
Lansing MI, 48909-8164
(810) 931-1786

Enclosure

**MICHIGAN DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS
CHILD CARE LICENSING BUREAU
RENEWAL INSPECTION REPORT**

I. IDENTIFYING INFORMATION

License #:	DG320381456
Licensee Name:	Nicole Coddington
Licensee Address:	4529 Garfield St Ubly, MI 48475
Licensee Telephone #:	(989) 550-3386
Licensee:	N/A
Name of Facility:	Tikes and Tots Daycare
Facility Address:	4529 Garfield St Ubly, MI 48475
Facility Telephone #:	(989) 550-3386
Original Issuance Date:	03/28/2016
Capacity:	14
Age Range:	Ages Birth Thru 17 years

II. METHODS OF INSPECTION

Date of On-site Inspection(s): 09/07/2022

	No. of Records Reviewed	
No. of children enrolled in care	16	16
No. of assistant caregivers employed	1	1
No. of child care children present at time of inspection	8	
No. of other children present at time of inspection	1	
No. of assistant caregivers present at time of inspection	1	
Licensee present at time of inspection?	Yes	
Persons Interviewed:		
Licensee	<input checked="" type="checkbox"/>	
Assistant Caregivers	<input checked="" type="checkbox"/>	

Approved child use space: Entire main floor of the home. The master bedroom is for napping purposes only. The basement is not approved for child use space

Exiting information (including second floor and basement): The main floor of the home has three remote exits. One exit to the rear of the home, one exit to the side of the home and one exit to the garage of the home.

Approved variances - No Yes Description: R 400.1910 Ratio of personnel to children. Ratio of personnel to children present in the home must not be less than 1 member of personnel to 7 children.

Key Indicator Inspection: No

Additional information:

- Pets? No Yes If yes, describe.
- Hot tubs or spa pool? No Yes If yes, are there appropriate barriers?
- Swimming pool? No Yes If yes, describe pool and barriers.
- Other water hazards? No Yes If yes, describe.
- Fireplace or wood burning stove? No Yes If yes, describe.
The home has one non-working fireplace
- Fireplace/wood burner in use during child care hours? No Yes If yes, describe barriers to protect children from burns.

III. DESCRIPTION OF FINDINGS & CONCLUSIONS

This renewal inspection involved a review of all applicable child care home administrative rules and statutes. Verification of compliance included direct observations of the physical environment and the program, discussions with staff, and a review of the home's records, including staff records and children's records. Staff records include background checks, medical clearance information, and training information. Children's records include child information cards and child in care statements/receipts.

During the inspection, the child care home was found to be in compliance with all applicable rules and statutes except for the following violations:

R 400.1934 Heating; ventilation; lighting; radon.

(4) A licensee shall test the child care home for the concentration of radon gas before the initial license is issued and every 4 years thereafter at the time of license renewal.

At the time of the onsite inspection, Mrs. Coddington was lacking an updated radon test.

- On September 7, 2022, I provided technical assistance to Mrs. Coddington regarding ensuring the allergy/special needs section on emergency cards has a response. I provided technical assistance regarding maintenance of the walkway in front of the exit door in the living room. I provided technical assistance regarding posting of the variance approval letter.

A corrective action plan was requested and approved on 09/07/2022. It is expected that the corrective action plan be implemented within the specified time frames as outlined in the approved plan. A follow-up evaluation may be made to verify compliance. Should the corrections not be implemented in the specified time, it may be necessary to reevaluate the status of your license.

IV. RECOMMENDATION

I recommend issuance of a regular license to this child care group home (capacity 7-12).

Erin M. Kidd

September 7, 2022

Erin Kidd
Licensing Consultant

Date