



GRETCHEN WHITMER
GOVERNOR

STATE OF MICHIGAN
DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS
LANSING

ORLENE HAWKS
DIRECTOR

February 8, 2021

Lynn Kehoe
313 Broas Street
Belding, MI 48809

RE: Application #: DG340404508
Lynn Kehoe
313 Broas Street
Belding, MI 48809

Dear Ms. Kehoe:

Attached is the Original Licensing Study Report for the above referenced facility. The study has determined substantial compliance with applicable licensing statutes and rules. Therefore, an original license with a capacity of 12 is issued.

Please review the attached documentation for accuracy and contact me with any questions. In the event that I am not available and you need to speak to someone immediately, please contact the local office at (616) 356-0183.

Per MCL 722.113g, this report must be filed in your Licensing Notebook.

Sincerely,

A handwritten signature in black ink, appearing to read "S. Shankin".

Sean Shankin, Licensing Consultant
Bureau of Community and Health Systems
427 East Alcott
Kalamazoo, MI 49001

enclosure

**MICHIGAN DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS
BUREAU OF COMMUNITY AND HEALTH SYSTEMS
LICENSING STUDY REPORT**

I. IDENTIFYING INFORMATION

License #:	DG340404508
Applicant Name:	Lynn Kehoe
Applicant Address:	313 Broas Street Belding, MI 48809
Applicant Telephone #:	(616) 894-6566
Licensee:	N/A
Name of Facility:	Lynn Kehoe
Facility Address:	313 Broas Street Belding, MI 48809
Facility Telephone #:	(616) 894-6566
Application Date:	05/12/2020
Capacity:	12
Program Type:	CHILD CARE GROUP HOME (CAPACITY 7-12)

II. METHODOLOGY

02/12/2020	Inspection Completed-Heating Approved
02/12/2020	Inspection Completed-Water Heater
05/12/2020	Enrollment Online enrollment
05/14/2020	Contact - Document Sent Rule & Act booklets; MI Child Care Matters
05/14/2020	Application Incomplete Letter Sent Zoning approval; 001, DL, med cl, TB, CPR, 1st Aid, Infant Safe Sleep, Courses 1 & 2 for Lynn; 001 & TB for Michael; furnace; HW; radon
05/21/2020	Contact - Document Received App
05/21/2020	Contact - Document Received Zoning approval
05/21/2020	Contact - Document Received Radon results 2.0 pCi/L
05/21/2020	Contact - Document Received TB, 001, & DL for Lynn; med cl's, TB's, & 001's for Michael & Danielle
05/21/2020	Contact - Document Received Verification of 1st Aid, Courses 1 & 2, & Infant Safe Sleep (Alternate) - Lynn; Courses 1 & 2, & Infant Safe Sleep (Alternate) for Danielle
05/27/2020	Contact - Document Received Med cl's for Lynn, Michael, & Danielle; note that CPR & 1st Aid will be taken once orders are lifted

10/26/2020	Contact - Document Received Verification of CPR for Lynn & Danielle; updated 1st Aid for Lynn & Danielle
11/04/2020	Contact - Document Received Radon results 3.4 pCi/L
11/04/2020	Application Complete/Orientation Needed
11/12/2020	Orientation Scheduled For- Kzoo - Virtual
11/12/2020	Orientation Attended Kzoo - Virtual
01/21/2021	Inspection Completed On-site

III. DESCRIPTION OF FINDINGS & CONCLUSIONS

A. Description of Facility

Rooms and levels approved for child care use: Ms. Lynn Kehoe has a two-story home in a residential neighborhood in Belding, Michigan. The rooms approved for child use are all located on the main floor of the home and include the living room, dining room, kitchen, playroom, the (front) 3-seasons patio, and a bedroom used for napping. There is also a bathroom available for child care use.

Areas not approved: The entire second floor of the home and basement are not approved for child use space.

Ages of children served: Ms. Kehoe will serve children from 6 week through 12 years of age.

Equipment: Ms. Kehoe has an adequate amount of toys and equipment for the ages and number of children served.

Proposed days and hours of operation: Child care will be provided Monday through Friday from 5:00 AM to 6:00 PM.

Previous or concurrent licenses, including children's foster care: Ms. Kehoe has previously held a child care family license (DF340034377). Ms. Kehoe has not been previously licensed for children's or adult foster care.

Exiting information (including second floor and basement): There are two door exits from the main floor of the home.

Outdoor play area description: The outdoor play area is located behind the family's home. The outdoor play area is completely fenced in. Ms. Kehoe has a variety of portable equipment as well as a permanent wooden play structure that contains 3 swings, 2 slides, and a climbing wall. The permanent play structure will need to have an appropriate amount of surfacing surrounding the fall zones prior to use by child care children.

Additional information:

- Pets? No Yes If yes, describe. There is 1 dog in the home.
- Hot tubs or spa pool? No Yes If yes, are there appropriate barriers?
- Swimming pool? No Yes If yes, describe pool and barriers.
- Other water hazards? No Yes If yes, describe.
- Fireplace or wood burning stove? No Yes If yes, describe.
- Fireplace/wood burner in use during child care hours? No Yes If yes, describe barriers to protect children from burns:

Explanation of variances, if any: N/A

B. Rule/Statutory Violations

This facility is in compliance with all licensing rules and statues.

IV. RECOMMENDATION

I recommend issuance of a original license to this child care group home (capacity 7-12).




2/8/2021

Sean Shankin
Licensing Consultant

Date

Approved By:



2/8/2021

Yolanda Sims
Area Manager

Date