



GRETCHEN WHITMER
GOVERNOR

STATE OF MICHIGAN
DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS
LANSING

ORLENE HAWKS
DIRECTOR

February 9, 2022

Ashley Abbott
124 Bates
Jackson, MI 49202

RE: License #: DG380378563
Ashley Abbott
124 Bates
Jackson, MI 49202

Dear Ms. Abbott:

Attached is your renewal inspection report. You can find a copy of this renewal inspection report and any associated corrective action plans on our [website](#) under [Statewide Search for Licensed Child Care Centers and Homes](#). A description of when renewal inspection reports are completed can be found under [Overview of Licensing Reports](#).

During the renewal inspection on 2/9/2022, I found *two violations*. The violations are listed below and explained in the attached report:

R 400.1925 (2)(b) Comprehensive background check; fingerprinting.

R 400.1934 (4) Heating; ventilation; lighting; radon.

Due to the violations, you must send us a corrective action plan by 2/25/2022. You can use our [corrective action plan](#) form or create your own.

If you need help writing the corrective action plan, please contact me. If you do not send a corrective action plan, you may face disciplinary action. The corrective action plan must include the following:

- How compliance with each rule will be achieved.
- Who is directly responsible for implementing the corrective action for each violation.

- Specific time frames for each violation as to when the correction will be completed or implemented.
- How continuing compliance will be maintained once compliance is achieved.
- The signature of the responsible party and a date.


Upon receipt of an acceptable corrective action plan, a regular license will be issued. You will receive it in the mail.

During calendar year 2021:	Total
Number of serious injuries that occurred in facility.	0
Number of deaths that occurred in the facility.	0
Number of substantiated cases of abuse and/or neglect of a child that occurred at the facility.	0

Please contact me with any questions. In the event that I am not available and you need to speak to someone immediately, please contact the local office at 517-284-9730.

Per MCL 722.113g, this report and any related corrective action plans must be filed in your Licensing Notebook.

Sincerely,



Stacy Wables, Licensing Consultant
 Bureau of Community and Health Systems
 611 W. Ottawa Street
 P.O. Box 30664
 Lansing, MI 48909
 (517) 899-5790

enclosure

**MICHIGAN DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS
CHILD CARE LICENSING BUREAU
RENEWAL INSPECTION REPORT**

I. IDENTIFYING INFORMATION

License #:	DG380378563
Licensee Name:	Ashley Abbott
Licensee Address:	124 Bates Jackson, MI 49202
Licensee Telephone #:	(517) 315-1984
Licensee:	N/A
Name of Facility:	Ashley Abbott
Facility Address:	124 Bates Jackson, MI 49202
Facility Telephone #:	(517) 358-6451
Original Issuance Date:	08/14/2015
Capacity:	12
Age Range:	Ages Birth Thru 12 years

II. METHODS OF INSPECTION

Date of On-site Inspection(s): 02/09/2022

		No. of Records Reviewed
No. of children enrolled in care	20	10
No. of assistant caregivers employed	1	1
No. of child care children present at time of inspection	1 Related	
No. of other children present at time of inspection	0	
No. of assistant caregivers present at time of inspection	0	
Licensee present at time of inspection?	Yes	
Persons Interviewed:	Licensee <input checked="" type="checkbox"/>	
	Assistant Caregivers <input type="checkbox"/>	

Approved child use space: The play room, living room and kitchen on the main, first floor level are approved for child care use.

Exiting information (including second floor and basement): There are two remote doors for exiting.

Approved variances - No Yes Description:

Key Indicator Inspection: No

Additional information:

- Pets? No Yes If yes, describe.
There are two dogs that reside in the home.
- Hot tubs or spa pool? No Yes If yes, are there appropriate barriers?
- Swimming pool? No Yes If yes, describe pool and barriers.
- Other water hazards? No Yes If yes, describe.
- Fireplace or wood burning stove? No Yes If yes, describe.
- Fireplace/wood burner in use during child care hours? No Yes If yes, describe barriers to protect children from burns.

III. DESCRIPTION OF FINDINGS & CONCLUSIONS

This renewal inspection involved a review of all applicable child care home administrative rules and statutes. Verification of compliance included direct observations of the physical environment and the program, discussions with staff, and a review of the home's records, including staff records and children's records.

Staff records include background checks, medical clearance information, and training information. Children's records include child information cards and child in care statements/receipts.

R 400.1925 Comprehensive background check; fingerprinting.

(2) An applicant or licensee shall do all of the following:

(b) Maintain a copy of the completed and signed form(s) for each individual entered into the child care background check system under the license.

Ms. Abbott did not have copies of the completed and signed forms for herself or for her assistant caregiver on site.

R 400.1934 Heating; ventilation; lighting; radon.

(4) A licensee shall test the child care home for the concentration of radon gas before the initial license is issued and every 4 years thereafter at the time of license renewal.

Ms. Abbott did not complete a radon test within the past four years.

IV. RECOMMENDATION

Upon receipt of an approved corrective action plan, I recommend issuance of a regular license to this child care group home (capacity 7-12).

Stacy Wables

2/9/2022

Stacy Wables
Licensing Consultant

Date