



STATE OF MICHIGAN
 DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS
 LANSING

GRETCHEN WHITMER
 GOVERNOR

ORLENE HAWKS
 DIRECTOR

June 17, 2021

Krystle Lippmann
 3150 Reynolds Rd
 Jackson, MI 49201

RE: License #: DG380400232
 Krystle Lippmann
 3150 Reynolds Rd
 Jackson, MI 49201

Dear Ms. Lippmann:

This letter is to advise you that the 06/17/2021 corrective action plan you submitted, regarding each rule violation cited in the recently completed Interim Inspection Report, is approved.

You can find a copy of this corrective action approval letter and the associated report on our [website](#) under [Statewide Search for Licensed Child Care Centers and Homes](#). A description of each type of report and corrective action plans can be found under [Overview of Licensing Reports](#).

Violation cited	Noncompliance observed	Plan to correct	Date to be completed
R 400.1907(1)(a); Child's records.	There were four child information cards with the "home phone" section incomplete. There were three child information cards with the "work phone" section incomplete. There were two child information cards with the "work phone" section incomplete. There were two child information cards with the "physician's or health clinic's phone number" incomplete.	Ms. Lippman stated she has obtained completed child information cards for all of the children in her care, she has checked those cards to ensure they were completed accurately, and she has provided parents with information on how to accurately complete the child information cards. She will continue to instruct parents on how to accurately complete the child information cards.	04/27/2021 and ongoing

<p>R 400.1921(1); Water hazards; water activities.</p>	<p>The gate to the pool was not appropriately secured to prevent children from gaining access to the pool area.</p>	<p>Ms. Lippman stated she added a coded locking mechanism to the already self-closing and self-latching gate. She will continue to use the coded locking mechanism during child care hours.</p>	<p>04/27/2021 and ongoing</p>
<p>R 400.1932(2); Home maintenance and safety.</p>	<p>In a drawer in the kitchen accessible to children, there was safety pins, a lighter, a pizza cutter, a potato peeler, and scissors. In a drawer in the bathroom accessible to children, there was a straightener with a cord.</p>	<p>Ms. Lippman stated she placed a child safety latch on the drawer which was located in a gated kitchen. She always escorts children through this area never leaving them without supervision.</p> <p>The straightener was removed from the bathroom and placed in a locked cupboard. She will continue to check drawers to ensure they are free of hazardous and/or dangerous items.</p>	<p>04/27/2021 and ongoing</p>

Sincerely,



Michelle Gleed, Licensing Consultant
Bureau of Community and Health Systems
611 W. Ottawa Street
P.O. Box 30664
Lansing, MI 48909
(517) 599-7404