



GRETCHEN WHITMER
GOVERNOR

STATE OF MICHIGAN
DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS
LANSING

ORLENE HAWKS
DIRECTOR

August 1, 2022

Catelyn Williams
5979 Flamingo Drive
Jackson, MI 49201

RE: Application #: DG380412155
Tiny Tots
5979 Flamingo Drive
Jackson, MI 49201

Dear Ms. Williams:

Attached is the Original Licensing Study Report for the above referenced facility. The study has determined substantial compliance with applicable licensing statutes and rules. Therefore, an original license with a capacity of 12 is issued.

Please review the attached documentation for accuracy and contact me with any questions. In the event that I am not available and you need to speak to someone immediately, please contact the local office at (517) 284-9730.

Per MCL 722.113g, this report must be filed in your Licensing Notebook.

Sincerely,

Jenny Camburn Brundage

Jenny L. Camburn Brundage, Licensing Consultant
Child Care Licensing Bureau
611 W. Ottawa Street
P.O. Box 30664
Lansing, MI 48909
(517) 262-9717

enclosure

**MICHIGAN DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS
CHILD CARE LICENSING BUREAU
LICENSING STUDY REPORT**

I. IDENTIFYING INFORMATION

License #:	DG380412155
Licensee Name:	Catelyn Williams
Licensee Address:	5979 Flamingo Drive Jackson, MI 49201
Licensee Telephone #:	(517) 581-0322
Licensee:	N/A
Name of Facility:	Tiny Tots
Facility Address:	5979 Flamingo Drive Jackson, MI 49201
Facility Telephone #:	(517) 581-0322
Application Date:	03/26/2022
Capacity:	12
Program Type:	CHILD CARE GROUP HOME (CAPACITY 7-12)

II. METHODOLOGY

03/26/2022	On-Line Enrollment
03/30/2022	Inspection Report Requested - Health Inv. #1032493
03/30/2022	Contact - Document Sent Rule & Act booklets; MI Child Care Matters; CC Comprehensive Background Cks; Reimburse ltr & form
05/03/2022	Inspection Completed-Env. Health : A
05/03/2022	Inspection Completed-Heating Approved
05/03/2022	Inspection Completed-Water Heater
05/20/2022	Contact - Document Received App - Signed & dated
05/20/2022	Contact - Document Received Zoning approval
05/20/2022	Contact - Document Received Med cl's & TB's for Catelyn & David
05/20/2022	Contact - Document Received Verification of Infant Safe Sleep, Courses 1 & 2 for Catelyn
06/03/2022	Contact - Document Received Radon results 1.5 pCi/L
06/03/2022	Contact - Document Received 001 for Catelyn
06/03/2022	Contact - Document Received Verification of CPR for Carolyn
06/07/2022	Contact - Document Received Radon results 1.5 pCi/L
06/24/2022	Contact - Document Received DL for Catelyn
06/24/2022	Contact - Document Received Verification of 1st Aid for Catelyn
06/24/2022	Application Complete/Orientation Needed

06/24/2022	Workload Transfer for Orientation
07/14/2022	Orientation Scheduled For- Lansing - Virtual

III. DESCRIPTION OF FINDINGS & CONCLUSIONS

A. Description of Facility

Rooms and levels approved for child care use:

Tiny Tots group child care home is located in a one-story house with a basement. The home is located in a residential area.

The approved rooms are located on the main level of the home and include the living room, family room, kitchen, and two bedrooms. The bathroom is also located on the main level.

Areas not approved:

One main level bedroom and the basement are not approved as child care use space. The basement may be used on a temporary basis for emergency tornado drill practice and during times of an actual tornado emergency.

Ages of children served:

Ms. Williams will care for children of all ages.

Equipment:

The group child care home has a variety of play and learning equipment. This equipment is adequate for both the ages and number and number of children served.

Proposed days and hours of operation:

Tiny Tots group child care home will operate Monday-Friday from 6:00a.m. – 5:30p.m.

Previous or concurrent licenses, including children's foster care:

Ms. Williams has not been previously licensed with the department.

Ms. Williams is not a foster parent.

Exiting information (including second floor and basement):

The main level utilizes two remote doors for exiting.

Outdoor play area description:

The outdoor is fenced and is located at the back of the house. The outdoor play area contains age-appropriate swings and climbers. The play equipment is placed over protective ground cover. The backyard also contains a hard sided above ground pool with a removable ladder. The sides of the pool are 4 ft in height. In addition, the pool is surrounded by a locked 4ft high fence. There are no other obvious outdoor hazards.

Additional information:

- Pets? No Yes If yes, describe. The home contains one medium sized dog.
- Hot tubs or spa pool? No Yes If yes, are there appropriate barriers?
- Swimming pool? No Yes If yes, describe pool and barriers. The backyard contains a hard sided above ground pool with a removable ladder. The sides of the pool are 4ft. in height. In addition, the pool is surrounded by a locked 4 ft. high fence.
- Other water hazards? No Yes If yes, describe.
- Fireplace or wood burning stove? No Yes If yes, describe.
- Fireplace/wood burner in use during child care hours? No Yes If yes, describe barriers to protect children from burns:

Explanation of variances, if any: There are no variances.

B. Rule/Statutory Violations

The group child care home is in compliance with the applicable rules and statues.

IV. RECOMMENDATION

I recommend issuance of a original license to this child care group home (capacity 7-12).

Jenny Camburn Brundage

8/1/22

Jenny L. Camburn Brundage
Licensing Consultant

Date

Approved By:

Darlese McConnell

08/01/2022

Darlese McConnell
Area Manager

Date