



STATE OF MICHIGAN  
 DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS  
 LANSING

GRETCHEN WHITMER  
 GOVERNOR

ORLENE HAWKS  
 DIRECTOR

April 13, 2023

Teresa Crawley  
 2824 Rolling Hill Ave  
 Portage, MI 49024

RE: License #: DG390283927  
**Crawley Teresa**  
**2824 Rolling Hill Ave**  
**Portage, MI 49024**

Dear Ms. Crawley:

Attached is your renewal inspection report. You can find a copy of this renewal inspection report and any associated corrective action plans on our [website](#) under [Statewide Search for Licensed Child Care Centers and Homes](#). A description of when renewal inspection reports are completed can be found under [Overview of Licensing Reports](#).

During the renewal inspection on 04/13/2023, I found one violation listed below and explained in the attached report:

R400.1905 Training

You gave us an acceptable written corrective action plan. We will send you a regular license in the mail.

<b>During calendar year 2022:</b>	<b>Total</b>
Number of serious injuries that occurred in facility.	<b>0</b>
Number of deaths that occurred in the facility.	<b>0</b>
Number of substantiated cases of abuse and/or neglect of a child that occurred at the facility.	<b>0</b>

Please contact me with any questions at (269) 568-2686. In the event that I am not available and you need to speak to someone immediately, please contact the local office at (517) 284-9730.

Per MCL 722.113g, this report and any related corrective action plans must be filed in your Licensing Notebook.

Sincerely,

A handwritten signature in black ink that reads "Roxanne Duckworth". The signature is written in a cursive style with a large initial 'R'.

Roxanne Duckworth, Licensing Consultant  
Child Care Licensing Bureau  
611 West Ottawa Street  
P.O. Box 30837  
Lansing, MI 48909

enclosure

**MICHIGAN DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS  
CHILD CARE LICENSING BUREAU  
RENEWAL INSPECTION REPORT**

**I. IDENTIFYING INFORMATION**

<b>License #:</b>	DG390283927
<b>Licensee Name:</b>	Teresa Crawley
<b>Licensee Address:</b>	2824 Rolling Hill A Portage, MI 49024
<b>Licensee Telephone #:</b>	(269) 323-3189
<b>Licensee:</b>	N/A
<b>Name of Facility:</b>	Crawley Teresa
<b>Facility Address:</b>	2824 Rolling Hill A Portage, MI 49024
<b>Facility Telephone #:</b>	(269) 323-3189
<b>Original Issuance Date:</b>	09/14/2006
<b>Capacity:</b>	14
<b>Age Range:</b>	Ages Birth Thru 17 years

## II. METHODS OF INSPECTION

Date of On-site Inspection(s): 04/13/2023

	No. of Records Reviewed	
No. of children enrolled in care	9	9
No. of assistant caregivers employed	0	0
No. of child care children present at time of inspection	3	
No. of other children present at time of inspection	0	
No. of assistant caregivers present at time of inspection	0	
Licensee present at time of inspection?	Yes	
Persons Interviewed:		
Licensee	<input checked="" type="checkbox"/>	
Assistant Caregivers	<input type="checkbox"/>	

Approved child use space: The entire main level is approved for child use space. The playroom on the basement level is also approved for child use space. There are bathrooms on both levels for children to use.

Exiting information (including second floor and basement): There are three exits on the main level, including the front, side, and back-sliding doors, all leading directly outside. There are two exits on the basement level, including an egress window labeled with an exit sign and the stairs leading to the main level.

Approved variances -  No  Yes Description: There is an approved variance for R400.1910 Ratio of personnel to children. This allows for the licensee to have a ratio of 1 personnel to 7 children..

Key Indicator Inspection: N/A

### Additional information:

- Pets? No  Yes  If yes, describe.
- Hot tubs or spa pool? No  Yes  If yes, are there appropriate barriers?
- Swimming pool? No  Yes  If yes, describe pool and barriers.
- Other water hazards? No  Yes  If yes, describe.
- Fireplace or wood burning stove? No  Yes  If yes, describe.  
There is an electric fireplace in the living room.
- Fireplace/wood burner in use during child care hours? No  Yes  If yes, describe barriers to protect children from burns.

### III. DESCRIPTION OF FINDINGS & CONCLUSIONS

This renewal inspection involved a review of all applicable child care home administrative rules and statutes. Verification of compliance included direct observations of the physical environment and the program, discussions with staff, and a review of the home's records, including staff records and children's records. Staff records include background checks, medical clearance information, and training information. Children's records include child information cards and child in care statements/receipts.

During the inspection, I observed three children playing outside with water tables, buckets of water, and squirt toys. The licensee was outside with the children supervising at all times and playing with them.

During the inspection, the child care home was found to be in compliance with all applicable rules and statutes except for the following violations:	
<b>R 400.1905</b>	<b>Training.</b>
	<b>(7) CPR and first aid training certification must be maintained according to the expiration dates on the individual's certification cards.</b>
The licensee did not have updated CPR and first aid training certification. The certification card expired in 01/2023.	

A corrective action plan was requested and approved on 04/13/2023. It is expected that the corrective action plan be implemented within the specified time frames as outlined in the approved plan. A follow-up evaluation may be made to verify compliance. Should the corrections not be implemented in the specified time, it may be necessary to reevaluate the status of your license.

### IV. RECOMMENDATION

I recommend issuance of a regular license to this child care group home (capacity 7-14).

*Roxanne Duckworth*

04/13/2023

Roxanne Duckworth  
Licensing Consultant

Date